AT 0.1.2   Message receipt notification

EDIFACT-message MS 11   CONTRL:D:96A:EN:EAN002

This transaction is used for positive or negative notification of receipt of an individual message. Bilateral agreement on usage is specified in the Technical Appendix to the Interchange Agreement. If whole interchanges are to be receipted, use AT 0.1.1.

Receipt header

The following terms occur once per transaction

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T3001	Interchange control reference	Reference to the interchange being acknowledged	an..14	R	Interchange control reference (UNB/0020) from the received interchange	UCI/0020
T3002	Interchange sender	EAN location number of interchange sender	n13	R	GLN Global Location Number (UNB/S002/0004) from the received interchange	UCI/S002/0004
T3003	Interchange recipient	EAN location number of interchange recipient	n13	R	GLN Global Location Number (UNB/S003/0010) from the received interchange	UCI/S003/0010
T3004	Action code	Action taken by the recipient of the original interchange	an..3	R	6 - interchange rejected 7 - interchange acknowledged 8 - interchange received	UCI/0083

Message response

The following terms occur once for each message in the interchange

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T3005	Message reference number		an..14	R	Message reference number (UNH/0062) from the received message	SG1/UCM/0000
T3006	Message identifier		***	R	EDIFACT message identifier. *** see term catalogue	SG1/UCM/S009/0000
T3004	Action code	Action taken by the recipient of the original interchange	an..3	R	4 - message rejected 7 - message accepted	SG1/UCM/0000

Dependency codes: R - required; D0 - see comments; D1 - one and only one; D2 - all or none; D3 - one or more; D4 - one or none; D5 - if first, then all; D6 - if first, then at least one other; D7 - If first, then none of the others