

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
UNA	Service string advice	C		
UNA1	Component data element separator	M an1	:	
UNA2	Data element separator	M an1	+	
UNA3	Decimal notation	M an1	.	
UNA4	Release indicator	M an1	:	
UNA5	Reserved for future use	M an1	:	
UNA6	Segment terminator	M an1	,	
Example: UNA:+.? '				
UNB	INTERCHANGE HEADER	M		
S001	SYNTAX IDENTIFIER	M		
0001	Syntax identifier	M a4	UNOC UN/ECE level C	
0002	Syntax version number	M n1	3 Version 3	
S002	INTERCHANGE SENDER	M		
0004	Sender identification	M an..35		Global location number (GLN)
0007	Partner identification code qualifier	C an..4 R	14 EAN International EAN is now GS1	
S003	INTERCHANGE RECIPIENT	M		
0010	Recipient identification	M an..35		Global location number (GLN)
0007	Partner identification code qualifier	C an..4 R	14 EAN International EAN is now GS1	
S004	DATE/TIME OF PREPARATION	M		
0017	Date of preparation	M n6		
0019	Time of preparation	M n4		
0020	Interchange control reference	M an..14		
S005	RECIPIENT'S REFERENCE	C N		
0022	PASSWORD			
0022	Recipient's reference/password	M an..14		
0026	Application reference	C an..14 N		
0029	Processing priority code	C a1 N		
0031	Acknowledgement request	C n1 N		
0032	Communications agreement ID	C an..35 N		
0035	Test indicator	C n1		
Example: UNB+UNOC:3+7321590000007:14+7381036600000:14+060714:1118+98765432 1+++++1'				
UNH	MESSAGE HEADER	M		
0062	Message reference number	M an..14		
S009	MESSAGE IDENTIFIER	M		
0065	Message type identifier	M an..6	PRICAT Price/sales catalogue message	
0052	Message type version number	M an..3	D Draft version/UN/EDIFACT Directory	
0054	Message type release number	M an..3	96A Release 1996 - A	
0051	Controlling agency	M an..2	UN UN/CEFACT	
0057	Association assigned code	C an..6 R	EAN006 EAN version control number (EAN Code)	
Example: UNH+1828111835+PRICAT:D:96A:UN:EAN006'				
BGM	Document type and number	M		
C002	Document/message name	C R		
1001	Document/message name, coded	C an..3 R	9 Price/sales catalogue	
1004	Document/message number	C an..17 R		T0001 Price list number
1225	Message function, coded	C an..3 R	9 Original 5 Replace 4 Change	T0002 Price list status
Example: BGM+9+125899+9'				
DTM	Document date	M		
C507	Date/time/period	M		



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
2005	Date/time/period qualifier	M an..3	137 Document/message date/time	
2380	Date/time/period	C an..35 R		T0003 Price list date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+137:20060329:102'				
DTM	Validity start date	M		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	157 Validity start date	
2380	Date/time/period	C an..35 R		T0004 Effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+157:20060329:102'				
DTM	Validity end date	M D		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	21E End validity date (EAN Code) EAN is now GS1	
2380	Date/time/period	C an..35 R		T0005 End effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+21E:20060329:102'				
SG1		C		
RFF	Reference to price list	M		
C506	Reference	M		
1153	Reference qualifier	M an..3	PL Price list number	
1154	Reference number	C an..35 R		T0006 Reference to price list
Example: RFF+PL:125898'				
SG1		C		
RFF	Reference to contract	M		
C506	Reference	M		
1153	Reference qualifier	M an..3	CT Contract number	
1154	Reference number	C an..35 R		T0007 Reference to agreement or contract
Example: RFF+CT:67853729'				
SG2		C R		
NAD	Buyer	M		
3035	Party qualifier	M an..3	BY Buyer	
C082	Party identification details	C R		
3039	Party id. identification	M an..35		T0008 Buyer identification, GLN Global Location Number (GLN)
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) EAN is now GS1	
Example: NAD+BY+7350000001204::9'				
SG2		C R		
NAD	Supplier	M		
3035	Party qualifier	M an..3	SU Supplier	
C082	Party identification details	C R		
3039	Party id. identification	M an..35		T0009 Supplier identification, GLN Global Location Number (GLN)
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) EAN is now GS1	
Example: NAD+SU+7300015200000::9'				



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
SG6		C		
CUX	Price list currency	M		
C504	Currency details	C R		
6347	Currency details qualifier	M an..3	2 Reference currency	
6345	Currency, coded	C an..3 R		T0204 Currency, code
6343	Currency qualifier	C an..3 R	8 Price list currency	
Example: CUX+2:EUR:8'				
SG16		C R		
PGI	Product group information	M		
5379	Product group type, coded	M an..3	2 No price group used 3 Catalogue 11 Product group	T0010 Product group type
C288	Product group	C		
5389	Product group, coded	C an..3		T0011 Product group code
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3	91 Assigned by supplier or supplier's agent	Obligatorisk om koder används T0012 Product group name Tilldelas av leverantören
5388	Product group	C an..35		
Example: PGI+11+122::91:Pappersartiklar'				
SG33		C		
LIN	Price information line	M		
1082	Line item number	C n..6 R		T0051 Line number
1229	Action request/notification, coded	C an..3 R	1 Added 2 Deleted 3 Changed	T0056 Price list line action code
C212	Item identification	C		
7140	Item number	C an..35 R		T0154 Trade item, GTIN Global Trade Item Number (GTIN)
7143	Item number type, coded	C an..3 R	EU	
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) EAN is now GS1	
Example: LIN+1+1+07310865010087:EU::9'				
SG33		C		
PIA	Supplier's article number	C		
4347	Product id. function qualifier	M an..3	5 Product identification	
C212	Item number identification	M		
7140	Item number	C an..35 R		T0172 Supplier's article number
7143	Item number type, coded	C an..3 R	SA Supplier's article number	
Example: PIA+5+1008:SA'				
SG33		C		
PIA	Manufacturer's article number	C		
4347	Product id. function qualifier	M an..3	5 Product identification	
C212	Item number identification	M		
7140	Item number	C an..35 R		T1120 Manufacturer's article number
7143	Item number type, coded	C an..3 R	MF Manufacturer's (producer's) article number	
Example: PIA+5+1143783:MF'				
SG33		C		
PIA	Complementary product identity for supplier	C		

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
4347	Product id. function qualifier	M an..3 R	1 Additional identification	
C212	Item number identification	M		
7140	Item number	C an..35 R		T1331 Complementary product identity for supplier
7143	Item number type, coded	C an..3 R	SA Supplier's article number	
Example: <i>PIA+1+1008:SA'</i>				
SG33		C		
PIA	Complementary product identity for manufacturer	C		
4347	Product id. function qualifier	M an..3	1 Additional identification	
C212	Item number identification	M		
7140	Item number	C an..35 R		T1330 Complementary product identity for manufacturer
7143	Item number type, coded	C an..3 R	MF Manufacturer's (producer's) article number	
Example: <i>PIA+1+387659:MF'</i>				
SG33		C		
PIA	Product classification	C		
4347	Product id. function qualifier	M an..3	1 Additional identification	
C212	Item number identification	M		
7140	Item number	C an..35 R		T1106 Product classification code
7143	Item number type, coded	C an..3 R		T1139 Product classification system, code
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9SE GS1 Sweden	
Example: <i>PIA+1+304050:ATC::9SE'</i>				
SG33		C		
PIA	Replacement trade item identification	C		
4347	Product id. function qualifier	M an..3	3 Substituted by	
C212	Item number identification	M		
7140	Item number	C an..35 R		T1319 Replacement trade item identification, GTIN
7143	Item number type, coded	C an..3 R	EU	Global Trade Item Number (GTIN)
Example: <i>PIA+3+07300015200178:EU'</i>				
SG33		C		
PIA	Replacement supplier item number	C		
4347	Product id. function qualifier	M an..3	3 Substituted by	
C212	Item number identification	M		
7140	Item number	C an..35 R		T0050 Replacement supplier item number
7143	Item number type, coded	C an..3 R	SA Supplier's article number	
Example: <i>PIA+3+1100:SA'</i>				
SG33		C		
PIA	Replacement supplier item number	C		
4347	Product id. function qualifier	M an..3	3 Substituted by	
C212	Item number identification	M		
7140	Item number	C an..35 R		T1320 Replacement manufacturer item number
7143	Item number type, coded	C an..3 R	MF Manufacturer's (producer's) article number	
Example: <i>PIA+3+235434:MF'</i>				
SG33		C		
PIA	Replaced trade item identification	C		



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
4347	Product id. function qualifier	M an..3	4 Substituted for	
C212	Item number identification	M		
7140	Item number	C an..35 R		T0057 Replaced trade item identification, GTIN
				Global Trade Item Number (GTIN)
7143	Item number type, coded	C an..3 R	EU	
Example: <i>PIA+4+17300015200205:EU'</i>				
SG33		C		
PIA		C		
4347	Replaced supplier item number	M an..3	4 Substituted for	
C212	Product id. function qualifier	M		
7140	Item number identification	C an..35 R		T1318 Replaced supplier item number
7143	Item number	C an..3 R	SA Supplier's article number	
	Item number type, coded			
Example: <i>PIA+4+3252335325:SA'</i>				
SG33		C		
PIA		C		
4347	Replaced manufacturer item number	M an..3	4 Substituted for	
C212	Product id. function qualifier	M		
7140	Item number identification	C an..35 R		T1321 Replaced manufacturer item number
7143	Item number	C an..3 R	MF Manufacturer's (producer's) article number	
	Item number type, coded			
Example: <i>PIA+4+12345:MF'</i>				
SG33		C		
IMD		C		
7077	Packaging level	C an..3 R	C Code (from industry code list)	
7081	Item description type, coded	C an..3 R	TPE Article type (EAN Code)	
	Item characteristic, coded		<i>EAN is now GS1</i>	
C273	Item description	C R		
7009	Item description identification	C an..17 R	DU Despatch unit (EAN Code)	T0016 Packaging level
			CU Consumer unit (EAN Code)	
			TU Traded unit (EAN Code)	
			<i>EAN is now GS1</i>	
Example: <i>IMD+C+TPE+TU'</i>				
SG33		C		
IMD		C		
7077	Returnable unit, indicator	C an..3 R	C Code (from industry code list)	
7081	Item description type, coded	C an..3 R	TPE Article type (EAN Code)	
	Item characteristic, coded		<i>EAN is now GS1</i>	
C273	Item description	C R		
7009	Item description identification	C an..17 R	RC Returnable container (EAN Code)	T0298 Is trade item a returnable unit
			<i>EAN is now GS1</i>	
Example: <i>IMD+C+TPE+RC'</i>				
SG33		C		
IMD		C		
7077	Variable measure indicator	C an..3 R	C Code (from industry code list)	
7081	Item description type, coded	C an..3 R	TPE Article type (EAN Code)	
	Item characteristic, coded		<i>EAN is now GS1</i>	
C273	Item description	C R		
7009	Item description identification	C an..17 R	VQ Variable quantity product (EAN Code)	T0186 Is trade item a variable unit
			<i>EAN is now GS1</i>	
Example: <i>IMD+C+TPE+VO'</i>				



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
SG33		C		
IMD	Additional trade item information	C		
7077	Item description type, coded	C an..3 R	C Code (from industry code list)	
7081	Item characteristic, coded	C an..3 R	TPE Article type (EAN Code)	
			EAN is now GS1	
C273	Item description	C R		
7009	Item description identification	C an..17 R		T1342 Additional trade item information, code
Example: IMD+C+TPE+Z01'				
SG33		C		
IMD	Orderable unit	C		
7077	Item description type, coded	C an..3 R	C Code (from industry code list)	
7081	Item characteristic, coded	C an..3 R	TPE Article type (EAN Code)	
			EAN is now GS1	
C273	Item description	C R		
7009	Item description identification	C an..17 R	NO Not an ordering unit (EAN Code)	T0017 Is trade item an orderable unit
			ORU Ordering unit (EAN Code)	
			EAN is now GS1	
				ORU i ändringsprislsta för att kunna ändra NO till ORU.
Example: IMD+C+TPE+NO'				
SG33		C		
IMD	Item name	C		
7077	Item description type, coded	C an..3 R	F Free-form	
7081	Item characteristic, coded	C an..3 R	ANM Article name (EAN Code)	
			EAN is now GS1	
C273	Item description	C R		
7009	Item description identification	C an..17 N		
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 N		
7008	Item description	C an..35 R		T0018 Functional name
7008	Item description	C an..35		T0018 Functional name
Example: IMD+F+ANM+:::Köttbullar:X'				
SG33		C		
IMD	Brand name	C		
7077	Item description type, coded	C an..3 R	F Free-form	
7081	Item characteristic, coded	C an..3 R	BRN Brand name (EAN Code)	
			EAN is now GS1	
C273	Item description	C R		
7009	Item description identification	C an..17 N		
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 N		
7008	Item description	C an..35 R		T0143 Brand name
Example: IMD+F+BRN+:::Mammas bästa'				
SG33		C		
IMD	Article size, text	C		
7077	Item description type, coded	C an..3 R	A Free-form long description	
7081	Item characteristic, coded	C an..3 R	DSC Description (EAN Code)	
			EAN is now GS1	
C273	Item description	C R		
7009	Item description identification	C an..17 N		
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 N		
7008	Item description	C an..35 R		T3338 Descriptive size
7008	Item description	C an..35		T3338 Descriptive size
Example: IMD+A+DSC+:::5X100mL:X'				



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
SG33		C		
IMD	Drug characters	C		
7077	Item description type, coded	C an..3 R	C Code (from industry code list)	
7081	Item characteristic, coded	C an..3 R		UNCL.01B 153 Prescription drug Code indicating the prescription drug's characteristics.
C273	Item description	C R		
7009	Item description identification	C an..17 N		
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 N		
7008	Item description	C an..35 R		T0235 Pharmaceutical property, code
Example: <i>IMD+C+153+:::Z04'</i>				
SG33		C		
IMD	Specific or contents of concern	C		
7077	Item description type, coded	C an..3 R	C Code (from industry code list)	
7081	Item characteristic, coded	C an..3 R		UNCL.01B 196 Additional sectorial characteristics A code issued on a sectorial basis which identifies any additional characteristics of a product.
C273	Item description	C R		
7009	Item description identification	C an..17 N		
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 N		
7008	Item description	C an..35 R		T1338 Content of concerns
Example: <i>IMD+C+196+:::Z41'</i>				
SG33		C		
IMD	Risk Phrase	C		
7077	Item description type, coded	C an..3 R	C Code (from industry code list)	
7081	Item characteristic, coded	C an..3 R	HAN Handling instructions (EAN Code) <i>EAN is now GS1</i>	
C273	Item description	C R		
7009	Item description identification	C an..17		T4155 Risk phrase code, agency name
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 N		
7008	Item description	C an..35 R		T4139 Risk phrase code
Example: <i>IMD+C+HAN+ECHA:::CLPKOD'</i>				
SG33		C		
IMD	Is trade item a service	C		
7077	Item description type, coded	C an..3 R	C Code (from industry code list)	
7081	Item characteristic, coded	C an..3 R	TPE Article type (EAN Code) <i>EAN is now GS1</i>	
C273	Item description	C R		
7009	Item description identification	C an..17 R	SER Service (EAN Code) <i>EAN is now GS1</i>	T4119 Is trade item a service
Example: <i>IMD+C+TPE+SER'</i>				
SG33		C		
IMD	Customer order driven manufacturing, indicator	C		
7077	Item description type, coded	C an..3 R	C Code (from industry code list)	
7081	Item characteristic, coded	C an..3 R	TPE Article type (EAN Code) <i>EAN is now GS1</i>	
C273	Item description	C R		

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
7009	Item description identification	C an..17 R	MTO	T1351 Is manufacturing of trade item customer order driven
Example: <i>IMD+C+TPE+MTO'</i>				
SG33		C		
MEA	Net weight exact	C		
6311	Measurement application qualifier	M an..3	PD Physical dimensions (product ordered)	
C502	Measurement details	C R		
6313	Measurement dimension, coded	C an..3 R	AAF Net net weight	
6321	Measurement significance, coded	C an..3	4 Equal to	
			3 Approximately	
C174	Value/range	C R		
6411	Measure unit qualifier	M an..3 R	GRM gram	
6314	Measurement value	C n..18 R		T0146 Package net net weight exact
Example: <i>MEA+PD+AAF:4+GRM:10'</i>				
SG33		C		
MEA	Net weight approximately	C		
6311	Measurement application qualifier	M an..3	PD Physical dimensions (product ordered)	
C502	Measurement details	C R		
6313	Measurement dimension, coded	C an..3 R	AAF Net net weight	
6321	Measurement significance, coded	C an..3	3 Approximately	
C174	Value/range	C R		
6411	Measure unit qualifier	M an..3 R	GRM gram	
6314	Measurement value	C n..18 R		T0297 Package net net weight approximately
Example: <i>MEA+PD+AAF:3+GRM:10'</i>				
SG33		C		
MEA	Product volume	C		
6311	Measurement application qualifier	M an..3	PD Physical dimensions (product ordered)	
C502	Measurement details	C R		
6313	Measurement dimension, coded	C an..3 R	ABJ Volume	
6321	Measurement significance, coded	C an..3 R	4 Equal to	
C174	Value/range	C R		
6411	Measure unit qualifier	M an..3 R	MLT millilitre	
6314	Measurement value	C n..18 R		T0206 Product volume
Example: <i>MEA+PD+ABJ:4+MLT:50'</i>				
SG33		C		
MEA	Comparative measure	C		
6311	Measurement application qualifier	M an..3	CME Price comparison measurement (EAN Code)	
			EAN is now GS1	
C502	Measurement details	C R		



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
6313	Measurement dimension, coded	C an..3 R	DLL Diluted volume DWT Drained weight Z01 per kilogramme Z02 per litre Z03 ready to drink Z04 ready to eat Z06 including added ingredients Z07 millilitre excluding deposit Z08 per unit Z09 per dose Z10 per load Z11 per wash Z13 per metre Z14 per square metre Z15 per cubic metre Z16 per daily dose	T0145 Price comparison content type code
C174	Value/range	C R		
6411	Measure unit qualifier	M an..3 R		T3376 Unit of measurement for comparative quantity
6314	Measurement value	C n..18 R		T0147 Price comparison measurement
Example: MEA+CME+DWT+LTR:10'				
SG33		C		
MEA	Storage temperature	C		
6311	Measurement application qualifier	M an..3	SO Storage limitation	
C502	Measurement details	C R		
6313	Measurement dimension, coded	C an..3 R	TC Temperature	
C174	Value/range	C R		
6411	Measure unit qualifier	M an..3 R	CEL degree celsius	
6314	Measurement value	C n..18 N		
6162	Range minimum	C n..5(2)		T0164 Minimum storage temperature
6152	Range maximum	C n..5(2)		T0162 Maximum storage temperature
Example: MEA+SO+TC+CEL::15:25'				
SG33		C		
MEA	Storage humidity	C		
6311	Measurement application qualifier	M an..3	SO Storage limitation	
C502	Measurement details	C R		
6313	Measurement dimension, coded	C an..3 R	RA Relative humidity	
C174	Value/range	C R		
6411	Measure unit qualifier	M an..3 R	P1 percent	
6314	Measurement value	C n..18 N		
6162	Range minimum	C n..5(2)		T0165 Minimum humidity percentage
6152	Range maximum	C n..5(2)		T0166 Maximum humidity percentage
Example: MEA+SO+RA+P1::9:9'				
SG33		C		
QTY	Minimum order quantity	C		
C186	Quantity details	M		
6063	Quantity qualifier	M an..3	53 Minimum order quantity	
6060	Quantity	M n..15		T0025 Minimum order quantity, value
6411	Measure unit qualifier	C an..3		T0055 Unit of measurement for quantity
Example: QTY+53:10000:PCE'				
SG33		C		
QTY	Order batch size	C		
C186	Quantity details	M		

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
6063	Quantity qualifier	M an..3	43E Incremental order quantity (EAN Code) <i>EAN is now GS1</i>	
6060	Quantity	M n..15		T0024 Order batch size
6411	Measure unit qualifier	C an..3		T0055 Unit of measurement for quantity
Example: QTY+43E:10000:PCE'				
SG33		C		
QTY	Recommended order quantity	C		
C186	Quantity details	M		
6063	Quantity qualifier	M an..3	45E Number of units in higher packaging or configuration level (EAN Code) <i>EAN is now GS1</i>	
6060	Quantity	M n..15		T1303 Recommended order quantity
6411	Measure unit qualifier	C an..3		T0055 Unit of measurement for quantity
Example: QTY+45E:10000:GRM'				
SG33		C		
QTY	Number of consumer units in the traded unit	C		
C186	Quantity details	M		
6063	Quantity qualifier	M an..3	59 Number of consumer units in the traded unit	
6060	Quantity	M n..15		T0026 Number of items in a traded case unit
Example: QTY+59:24'				
SG33		C		
QTY	Package contents	C		
C186	Quantity details	M		
6063	Quantity qualifier	M an..3	52 Quantity per pack	
6060	Quantity	M n..15		T0082 Net content
6411	Measure unit qualifier	C an..3 R		T0311 Unit of measurement for net contents
Example: QTY+52:10000:GRM'				
SG33		C		
HAN	Unbroken cold chain	C		
C524	Handling instructions	C R		
4079	Handling instructions, coded	C an..3 R		T4040 Handling instructions code reference
Example: HAN+1'				
SG33		C		
ALI	Availability code	C		
3239	Country of origin, coded	C an..3 N		
9213	Type of duty regime, coded	C an..3 N		
4183	Special conditions, coded	C an..3 R		T0014 Availability code
Example: ALI+++85E'				
SG33		C		
DTM	Availability date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	44 Availability	
2380	Date/time/period	C an..35 R		T0076 Availability date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+44:20060502:102'				

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
SG33		C		
DTM	End availability date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	362 End availability date	
2380	Date/time/period	C an..35 R		T0077 End availability date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+362:20060502:102'				
SG33		C		
DTM	Lead time	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	169 Lead time	
2380	Date/time/period	C an..35 R		T0078 Lead time
2379	Date/time/period format qualifier	C an..3 R	804 Day	
Example: DTM+169:5:804'				
SG33		C		
RFF	Reference to contract	C		
C506	Reference	M		
1153	Reference qualifier	M an..3	CT Contract number	
1154	Reference number	C an..35 R		T0007 Reference to agreement or contract
Example: RFF+CT:389487'				
SG33		C		
FTX	Product text	C		
4451	Text subject qualifier	M an..3	SUR Supplier remarks	
4453	Text function, coded	C an..3 R	1 Text for subsequent use	
C107	Text reference	C N		
4441	Free text, coded	M an..3		
C108	Text literal	C R		
4440	Free text	M an..70 R		T1131 Product description
4440	Free text	C an..70		T1131 Product description
4440	Free text	C an..70		T1131 Product description
4440	Free text	C an..70		T1131 Product description
4440	Free text	C an..70		T1131 Product description
Example: FTX+SUR+1++varutext är en förklarande och i vissa fall uttömmande text som beskriver varan ur vissa aspekter:X:X:X'				
SG33		C		
FTX	Keyword	C		
4451	Text subject qualifier	M an..3	OSI Other service information	
4453	Text function, coded	C an..3 R	1 Text for subsequent use	
C107	Text reference	C N		
4441	Free text, coded	M an..3		
C108	Text literal	C R		
4440	Free text	M an..70		T1114 Keyword
4440	Free text	C an..70		T1114 Keyword
4440	Free text	C an..70		T1114 Keyword
4440	Free text	C an..70		T1114 Keyword
4440	Free text	C an..70		T1114 Keyword
Example: FTX+OSI+1++tops;bomullspinnar:X:X:X'				
SG33		C		
FTX	Trade item information, website address	C		
4451	Text subject qualifier	M an..3	ZUR URL to product information	
4453	Text function, coded	C an..3 R	1 Text for subsequent use	



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
C107	Text reference	C N		
4441	Free text, coded	M an..3		
C108	Text literal	C R		
4440	Free text	M an..70 R		T1305 Trade item information, website address
4440	Free text	C an..70		T1305 Trade item information, website address
4440	Free text	C an..70		T1305 Trade item information, website address
4440	Free text	C an..70		T1305 Trade item information, website address
4440	Free text	C an..70		T1305 Trade item information, website address
Example: FTX+ZUR+1++http?://gs1.se/products.aspx??ID=1578225::: '				
SG33				
FTX	Product picture	C		
4451	Text subject qualifier	M an..3	ZIU URL to product picture	
4453	Text function, coded	C an..3 R	1 Text for subsequent use	
C107	Text reference	C N		
4441	Free text, coded	M an..3		
C108	Text literal	C R		
4440	Free text	M an..70 R		T1306 Trade item picture, website address
4440	Free text	C an..70		T1306 Trade item picture, website address
4440	Free text	C an..70		T1306 Trade item picture, website address
4440	Free text	C an..70		T1306 Trade item picture, website address
4440	Free text	C an..70		T1306 Trade item picture, website address
Example: FTX+ZIU+1++www.bild.se/7046260202369'				
SG35				
TAX	Tax	C		
5283	Duty/tax/fee function qualifier	M an..3	7 Tax	
C241	Duty/tax/fee type	C R		
5153	Duty/tax/fee type, coded	C an..3 R		T0194 Duty fee tax type code
C533	Duty/tax/fee account detail	C N		
5289	Duty/tax/fee account identification	M an..6		
5286	Duty/tax/fee assessment basis	C an..15 N		
C243	Duty/tax/fee detail	C		
5279	Duty/tax/fee rate identification	C an..7 N		
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 N		
5278	Duty/tax/fee rate	C an..17		T0195 Duty fee tax rate
5305	Duty/tax/fee category, coded	C an..3 R		T0197 Tax category
Example: TAX+7+VAT+++:::12+M'				
SG37				
PRI	Contract price	C		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAA Calculation net	
5118	Price	C n..15 R		T0029 Contract price
5375	Price type, coded	C an..3 R	CT Contract	
5387	Price type qualifier	C an..3 N		
5284	Unit price basis	C n..9		T0030 Unit price basis



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: <i>PRI+AAA:61.5:CT::1:GRM'</i>				
SG37		C		
APR	Price change reason	C		
4043	Class of trade, coded	C an..3 N		
C138	Price multiplier information	C N		
5394	Price multiplier	M n..12		
C960	Reason for change	C R		
4295	Change reason, coded	C an..3 R		T0205 Price change reason code
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	91 Assigned by supplier or supplier's agent	
Example: <i>APR+++AA::91'</i>				
SG37		C		
RNG	Quantity range for unit price	C		
6167	Range type qualifier	M an..3	4 Quantity range	
C280	Range	C R		
6411	Measure unit qualifier	M an..3 R		T0081 Unit of measurement for range
6162	Range minimum	C n..18 R		T0079 Quantity threshold
6152	Range maximum	C n..18		T0080 Quantity ceiling
Example: <i>RNG+4+PCE:2:9'</i>				
SG37		C		
DTM	Validity start date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	157 Validity start date	
2380	Date/time/period	C an..35 R		T0004 Effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: <i>DTM+157:20090204:102'</i>				
SG37		C		
DTM	Validity end date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	21E End validity date (EAN Code) EAN is now GS1	
2380	Date/time/period	C an..35 R		T0005 End effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: <i>DTM+21E:20090401:102'</i>				
SG37		C		
PRI	Current price, contractual	M		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAA Calculation net	
5118	Price	C n..15 R		T0203 Current price
5375	Price type, coded	C an..3 R	CT Contract	
5387	Price type qualifier	C an..3 R	CP Current price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: <i>PRI+AAA:61.5:CT:CP:1:GRM'</i>				
SG37		C		
APR	Price change reason	C		
4043	Class of trade, coded	C an..3 N		
C138	Price multiplier information	C N		
5394	Price multiplier	M n..12		
C960	Reason for change	C		
4295	Change reason, coded	C an..3 R		T0205 Price change reason code



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	91 Assigned by supplier or supplier's agent	
Example: <i>APR+++AA::91'</i>				
SG37		C		
RNG	Quantity range for unit price	C		
6167	Range type qualifier	M an..3	4 Quantity range	
C280	Range	C R		
6411	Measure unit qualifier	M an..3 R		T0081 Unit of measurement for range
6162	Range minimum	C n..18 R		T0079 Quantity threshold
6152	Range maximum	C n..18		T0080 Quantity ceiling
Example: <i>RNG+4+PCE:4:9'</i>				
SG37		C		
DTM	Validity start date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	157 Validity start date	
2380	Date/time/period	C an..35 R		T0004 Effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: <i>DTM+157:20090205:102'</i>				
SG37		C		
DTM	Validity end date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	21E End validity date (EAN Code) <i>EAN is now GS1</i>	
2380	Date/time/period	C an..35 R		T0005 End effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: <i>DTM+21E:20090401:102'</i>				
SG37		C		
PRI	Contract price, temporarily discounted	M		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAA Calculation net	
5118	Price	C n..15 R		T3288 Contract price, temporarily discounted
5375	Price type, coded	C an..3 R	CT Contract	
5387	Price type qualifier	C an..3 R	PRP Promotional price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: <i>PRI+AAA:61.5:CT:PRP:1:GRM'</i>				
SG37		C		
APR	Price change reason	C		
4043	Class of trade, coded	C an..3 N		
C138	Price multiplier information	C N		
5394	Price multiplier	M n..12		
C960	Reason for change	C		
4295	Change reason, coded	C an..3 R		T0205 Price change reason code
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	91 Assigned by supplier or supplier's agent	
Example: <i>APR+++AA::91'</i>				
SG37		C		
RNG	Quantity range for unit price	C		
6167	Range type qualifier	M an..3	4 Quantity range	



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
C280	Range	C R		
6411	Measure unit qualifier	M an..3 R		T0081 Unit of measurement for range
6162	Range minimum	C n..18 R		T0079 Quantity threshold
6152	Range maximum	C n..18		T0080 Quantity ceiling
Example: <i>RNG+4+PCE:4:9'</i>				
SG37		C		
DTM	Validity start date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	157 Validity start date	
2380	Date/time/period	C an..35 R		T0004 Effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: <i>DTM+157:20090205:102'</i>				
SG37		C		
DTM	Validity end date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	21E End validity date (EAN Code) EAN is now GS1	
2380	Date/time/period	C an..35 R		T0005 End effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: <i>DTM+21E:20090401:102'</i>				
SG37		C		
PRI	List price	M		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAB Calculation gross	
5118	Price	C n..15 R		T0181 List price
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	LIU List price (EAN Code)	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: <i>PRI+AAB:61.5:CA:LIU:GRM'</i>				
SG37		C		
APR	Price change reason	C		
4043	Class of trade, coded	C an..3 N		
C138	Price multiplier information	C N		
5394	Price multiplier	M n..12		
C960	Reason for change	C		
4295	Change reason, coded	C an..3 R		T0205 Price change reason code
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	91 Assigned by supplier or supplier's agent	
Example: <i>APR+++AA::91'</i>				
SG37		C		
RNG	Quantity range for unit price	C		
6167	Range type qualifier	M an..3	4 Quantity range	
C280	Range	C R		
6411	Measure unit qualifier	M an..3 R		T0081 Unit of measurement for range
6162	Range minimum	C n..18 R		T0079 Quantity threshold
6152	Range maximum	C n..18		T0080 Quantity ceiling
Example: <i>RNG+4+PCE:4:9'</i>				
SG37		C		
DTM	Validity start date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	157 Validity start date	



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
2380	Date/time/period	C an..35 R		T0004 Effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+157:20090205:102'				
SG37		C		
DTM	Validity end date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	21E End validity date (EAN Code) EAN is now GS1	
2380	Date/time/period	C an..35 R		T0005 End effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+21E:20090401:102'				
SG37		C		
PRI	List price, discounted	M		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAA Calculation net	
5118	Price	C n..15 R		T0182 List price, discounted
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	DPR Discount price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+AAA:61.5:CA:DPR:1:GRM'				
SG37		C		
APR	Price change reason	C		
4043	Class of trade, coded	C an..3 N		
C138	Price multiplier information	C N		
5394	Price multiplier	M n..12		
C960	Reason for change	C		
4295	Change reason, coded	C an..3 R		T0205 Price change reason code
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	91 Assigned by supplier or supplier's agent	
Example: APR+++AA::91'				
SG37		C		
RNG	Quantity range for unit price	C		
6167	Range type qualifier	M an..3	4 Quantity range	
C280	Range	C R		
6411	Measure unit qualifier	M an..3 R		T0081 Unit of measurement for range
6162	Range minimum	C n..18 R		T0079 Quantity threshold
6152	Range maximum	C n..18		T0080 Quantity ceiling
Example: RNG+4:PCE:2:9'				
SG37		C		
DTM	Validity start date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	157 Validity start date	
2380	Date/time/period	C an..35 R		T0004 Effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+157:20090205:102'				
SG37		C		
DTM	Validity end date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	21E End validity date (EAN Code) EAN is now GS1	
2380	Date/time/period	C an..35 R		T0005 End effective date



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+21E:20090304:102'				
SG37		C		
PRI	Current list price	M		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAB Calculation gross	
5118	Price	C n..15 R		T5028 Current list price
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	CP Current price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+AAB:61.5:CA:CP::GRM'				
SG37		C		
APR	Price change reason	C		
4043	Class of trade, coded	C an..3 N		
C138	Price multiplier information	C N		
5394	Price multiplier	M n..12		
C960	Reason for change	C		
4295	Change reason, coded	C an..3 R		T0205 Price change reason code
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	91 Assigned by supplier or supplier's agent	
Example: APR+++AA::91'				
SG37		C		
RNG	Quantity range for unit price	C		
6167	Range type qualifier	M an..3	4 Quantity range	
C280	Range	C R		
6411	Measure unit qualifier	M an..3 R		T0081 Unit of measurement for range
6162	Range minimum	C n..18 R		T0079 Quantity threshold
6152	Range maximum	C n..18		T0080 Quantity ceiling
Example: RNG+4:PCE:4:9'				
SG37		C		
DTM	Validity start date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	157 Validity start date	
2380	Date/time/period	C an..35 R		T0004 Effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	T0005 End effective date
Example: DTM+157:20090205:102'				
SG37		C		
DTM	Validity end date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	21E End validity date (EAN Code) EAN is now GS1	
2380	Date/time/period	C an..35 R		
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+21E:20090401:102'				
SG37		C		
PRI	Current list price, discounted	M		
C509	Price information	C		
5125	Price qualifier	M an..3	AAA Calculation net	
5118	Price	C n..15 R		T0238 Current list price, discounted
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	CP Current price	



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+AAA:61.5:CA:CP:1:GRM'				
SG37		C		
APR	Price change reason	C		
4043	Class of trade, coded	C an..3 N		
C138	Price multiplier information	C N		
5394	Price multiplier	M n..12		
C960	Reason for change	C		
4295	Change reason, coded	C an..3 R		T0205 Price change reason code
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	91 Assigned by supplier or supplier's agent	
Example: APR+++AA::91'				
SG37		C		
RNG	Quantity range for unit price	C		
6167	Range type qualifier	M an..3	4 Quantity range	
C280	Range	C R		
6411	Measure unit qualifier	M an..3 R		T0081 Unit of measurement for range
6162	Range minimum	C n..18 R		T0079 Quantity threshold
6152	Range maximum	C n..18		T0080 Quantity ceiling
Example: RNG+4+PCE:3:9'				
SG37		C		
DTM	Validity start date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	157 Validity start date	
2380	Date/time/period	C an..35 R		T0004 Effective date
				T0005 End effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+157:20090204:102'				
SG37		C		
DTM	Validity end date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	21E End validity date (EAN Code)	
			EAN is now GS1	
2380	Date/time/period	C an..35 R		T0004 Effective date
				T0005 End effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+21E:20090401:102'				
SG37		C		
PRI	List price, temporarily discounted	M		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAA Calculation net	
5118	Price	C n..15 R		T5029 List price, temporarily discounted
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	PRP Promotional price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+AAA:61.5:CA:PRP::GRM'				
SG37		C		
APR	Price change reason	C		
4043	Class of trade, coded	C an..3 N		
C138	Price multiplier information	C N		



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
5394	Price multiplier	M n..12		
C960	Reason for change	C		
4295	Change reason, coded	C an..3 R		T0205 Price change reason code
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	91 Assigned by supplier or supplier's agent	
Example: APR+++AA::91'				
SG37		C		
RNG	Quantity range for unit price	C		
6167	Range type qualifier	M an..3	4 Quantity range	
C280	Range	C R		
6411	Measure unit qualifier	M an..3 R		T0081 Unit of measurement for range
6162	Range minimum	C n..18 R		T0079 Quantity threshold
6152	Range maximum	C n..18		T0080 Quantity ceiling
Example: RNG+4+PCE:4:9'				
SG37		C		
DTM	Validity start date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	157 Validity start date	
2380	Date/time/period	C an..35 R		T0004 Effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+157:20090205:102'				
SG37		C		
DTM	Validity end date	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	21E End validity date (EAN Code) EAN is now GS1	
2380	Date/time/period	C an..35 R		T0005 End effective date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+21E:20090401:102'				
SG37		C		
PRI	Price of customer order based item	M		
C509	Price information	C R		
5125	Price qualifier	M an..3	ABL Base price	
5118	Price	C n..15 R		T5030 Price of customer order based item
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	BAP Base article price (EAN Code)	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+ABL:61.5:CA:BAP::GRM'				
SG37		C		
APR	Price change reason	C		
4043	Class of trade, coded	C an..3 N		
C138	Price multiplier information	C N		
5394	Price multiplier	M n..12		
C960	Reason for change	C		
4295	Change reason, coded	C an..3 R		T0205 Price change reason code
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	91 Assigned by supplier or supplier's agent	
Example: APR+++AA::91'				
SG37		C		

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
PRI	Comparison price for contract price	M		
C509	Price information	C R		
5125	Price qualifier	M an..3	INF Information	
5118	Price	C n..15 R		T0178 Comparison price
5375	Price type, coded	C an..3 R	CT Contract	
5387	Price type qualifier	C an..3 N		
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+INF:61.5:CT::1:KGM'				
SG37		C		
PRI	Comparison price for current price, contractual	M		
C509	Price information	C R		
5125	Price qualifier	M an..3	INF Information	
5118	Price	C n..15 R		T0178 Comparison price
5375	Price type, coded	C an..3 R	CT Contract	
5387	Price type qualifier	C an..3 R	CP Current price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+INF:61.5:CT:CP:1:KGM'				
SG37		C		
PRI	Comparison price for list price	M		
C509	Price information	C R		
5125	Price qualifier	M an..3	INF Information	
5118	Price	C n..15 R		T0178 Comparison price
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	LIU List price (EAN Code)	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+INF:61.5:CA:LIU:1:KGM'				
SG37		C		
PRI	Comparison price for list price, discounted	M		
C509	Price information	C R		
5125	Price qualifier	M an..3	INF Information	
5118	Price	C n..15 R		T0178 Comparison price
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	DPR Discount price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+INF:61.5:CA:DPR:1:KGM'				
SG37		C		
PRI	Comparison price for current list price	M		
C509	Price information	C R		
5125	Price qualifier	M an..3	INF Information	
5118	Price	C n..15 R		T0178 Comparison price
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	CP Current price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+INF:61.5:CA:CP:1:KGM'				

MS42 Pricelist

EANCOM 1997 **PRICAT**

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
SG37		C		
PRI	Comparison price for current list price, discounted	M		
C509	Price information	C	R	
5125	Price qualifier	M an..3	INF Information	
5118	Price	C n..15	R	T0178 Comparison price
5375	Price type, coded	C an..3	R	CA Catalogue
5387	Price type qualifier	C an..3	R	CP Current price
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+INF:61.5:CA:CP:1:KGM'				
SG44		C		
PAC	Package information	M	R	
7224	Number of packages	C n..8	N	
C531	Packaging details	C		
7075	Packaging level, coded	C an..3	N	
7233	Packaging related information, coded	C an..3	N	
7073	Packaging terms and conditions, coded	C an..3	R	T0277 Is packaging marked returnable
C202	Package type	C	R	
7065	Type of packages identification	C an..17	R	T0137 Packaging type code
C402	Package type identification	C		
7077	Item description type, coded	M an..3		Z01
7064	Type of packages	M an..35		T0148 Returnable package deposit identification
7143	Item number type, coded	C an..3	R	EU EAN/UCC EU
Example: PAC++::Z01+BX+Z01:7310860009802:EU'				
SG44		C		
PAC	Packaging marks	M		
7224	Number of packages	C n..8	N	
C531	Packaging details	C	R	
7075	Packaging level, coded	C an..3	N	
7233	Packaging related information, coded	C an..3	R	T0142 Packaging marks
Example: PAC++:50'				
SG44		C		
MEA	Height	C		
6311	Measurement application qualifier	M an..3		PD Physical dimensions (product ordered)
C502	Measurement details	C	R	
6313	Measurement dimension, coded	C an..3	R	HT Height dimension
6321	Measurement significance, coded	C an..3	R	4 Equal to
C174	Value/range	C	R	
6411	Measure unit qualifier	M an..3	R	MMT millimetre
6314	Measurement value	C n..18	R	T0207 Package height
Example: MEA+PD+HT:4+MMT:137'				
SG44		C		
MEA	Width (face)	C		
6311	Measurement application qualifier	M an..3		PD Physical dimensions (product ordered)
C502	Measurement details	C	R	
6313	Measurement dimension, coded	C an..3	R	WD Width dimension
6321	Measurement significance, coded	C an..3	R	4 Equal to
C174	Value/range	C	R	
6411	Measure unit qualifier	M an..3	R	MMT millimetre



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
6314	Measurement value	C n..18 R		T0208 Package width
Example: <i>MEA+PD+WD:4+MMT:574'</i>				
SG44		C		
MEA	Depth	C		
6311	Measurement application qualifier	M an..3	PD Physical dimensions (product ordered)	
C502	Measurement details	C R		
6313	Measurement dimension, coded	C an..3 R	LN Length dimension	
6321	Measurement significance, coded	C an..3 R	4 Equal to	
C174	Value/range	C R		
6411	Measure unit qualifier	M an..3 R	MMT millimetre	
6314	Measurement value	C n..18 R		T0209 Package depth
Example: <i>MEA+PD+LN:4+MMT:160'</i>				
SG33		C		
LIN	Trade item hierarchy	M		
1082	Line item number	C n..6 R		T0051 Line number
1229	Action request/notification, coded	C an..3 R	1 Added	
C212	Item number identification	C		
7140	Item number	C an..35 R		T2045 Child trade item, GTIN Global Trade Item Number (GTIN)
7143	Item number type, coded	C an..3 R	EN International Article Numbering EU Association (EAN) <i>EAN is now GS1</i>	
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) <i>EAN is now GS1</i>	
C829	Sub-line information	C R		
5495	Sub-line indicator, coded	C an..3 R	1 Sub-line information	
1082	Line item number	C n..6 R		T0155 Reference to line at higher level
Example: <i>LIN+9+1+07300015200253:EU::9+1:9'</i>				
SG33		C		
PIA	Included item or service supplier's article number	C		
4347	Product id. function qualifier	M an..3	5 Product identification	
C212	Item number identification	M		
7140	Item number	C an..35 R		T3408 Included item or service supplier's article number
7143	Included item or service manufacturer's article number	C an..3 R	SA Supplier's article number	
Example: <i>PIA+5+321521512:SA'</i>				
SG33		C		
PIA	Included item or service manufacturer's article number	C		
4347	Product id. function qualifier	M an..3	5 Product identification	
C212	Item number identification	M		
7140	Item number	C an..35 R		T3407 Included item or service manufacturer's article number
7143	Item number type, coded	C an..3 R	MF Manufacturer's (producer's) article number	
Example: <i>PIA+5+837802098:MF'</i>				
SG33		C		
QTY	Number of units in item	C		
C186	Quantity details	M		



Message Specification

Issue date: 2016-06-29

Version: 2.9.2

MS42 Pricelist

EANCOM 1997 PRICAT

Belongs to business document specification: BDS 6.1.1, 6.1.2

Link to BDS 6.1.1: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60101_en293.pdf

Link to BDS 6.1.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60102_en293.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
6063	Quantity qualifier	M an..3	17E Number of units in lower packaging or configuration level (EAN Code) <i>EAN is now GS1</i>	
6060	Quantity	M n..15		T3361 Quantity of next lower level trade item
Example: QTY+17E:46'				
UNT	MESSAGE TRAILER	M		
0074	Number of segments in a message	M n..6		
0062	Message reference number	M an..14		
Example: UNT+90+1828111835'				
UNZ	INTERCHANGE TRAILER	M		
0036	Interchange control count	M n..6		
0020	Interchange control reference	M an..14		
Example: UNZ+1+987654321'				