



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS45 Calloff

EANCOM 1997 ORDERS

Belongs to business document specification: BDS 6.1.3

Link to BDS 6.1.3: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60103_en292.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
UNA	Service string advice	C		
UNA1	Component data element separator	M an1	:	
UNA2	Data element separator	M an1	+	
UNA3	Decimal notation	M an1	.	
UNA4	Release indicator	M an1	?	
UNA5	Reserved for future use	M an1		
UNA6	Segment terminator	M an1	!	
Example: UNA:+.?.!'				
UNB	INTERCHANGE HEADER	M		
S001	SYNTAX IDENTIFIER	M		
0001	Syntax identifier	M a4	UNOC UN/ECE level C	
0002	Syntax version number	M n1	3 Version 3	
S002	INTERCHANGE SENDER	M		
0004	Sender identification	M an..35		Global Location Number (GLN)
0007	Partner identification code qualifier	C an..4 R	14 EAN International EAN is now GS1	
S003	INTERCHANGE RECIPIENT	M		
0010	Recipient identification	M an..35		Global Location Number (GLN)
0007	Partner identification code qualifier	C an..4 R	14 EAN International EAN is now GS1	
S004	DATE/TIME OF PREPARATION	M		
0017	Date of preparation	M n6		
0019	Time of preparation	M n4		
0020	Interchange control reference	M an..14		
S005	RECIPIENT'S REFERENCE	C		
0022	Recipient's reference/password	M an..14		
0026	Application reference	C an..14		
0029	Processing priority code	C a1		
0031	Acknowledgement request	C n1		
0032	Communications agreement ID	C an..35		
0035	Test indicator	C n1		
Example: UNB+UNOC:3+7350000001204:14+7300012550009:14+060831:0852+12345+++ +++1'				
UNH	MESSAGE HEADER	M		
0062	Message reference number	M an..14		
S009	MESSAGE IDENTIFIER	M		
0065	Message type identifier	M an..6	ORDERS Purchase order message	
0052	Message type version number	M an..3	D Draft version/UN/EDIFACT Directory	
0054	Message type release number	M an..3	96A Release 1996 - A	
0051	Controlling agency	M an..2	UN UN/CEFACT	
0057	Association assigned code	C an..6 R	EAN008	
Example: UNH+54321+ORDERS:D:96A:UN:EAN008'				
BGM	Beginning of message	M		
C002	Document/message name	C R		
1001	Document/message name, coded	C an..3 R		T3100 Order type
1004	Document/message number	C an..17 R		T0034 Call-off number
1225	Message function, coded	C an..3 R	9 Original	
Example: BGM+226+73000150001291599+9'				
DTM	Document date	M		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	137 Document/message date/time	
2380	Date/time/period	C an..35 R		T0035 Call-off date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+137:20070817:102'				



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS45 Calloff

EANCOM 1997 ORDERS

Belongs to business document specification: BDS 6.1.3

Link to BDS 6.1.3: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60103_en292.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
DTM	Requested delivery date and time	M	D	
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	2 Delivery date/time, requested	
2380	Date/time/period	C an..35 R		T3332 Requested delivery date and time
2379	Date/time/period format qualifier	C an..3 R	203 CCYYMMDDHHMM	
Example: DTM+2:200708201400:203'				
DTM	Requested delivery date	M	D	
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	2 Delivery date/time, requested	
2380	Date/time/period	C an..35 R		T0040 Requested delivery date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+2:20070820:102'				
FTX	Distribution characteristic, code	C		
4451	Text subject qualifier	M an..3	ZZZ Mutually defined	
4453	Text function, coded	C an..3 R	3 Text for immediate use	
C107	Text reference	C	R	
4441	Free text, coded	M an..3		T1355 Distribution characteristic, code
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3	92 Assigned by buyer or buyer's agent	
Example: FTX+ZZZ+3+N1::92'				
FTX	Shipping marks	C		
4451	Text subject qualifier	M an..3	MKS Additional marks/numbers information	
4453	Text function, coded	C an..3 R	1 Text for subsequent use	
C107	Text reference	C	N	
4441	Free text, coded	M an..3		
C108	Text literal	C	R	
4440	Free text	M an..70		T0086 Shipping marks, text
4440	Free text	C an..70		T0086 Shipping marks, text
4440	Free text	C an..70		T0086 Shipping marks, text
4440	Free text	C an..70		T0086 Shipping marks, text
4440	Free text	C an..70		T0086 Shipping marks, text
Example: FTX+MKS+1++Lämnas på lastkaj och hämtas av kökspersonalen'				
FTX	Instructions for the driver	C		
4451	Text subject qualifier	M an..3	SSR Special service request	
4453	Text function, coded	C an..3 R	1 Text for subsequent use	
C107	Text reference	C	N	
4441	Free text, coded	M an..3		
C108	Text literal	C	R	
4440	Free text	M an..70		T3280 Instructions for the driver
4440	Free text	C an..70		T3280 Instructions for the driver
4440	Free text	C an..70		T3280 Instructions for the driver
4440	Free text	C an..70		T3280 Instructions for the driver
4440	Free text	C an..70		T3280 Instructions for the driver
Example: FTX+SSR+1++Ring före leverans. Telefonnummer 099-99 99 99.'				
SG1		C		
RFF	Reference to order	M		
C506	Reference	M		
1153	Reference qualifier	M an..3	BO Blanket order number	
1154	Reference number	C an..35 R		T0083 Reference to blanket order
Example: RFF+BO:73000150001291001'				
SG1		C		



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS45 Calloff

EANCOM 1997 ORDERS

Belongs to business document specification: BDS 6.1.3

Link to BDS 6.1.3: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60103_en292.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
RFF	Reference to price list	M		
C506	Reference	M		
1153	Reference qualifier	M an..3	PL Price list number	
1154	Reference number	C an..35 R		T0006 Reference to price list
Example: RFF+PL:KPL00002'				
SG1		C		
RFF	Reference to agreement or contract	M		
C506	Reference	M		
1153	Reference qualifier	M an..3	CT Contract number	
1154	Reference number	C an..35 R		T0007 Reference to agreement or contract
Example: RFF+CT:AVT-1234'				
SG1		C		
RFF	Reference to shopping cart number	M		
C506	Reference	M		
1153	Reference qualifier	M an..3	VN Order number (supplier)	
1154	Reference number	C an..35 R		T1333 Reference to shopping cart number
Example: RFF+VN:37'				
SG2		C	R	
NAD	Buyer	M		
3035	Party qualifier	M an..3	BY Buyer	
C082	Party identification details	C	R	
3039	Party id. identification	M n13		T0008 Buyer identification, GLN Global Location Number (GLN)
1131	Code list qualifier	C an..3	N	
3055	Code list responsible agency, coded	C an..3	R	9 EAN (International Article Numbering association) EAN is now GS1
Example: NAD+BY+7350000001204::9'				
SG2		C	R	
NAD	Supplier	M		
3035	Party qualifier	M an..3	SU Supplier	
C082	Party identification details	C	R	
3039	Party id. identification	M n13		T0009 Supplier identification, GLN Global Location Number (GLN)
1131	Code list qualifier	C an..3	N	
3055	Code list responsible agency, coded	C an..3	R	9 EAN (International Article Numbering association) EAN is now GS1
Example: NAD+SU+7300015200000::9'				
SG2		C		
NAD	Consignee	M		
3035	Party qualifier	M an..3	CN Consignee	
C082	Party identification details	C	R	
3039	Party id. identification	M n13		T0036 Consignee identification, GLN Global Location Number (GLN)
1131	Code list qualifier	C an..3	N	
3055	Code list responsible agency, coded	C an..3	R	9 EAN (International Article Numbering association) EAN is now GS1
Example: NAD+CN+7350000001211::9'				
SG2		C		
NAD	Invoice recipient party	M		



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS45 Calloff

EANCOM 1997 ORDERS

Belongs to business document specification: BDS 6.1.3

Link to BDS 6.1.3: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60103_en292.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
3035	Party qualifier	M an..3	ITO Invoice recipient party (EAN Code) <i>EAN is now GS1</i>	
C082	Party identification details	C R		
3039	Party id. identification	M an..35		T0240 Invoice recipient identification, GLN Global Location Number (GLN)
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) <i>EAN is now GS1</i>	
Example: NAD+ITO+7350000001235::9'				
SG2				
NAD Invoicee		C		
3035	Party qualifier	M an..3	IV Invoicee	
C082	Party identification details	C R		
3039	Party id. identification	M n13		T0085 Invoicee identification, GLN Global Location Number (GLN)
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) <i>EAN is now GS1</i>	
Example: NAD+IV+7300012550009::9'				
SG2				
NAD Ordered by identity		C		
3035	Party qualifier	M an..3	OB Ordered by	
C082	Party identification details	C R		
3039	Party id. identification	M n13		T0295 Orderer identification, GLN Global Location Number (GLN)
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) <i>EAN is now GS1</i>	
Example: NAD+OB+7350000001242::9'				
SG2				
NAD Ordered by name		C		
3035	Party qualifier	M an..3	OB Ordered by	
C082	Party identification details	C N		
3039	Party id. identification	M an..35		
C058	Name and address	C N		
3124	Name and address line	M an..35		
C080	Party name	C R		
3036	Party name	M an..35		T0294 Orderer, name
Example: NAD+OB+++Kalle Karlsson'				
SG2				
NAD Delivery place		C		
3035	Party qualifier	M an..3	DP Delivery party	
C082	Party identification details	C R		
3039	Party id. identification	M n13		T0037 Delivery place identification, GLN Global Location Number (GLN)
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) <i>EAN is now GS1</i>	
Example: NAD+DP+7350000001228::9'				
SG2		C		



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS45 Calloff

EANCOM 1997 ORDERS

Belongs to business document specification: BDS 6.1.3

Link to BDS 6.1.3: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60103_en292.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
NAD	Name and address of delivery place	M		
3035	Party qualifier	M an..3	DP Delivery party	
C082	Party identification details	C N		
3039	Party id. identification	M an..35		
C058	Name and address	C N		
3124	Name and address line	M an..35		
C080	Party name	C		
3036	Party name	M an..35		T5001 Party name
3036	Party name	C an..35		T5002 Department
C059	Street	C		
3042	Street and number/p.o. box	M an..35		T5003 Street name
3042	Street and number/p.o. box	C an..35		T5004 Building
3164	City name	C an..35		T5005 City name
3229	Country sub-entity identification	C an..9 N		
3251	Postcode identification	C an..9		T5006 Postal code
3207	Country, coded	C an..3		T5007 Country code
Example: NAD+DP+++Barnstugan Blomman:Avd1+Lekgatan 1:Rosa huset+Småstad++12345+SE'				
SG25		C	R	
LIN	Order line	M		
1082	Line item number	C n..6 R		T0051 Line number
1229	Action request/notification, coded	C an..3 N		
C212	Item number identification	C		
7140	Item number	C an..35 R		T0154 Trade item, GTIN Global Trade Item Number (GTIN)
7143	Item number type, coded	C an..3 R	EU	
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) EAN is now GS1	
Example: LIN+9++07300015200154:EU::9'				
SG25		C	R	
PIA	Supplier's article number	C		
4347	Product id. function qualifier	M an..3	5 Product identification	
C212	Item number identification	M		
7140	Item number	C an..35 R		T0172 Supplier's article number
7143	Item number type, coded	C an..3 R	SA Supplier's article number	
Example: PIA+5+12345678:SA'				
SG25		C	R	
PIA	Manufacturer's article number	C		
4347	Product id. function qualifier	M an..3	5 Product identification	
C212	Item number identification	M		
7140	Item number	C an..35 R		T1120 Manufacturer's article number
7143	Item number type, coded	C an..3 R	MF Manufacturer's (producer's) article number	
Example: PIA+5+A970732943043:MF'				
SG25		C	R	
QTY	Ordered quantity	C	R	
C186	Quantity details	M R		
6063	Quantity qualifier	M an..3	21 Ordered quantity	
6060	Quantity	M n..15		T0039 Ordered quantity, value
6411	Measure unit qualifier	C an..3		T0055 Unit of measurement for quantity
Example: QTY+21:13.1:KGM'				
SG25		C	R	



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS45 Calloff

EANCOM 1997 ORDERS

Belongs to business document specification: BDS 6.1.3

Link to BDS 6.1.3: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60103_en292.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
DTM	Requested delivery date for the trade item	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	2 Delivery date/time, requested	
2380	Date/time/period	C an..35 R		T0041 Requested delivery date for the trade item
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: <i>DTM+2:20070821:102'</i>				
SG25		C	R	
DTM	Requested delivery date and time for the trade item	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	2 Delivery date/time, requested	
2380	Date/time/period	C an..35 R		T1341 Requested delivery date and time for the trade item
2379	Date/time/period format qualifier	C an..3 R	203 CCYYMMDDHHMM	
Example: <i>DTM+2:200708211400:203'</i>				
SG25		C	R	
GIN	Object identity	C		
7405	Identity number qualifier	M an..3	BN Serial number	
C208	Identity number range	M		
7402	Identity number	M an..35		T1300 Object identity
Example: <i>GIN+BN+73500000000000018'</i>				
SG25		C	R	
GIN	Object identity serie	C		
7405	Identity number qualifier	M an..3	BN Serial number	
C208	Identity number range	M		
7402	Identity number	M an..35		T1301 First object identity
7402	Identity number	C an..35 R		T1302 Last object identity
Example: <i>GIN+BN+73500000000000018:735000000000000131'</i>				
SG25		C	R	
FTX	Handling instruction	C		
4451	Text subject qualifier	M an..3	SIN Special instructions	
4453	Text function, coded	C an..3	1 Text for subsequent use	
C107	Text reference	C	N	
4441	Free text, coded	M an..3		
C108	Text literal	C	R	
4440	Free text	M an..70		T1335 Handling instruction, text
4440	Free text	C an..70		T1335 Handling instruction, text
4440	Free text	C an..70		T1335 Handling instruction, text
4440	Free text	C an..70		T1335 Handling instruction, text
4440	Free text	C an..70		T1335 Handling instruction, text
3453	Language, coded	C an..3 R	SV Swedish	
Example: <i>FTX+SIN+1++PC installeras i rum 47 med installationsscript A:X:X:X+SV'</i>				
SG29		C		
RFF	Reference to handling instruction	M		
C506	Reference	M		
1153	Reference qualifier	M an..3	ACE Related document number	
1154	Reference number	C an..35 R		T1334 Reference to handling instruction
Example: <i>RFF+ACE:132465'</i>				
UNS	Start of summary	M		
0081	Section identification	M a1	S Detail/summary section separation	
Example: <i>UNS+S'</i>				

MS45 Calloff

EANCOM 1997 ORDERS

Belongs to business document specification: BDS 6.1.3

Link to BDS 6.1.3: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60103_en292.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
CNT	Control total - quantity	C		
C270	Control	M		
6069	Control qualifier	M an..3	1 Total value of the quantity segments at line level in a message	
6066	Control value	M n..18		T0042 Control total, quantities
Example: CNT+1:13'				
CNT	Control total - number of lines	C		
C270	Control	M		
6069	Control qualifier	M an..3	2 Number of line items in message	
6066	Control value	M n..18		T0043 Control total, lines
Example: CNT+2:9'				
UNT	MESSAGE TRAILER	M		
0074	Number of segments in a message	M n..6		
0062	Message reference number	M an..14		
Example: UNT+31+54321'				
UNZ	INTERCHANGE TRAILER	M		
0036	Interchange control count	M n..6		
0020	Interchange control reference	M an..14		
Example: UNZ+1+12345'				