



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS77 Order agreement

EANCOM 1997 ORDRSP

Belongs to business document specification: BDS 6.5.2

Link to BDS 6.5.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60502_en291.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
UNA	Service string advice	C		
UNA1	Component data element separator	M an1	:	
UNA2	Data element separator	M an1	+	
UNA3	Decimal notation	M an1	.	
UNA4	Release indicator	M an1	?	
UNA5	Reserved for future use	M an1	.	
UNA6	Segment terminator	M an1	!	
Example: UNA:+.? '				
UNB	INTERCHANGE HEADER	M		
S001	SYNTAX IDENTIFIER	M		
0001	Syntax identifier	M a4	UNOC UN/ECE level C	
0002	Syntax version number	M n1	3 Version 3	
S002	INTERCHANGE SENDER	M		
0004	Sender identification	M an..35		Global Location Number (GLN)
0007	Partner identification code qualifier	C an..4 R	14 EAN International EAN is now GS1	
S003	INTERCHANGE RECIPIENT	M		
0010	Recipient identification	M an..35		Global Location Number (GLN)
0007	Partner identification code qualifier	C an..4 R	14 EAN International EAN is now GS1	
S004	DATE/TIME OF PREPARATION	M		
0017	Date of preparation	M n6		
0019	Time of preparation	M n4		
0020	Interchange control reference	M an..14		
S005	RECIPIENT'S REFERENCE	C		
0022	Recipient's reference/password	M an..14		
0026	Application reference	C an..14		
0029	Processing priority code	C a1		
0031	Acknowledgement request	C n1		
0032	Communications agreement ID	C an..35		
0035	Test indicator	C n1		
Example: UNB+UNOC:3+7300012550009:14+7350000001204:14+090126:1425+98765432 2+++++1'				
UNH	MESSAGE HEADER	M		
0062	Message reference number	M an..14		
S009	MESSAGE IDENTIFIER	M		
0065	Message type identifier	M an..6	ORDRSP Purchase order response message	
0052	Message type version number	M an..3	D Draft version/UN/EDIFACT Directory	
0054	Message type release number	M an..3	96A Release 1996 - A	
0051	Controlling agency	M an..2	UN UN/CEFACT	
0057	Association assigned code	C an..6 R	EAN005 EAN version control number (EAN Code)	
Example: UNH+12345+ORDRSP:D:96A:UN:EAN005'				
BGM	Document type and number	M		
C002	Document/message name	C R		
1001	Document/message name, coded	C an..3 R	231 Purchase order response	
1004	Document/message number	C an..35 R		T0034 Call-off number
1225	Message function, coded	C an..3 R	29 Accepted without amendment	
4343	Response type, coded	C an..3 R	NA No acknowledgement needed	
Example: BGM+231+73000150001291595+29+NA'				
DTM	Document date	M		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	137 Document/message date/time	

MS77 Order agreement

EANCOM 1997 ORDRSP

Belongs to business document specification: BDS 6.5.2

Link to BDS 6.5.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60502_en291.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
2380	Date/time/period	C an..35 R		T0035 Call-off date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: <i>DTM+137:20071001:102'</i>				
DTM	Requested delivery date	M	D	
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	2 Delivery date/time, requested	
2380	Date/time/period	C an..35 R		T0040 Requested delivery date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: <i>DTM+2:20071001:102'</i>				
DTM	Requested delivery date and time	M	D	
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	2 Delivery date/time, requested	
2380	Date/time/period	C an..35 R		T3332 Requested delivery date and time
2379	Date/time/period format qualifier	C an..3 R	203 CCYYMMDDHHMM	
Example: <i>DTM+2:200710011400:203'</i>				
DTM	Planned delivery date	M	D	
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	76 Delivery date/time, scheduled for	
2380	Date/time/period	C an..35 R		T0048 Planned delivery date
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: <i>DTM+76:20071001:102'</i>				
DTM	Planned delivery date and time	M	D	
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	76 Delivery date/time, scheduled for	
2380	Date/time/period	C an..35 R		T0291 Planned delivery date and time
2379	Date/time/period format qualifier	C an..3 R	203 CCYYMMDDHHMM	
Example: <i>DTM+76:200710011400:203'</i>				
FTX	Shipping marks	C		
4451	Text subject qualifier	M an..3	MKS Additional marks/numbers information	
4453	Text function, coded	C an..3 R	1 Text for subsequent use	
C107	Text reference	C	N	
4441	Free text, coded	M an..3		
C108	Text literal	C	R	
4440	Free text	M an..70		T0086 Shipping marks, text
4440	Free text	C an..70		T0086 Shipping marks, text
4440	Free text	C an..70		T0086 Shipping marks, text
4440	Free text	C an..70		T0086 Shipping marks, text
4440	Free text	C an..70		T0086 Shipping marks, text
Example: <i>FTX+MKS+1++Lämnas på kajen och hämtas av vaktmästare:Rad 2:Rad 3:Rad 4:Rad 5'</i>				
SG1		C		
RFF	Buyer's reference	M		
C506	Reference	M		
1153	Reference qualifier	M an..3	CR Customer reference number	
1154	Reference number	C an..35 R		T2003 Buyer's reference
Example: <i>RFF+CR:Rekv-278345'</i>				
SG1		C		
RFF	Reference to agreement or contract	M		
C506	Reference	M		
1153	Reference qualifier	M an..3	CT Contract number	



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS77 Order agreement

EANCOM 1997 ORDRSP

Belongs to business document specification: BDS 6.5.2

Link to BDS 6.5.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60502_en291.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
1154	Reference number	C an..35 R		T0007 Reference to agreement or contract
Example: <i>RFF+CT:AVT-13245'</i>				
SG1		C		
RFF	Reference to price list	M		
C506	Reference	M		
1153	Reference qualifier	M an..3	PL Price list number	
1154	Reference number	C an..35 R		T0006 Reference to price list
Example: <i>RFF+PL:73000150000191599'</i>				
SG1		C		
RFF	Reference to blanket order	M		
C506	Reference	M		
1153	Reference qualifier	M an..3	BO Blanket order number	
1154	Reference number	C an..35 R		T0083 Reference to blanket order
Example: <i>RFF+BO:73000150001291222'</i>				
SG3		C	R	
NAD	Buyer	M		
3035	Party qualifier	M an..3	BY Buyer	
C082	Party identification details	C	R	
3039	Party id. identification	M n13		T0008 Buyer identification, GLN Global Location Number (GLN)
1131	Code list qualifier	C an..3	N	
3055	Code list responsible agency, coded	C an..3	R	9 EAN (International Article Numbering association) <i>EAN is now GS1</i>
Example: <i>NAD+BY+7350000001204::9'</i>				
SG3		C	R	
NAD	Supplier	M		
3035	Party qualifier	M an..3	SU Supplier	
C082	Party identification details	C	R	
3039	Party id. identification	M n13		T0009 Supplier identification, GLN Global Location Number (GLN)
1131	Code list qualifier	C an..3	N	
3055	Code list responsible agency, coded	C an..3	R	9 EAN (International Article Numbering association) <i>EAN is now GS1</i>
Example: <i>NAD+SU+7300015200000::9'</i>				
SG3		C		
NAD	Consignee	M		
3035	Party qualifier	M an..3	CN Consignee	
C082	Party identification details	C	R	
3039	Party id. identification	M n13		T0036 Consignee identification, GLN Global Location Number (GLN)
1131	Code list qualifier	C an..3	N	
3055	Code list responsible agency, coded	C an..3	R	9 EAN (International Article Numbering association) <i>EAN is now GS1</i>
Example: <i>NAD+CN+7350000001211::9'</i>				
SG3		C		
NAD	Delivery place	M		
3035	Party qualifier	M an..3	DP Delivery party	
C082	Party identification details	C	R	
3039	Party id. identification	M n13		T0037 Delivery place identification, GLN Global Location Number (GLN)
1131	Code list qualifier	C an..3	N	



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS77 Order agreement

EANCOM 1997 ORDRSP

Belongs to business document specification: BDS 6.5.2

Link to BDS 6.5.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60502_en291.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) <i>EAN is now GS1</i>	
Example: <i>NAD+DP+7350000001228::9'</i>				
SG3		C		
NAD	Name and address of delivery place	M		
3035	Party qualifier	M an..3	DP Delivery party	
C082	Party identification details	C N		
3039	Party id. identification	M an..35		
C058	Name and address	C N		
3124	Name and address line	M an..35		
C080	Party name	C		
3036	Party name	M an..35	T5001 Party name	
3036	Party name	C an..35	T5002 Department	
C059	Street	C		
3042	Street and number/p.o. box	M an..35	T5003 Street name	
3042	Street and number/p.o. box	C an..35	T5004 Building	
3164	City name	C an..35	T5005 City name	
3229	Country sub-entity identification	C an..9		
3251	Postcode identification	C an5	T5006 Postal code	
3207	Country, coded	C an..3	T5007 Country code	
Example: <i>NAD+DP+++Förskolan:Blomman+Utkantengränd 5:Rosa baracken+Småstad++1111+SE'</i>				
SG3		C		
NAD	Invoicee	M		
3035	Party qualifier	M an..3	IV Invoicee	
C082	Party identification details	C R		
3039	Party id. identification	M n13	T0085 Invoicee identification, GLN Global Location Number (GLN)	
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) <i>EAN is now GS1</i>	
Example: <i>NAD+IV+7300012550009::9'</i>				
SG3		C		
NAD	Invoice recipient	M		
3035	Party qualifier	M an..3	ITO Invoice recipient party (EAN Code) <i>EAN is now GS1</i>	
C082	Party identification details	C R		
3039	Party id. identification	M n13	T0240 Invoice recipient identification, GLN Global Location Number (GLN)	
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) <i>EAN is now GS1</i>	
Example: <i>NAD+ITO+7350000001235::9'</i>				
SG3		C		
NAD	Orderer	M		
3035	Party qualifier	M an..3	OB Ordered by	
C082	Party identification details	C R		
3039	Party id. identification	M n13	T0295 Orderer identification, GLN Global Location Number (GLN)	
1131	Code list qualifier	C an..3 N		



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS77 Order agreement

EANCOM 1997 ORDRSP

Belongs to business document specification: BDS 6.5.2

Link to BDS 6.5.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60502_en291.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) <i>EAN is now GS1</i>	
Example: <i>NAD+OB+7350000001242::9'</i>				
SG3		C		
NAD	Orderer, name	M		
3035	Party qualifier	M an..3	OB Ordered by	
C082	Party identification details	C N		
3039	Party id. identification	M an..35		
C058	Name and address	C N		
3124	Name and address line	M an..35		
C080	Party name	C R		
3036	Party name	M an..35		T0294 Orderer, name
Example: <i>NAD+OB+++Eva Friman'</i>				
SG12		C		
TOD	Collected by customer	M		
4055	Terms of delivery or transport function, coded	C an..3		T0261 Collected by customer, indicator
Example: <i>TOD+4'</i>				
SG26		C	R	
LIN	Order agreement line	M		
1082	Line item number	C n..6 R		T0051 Line number
1229	Action request/notification, coded	C an..3 R		T0049 Line status
C212	Trade item identification	C		
7140	Item number	C an..35 R		T0154 Trade item, GTIN Global Trade Item Number (GTIN)
7143	Item number type, coded	C an..3 R	EU	
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) <i>EAN is now GS1</i>	
Example: <i>LIN+9+1+7300015200154:EU::9'</i>				
SG26		C	R	
PIA	Supplier's article number	C		
4347	Product id. function qualifier	M an..3	5 Product identification	
C212	Item number identification	M		
7140	Item number	C an..35 R		T0172 Supplier's article number
7143	Item number type, coded	C an..3 R	SA Supplier's article number	
Example: <i>PIA+5+131515515:SA'</i>				
SG26		C	R	
PIA	Manufacturer's article number	C		
4347	Product id. function qualifier	M an..3	5 Product identification	
C212	Item number identification	M		
7140	Item number	C an..35 R		T1120 Manufacturer's article number
7143	Item number type, coded	C an..3 R	MF Manufacturer's (producer's) article number	
Example: <i>PIA+5+113515151:MF'</i>				
SG26		C	R	
PIA	Product classification	C		
4347	Product id. function qualifier	M an..3	1 Additional identification	
C212	Item number identification	M		
7140	Item number	C an..35 R		T1106 Product classification code
7143	Item number type, coded	C an..3 R		T1139 Product classification system, code
1131	Code list qualifier	C an..3 N		



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS77 Order agreement

EANCOM 1997 ORDRSP

Belongs to business document specification: BDS 6.5.2

Link to BDS 6.5.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60502_en291.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
3055	Code list responsible agency, coded	C an..3 R	ZZZ Mutually defined	
Example: <i>PIA+1+M01AE01:ATC::ZZZ'</i>				
SG26		C	R	
IMD	Brand name	C		
7077	Item description type, coded	C an..3 R	F Free-form	
7081	Item characteristic, coded	C an..3 R	BRN Brand name (EAN Code)	
				<i>EAN is now GS1</i>
C273	Item description	C	R	
7009	Item description identification	C an..17 N		
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 N		
7008	Item description	C an..35 R		T0143 Brand name
Example: <i>IMD+F+BRN+:::Mammas bästa'</i>				
SG26		C	R	
IMD	Item name	C		
7077	Item description type, coded	C an..3 R	F Free-form	
7081	Item characteristic, coded	C an..3 R	ANM Article name (EAN Code)	
				<i>EAN is now GS1</i>
C273	Item description	C	R	
7009	Item description identification	C an..17 N		
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 N		
7008	Item description	C an..35 R		T0018 Functional name
7008	Item description	C an..35		T0018 Functional name
Example: <i>IMD+F+ANM+:::Gräddkola.rad 2 ifall det behövs'</i>				
SG26		C	R	
IMD	Article size, text	C		
7077	Item description type, coded	C an..3 R	A Free-form long description	
7081	Item characteristic, coded	C an..3 R	DSC Description (EAN Code)	
				<i>EAN is now GS1</i>
C273	Item description	C	R	
7009	Item description identification	C an..17 N		
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 N		
7008	Item description	C an..8 R		T3338 Descriptive size
Example: <i>IMD+A+DSC+:::500 g'</i>				
SG26		C	R	
QTY	Confirmed quantity	C	R	
C186	Quantity details	M		
6063	Quantity qualifier	M an..3	21 Ordered quantity	
6060	Quantity	M n..15		T0054 Confirmed quantity, value
6411	Measure unit qualifier	C an..3		T0055 Unit of measurement for quantity
Example: <i>QTY+21:9:GRM'</i>				
SG26		C	R	
DTM	Requested delivery date for the trade item	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3		
2380	Date/time/period	C an..35 R		T0041 Requested delivery date for the trade item
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: <i>DTM+2:20071015:102'</i>				
SG26		C	R	
DTM	Requested delivery date and time for the trade item	C		



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS77 Order agreement

EANCOM 1997 ORDRSP

Belongs to business document specification: BDS 6.5.2

Link to BDS 6.5.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60502_en291.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3		
2380	Date/time/period	C an..35 R		T1341 Requested delivery date and time for the trade item
2379	Date/time/period format qualifier	C an..3 R	203 CCYYMMDDHHMM	
Example: DTM+2:200710151400:203'				
SG26		C	R	
DTM	Planned delivery date for this trade item	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	76 Delivery date/time, scheduled for	
2380	Date/time/period	C an..35 R		T0053 Planned delivery date for this trade item
2379	Date/time/period format qualifier	C an..3 R	102 CCYYMMDD	
Example: DTM+76:20071015:102'				
SG26		C	R	
DTM	Planned delivery date and time for this trade item	C		
C507	Date/time/period	M		
2005	Date/time/period qualifier	M an..3	76 Delivery date/time, scheduled for	
2380	Date/time/period	C an..35 R		T0292 Planned delivery date and time for this trade item
2379	Date/time/period format qualifier	C an..3 R	203 CCYYMMDDHHMM	
Example: DTM+76:200710151400:203'				
SG26		C	R	
GIN	Object identity	C		
7405	Identity number qualifier	M an..3	BN Serial number	
C208	Identity number range	M		
7402	Identity number	M an..35		T1300 Object identity
Example: GIN+BN+102030'				
SG26		C	R	
GIN	Object identity serie	C		
7405	Identity number qualifier	M an..3	BN Serial number	
C208	Identity number range	M		
7402	Identity number	M an..35		T1301 First object identity
7402	Identity number	C an..35 R		T1302 Last object identity
Example: GIN+BN+102031:102035'				
SG26		C	R	
FTX	Handling instruction	C		
4451	Text subject qualifier	M an..3	SIN Special instructions	
4453	Text function, coded	C an..3 R	1 Text for subsequent use	
C107	Text reference	C	N	
4441	Free text, coded	M an..3		
C108	Text literal	C	R	
4440	Free text	M an..70 R		T1335 Handling instruction, text
4440	Free text	C an..70		T1335 Handling instruction, text
4440	Free text	C an..70		T1335 Handling instruction, text
4440	Free text	C an..70		T1335 Handling instruction, text
4440	Free text	C an..70		T1335 Handling instruction, text
Example: FTX+SIN+1++PC installeras i rum 47 med installationsscript A:X:X:X'				
SG30		C		
PRI	Contract price	M	D	
C509	Price information	C	R	
5125	Price qualifier	M an..3	AAA Calculation net	



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS77 Order agreement

EANCOM 1997 ORDRSP

Belongs to business document specification: BDS 6.5.2

Link to BDS 6.5.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60502_en291.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
5118	Price	C n..15 R		T0029 Contract price
5375	Price type, coded	C an..3 R	CT Contract	
5387	Price type qualifier	C an..3 N		
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+AAA:9:CT::9:59'				
SG30		C		
PRI	Current price	M D		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAA Calculation net	
5118	Price	C n..15 R		T0203 Current price
5375	Price type, coded	C an..3 R	CT Contract	
5387	Price type qualifier	C an..3 R	CP Current price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+AAA:9:CT:CP::KGM'				
SG30		C		
PRI	Contract price, temporarily discounted	M		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAA Calculation net	
5118	Price	C n..15 R		T3288 Contract price, temporarily discounted
5375	Price type, coded	C an..3 R	CT Contract	
5387	Price type qualifier	C an..3 R	PRP Promotional price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+AAA:9:CT:PRP::KGM'				
SG30		C		
PRI	List price	M		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAB Calculation gross	
5118	Price	C n..15 R		T0181 List price
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	LIU List price (EAN Code)	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+AAB:9:CA:LIU::KGM'				
SG30		C		
PRI	List price, discounted	M D		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAA Calculation net	
5118	Price	C n..15 R		T0182 List price, discounted
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	DPR Discount price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+AAA:9:CA:DPR:9:59'				
SG30		C		
PRI	Current list price	M		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAB Calculation gross	
5118	Price	C n..15 R		T5028 Current list price



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS77 Order agreement

EANCOM 1997 ORDRSP

Belongs to business document specification: BDS 6.5.2

Link to BDS 6.5.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60502_en291.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	CP Current price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+AAB:9:CA:CP::KGM'				
SG30				
PRI	Current list price, discounted	C		
C509	Price information	M D		
		C R		
5125	Price qualifier	M an..3	AAA Calculation net	
5118	Price	C n..15 R		T0238 Current list price, discounted
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	CP Current price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+AAA:9:CA:CP:9:59'				
SG30				
PRI	List price, temporarily discounted	C		
C509	Price information	M		
		C R		
5125	Price qualifier	M an..3	AAA Calculation net	
5118	Price	C n..15 R		T5029 List price, temporarily discounted
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	PRP Promotional price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+AAA:9:CA:PRP::KGM'				
SG30				
PRI	Price of customer order based item	C		
		M		
C509	Price information	C R		
		C R		
5125	Price qualifier	M an..3	ABL Base price	
5118	Price	C n..15 R		T5030 Price of customer order based item
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	BAP Base article price (EAN Code)	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+AAA:9:CA:BAP::KGM'				
SG31				
RFF	Reference to handling instruction	C		
		M		
C506	Reference	M		
		M an..3	ACE Related document number	
1153	Reference qualifier	C an..35 R		T1334 Reference to handling instruction
1154	Reference number			
Example: RFF+ACE:12345'				
SG36				
TAX	Taxes	C		
		M		
5283	Duty/tax/fee function qualifier	M an..3	7 Tax	
C241	Duty/tax/fee type	C R		
		C an..3 R		T0194 Duty fee tax type code
5153	Duty/tax/fee type, coded			
C533	Duty/tax/fee account detail	C N		
		M an..6		
5289	Duty/tax/fee account identification			
5286	Duty/tax/fee assessment basis	C an..15 N		
C243	Duty/tax/fee detail	C R		
		C an..7 N		
5279	Duty/tax/fee rate identification			
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 N		



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS77 Order agreement

EANCOM 1997 ORDRSP

Belongs to business document specification: BDS 6.5.2

Link to BDS 6.5.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60502_en291.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
5278	Duty/tax/fee rate	C an..17		T0195 Duty fee tax rate
5305	Duty/tax/fee category, coded	C an..3 R		T0197 Tax category
Example: TAX+7+VAT+++:::25+S'				
SG37		C		
NAD	Manufacturer	M		
3035	Party qualifier	M an..3	MF Manufacturer of goods	
C082	Party identification details	C R		
3039	Party id. identification	M an..35		T1115 Manufacturer of trade item, GLN
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) EAN is now GS1	
Example: NAD+MF+7300012550047:::9'				
SG26		C		
LIN	Order agreement sub line	M		
1082	Line item number	C n..6 R		T0051 Line number
1229	Action request/notification, coded	C an..3 N		
C212	Trade item identification	C		
7140	Item number	C n..14 R		T0154 Trade item, GTIN Global Trade Item Number (GTIN)
7143	Item number type, coded	C an..3 R	EU	
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) EAN is now GS1	
C829	Sub-line information	C R		
5495	Sub-line indicator, coded	C an..3 R	1 Sub-line information	
1082	Line item number	C n..6 R		T0155 Reference to line at higher level
Example: LIN+9++7300015200154:EU::9+1:9'				
SG26		C		
PIA	Supplier's article number	C		
4347	Product id. function qualifier	M an..3	5 Product identification	
C212	Item number identification	M		
7140	Item number	C an..35 R		T0172 Supplier's article number
7143	Item number type, coded	C an..3 R	SA Supplier's article number	
Example: PIA+5+12345678:SA'				
SG26		C		
PIA	Manufacturer's article number	C		
4347	Product id. function qualifier	M an..3	5 Product identification	
C212	Item number identification	M		
7140	Item number	C an..35 R		T1120 Manufacturer's article number
7143	Item number type, coded	C an..3 R	MF Manufacturer's (producer's) article number	
Example: PIA+5+3467-2:MF'				
SG26		C		
PIA	Product classification	C		
4347	Product id. function qualifier	M an..3	1 Additional identification	
C212	Item number identification	M		
7140	Item number	C an..35 R		T1106 Product classification code
7143	Item number type, coded	C an..3 R		T1139 Product classification system, code
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9SE GS1 Sweden	
Example: PIA+1+357389:ATC::9SE'				
SG26		C		



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS77 Order agreement

EANCOM 1997 ORDRSP

Belongs to business document specification: BDS 6.5.2

Link to BDS 6.5.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60502_en291.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
IMD	Item name	C		
7077	Item description type, coded	C an..3 R	F Free-form	
7081	Item characteristic, coded	C an..3 R	ANM Article name (EAN Code)	
			EAN is now GS1	
C273	Item description	C		
7009	Item description identification	C an..17 N		
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 N		
7008	Item description	C an..35 R		T0018 Functional name
7008	Item description	C an..35		T0018 Functional name
Example: IMD+F+ANM+:::Gräddkola:X'				
SG26		C		
IMD	Brand name	C		
7077	Item description type, coded	C an..3 R	F Free-form	
7081	Item characteristic, coded	C an..3 R	BRN Brand name (EAN Code)	
			EAN is now GS1	
C273	Item description	C R		
7009	Item description identification	C an..17 N		
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 N		
7008	Item description	C an..35 R		T0143 Brand name
Example: IMD+F+BRN+:::Mammas bästa'				
SG26		C		
IMD	Article size, text	C		
7077	Item description type, coded	C an..3 R	A Free-form long description	
7081	Item characteristic, coded	C an..3 R	DSC Description (EAN Code)	
			EAN is now GS1	
C273	Item description	C R		
7009	Item description identification	C an..17 N		
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 N		
7008	Item description	C an..8 R		T3338 Descriptive size
Example: IMD+A+DSC+:::500 g'				
SG26		C		
QTY	Confirmed quantity	C R		
C186	Quantity details	M		
6063	Quantity qualifier	M an..3	21 Ordered quantity	
6060	Quantity	M n..15		T0054 Confirmed quantity, value
6411	Measure unit qualifier	C an..3		T0055 Unit of measurement for quantity
Example: QTY+21:9:59'				
SG30		C		
PRI	Contract price	M D		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAA Calculation net	
5118	Price	C n..15 R		T0029 Contract price
5375	Price type, coded	C an..3 R	CT Contract	
5387	Price type qualifier	C an..3 N		
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: PRI+AAA:9:CT:::KGM'				
SG30		C		
PRI	Current price	M D		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAA Calculation net	
5118	Price	C n..15 R		T0203 Current price



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS77 Order agreement

EANCOM 1997 ORDRSP

Belongs to business document specification: BDS 6.5.2

Link to BDS 6.5.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60502_en291.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
5375	Price type, coded	C an..3 R	CT Contract	
5387	Price type qualifier	C an..3 R	CP Current price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: <i>PRI+AAA:9:CT:CP:9:GRM'</i>				
SG30		C		
PRI	Discount price	M D		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAA Calculation net	
5118	Price	C n..15 R		T0238 Current list price, discounted
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	DPR Discount price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: <i>PRI+AAA:9:CA:DPR:9:KGM'</i>				
SG30		C		
PRI	Current price, discounted	M D		
C509	Price information	C R		
5125	Price qualifier	M an..3	AAA Calculation net	
5118	Price	C n..15 R		T0182 List price, discounted
5375	Price type, coded	C an..3 R	CA Catalogue	
5387	Price type qualifier	C an..3 R	CP Current price	
5284	Unit price basis	C n..9		T0030 Unit price basis
6411	Measure unit qualifier	C an..3		T0031 Unit of measurement for price
Example: <i>PRI+AAA:9:CA:CP:9:KGM'</i>				
SG36		C		
TAX	Taxes	M		
5283	Duty/tax/fee function qualifier	M an..3	7 Tax	
C241	Duty/tax/fee type	C R		
5153	Duty/tax/fee type, coded	C an..3 R		T0194 Duty fee tax type code
C533	Duty/tax/fee account detail	C N		
5289	Duty/tax/fee account identification	M an..6		
5286	Duty/tax/fee assessment basis	C an..15 N		
C243	Duty/tax/fee detail	C R		
5279	Duty/tax/fee rate identification	C an..7 N		
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 N		
5278	Duty/tax/fee rate	C an..17		T0195 Duty fee tax rate
5305	Duty/tax/fee category, coded	C an..3 R		T0197 Tax category
Example: <i>TAX+7+VAT+++:::25+S'</i>				
SG37		C		
NAD	Manufacturer	M		
3035	Party qualifier	M an..3	MF Manufacturer of goods	
C082	Party identification details	C		
3039	Party id. identification	M n13		T1115 Manufacturer of trade item, GLN
1131	Code list qualifier	C an..3 N		
3055	Code list responsible agency, coded	C an..3 R	9 EAN (International Article Numbering association) EAN is now GS1	
Example: <i>NAD+MF+7300012550047:::9'</i>				
UNS	Start of summary	M		
0081	Section identification	M a1	S Detail/summary section separation	
Example: <i>UNS+S'</i>				



Message Specification

Issue date: 2016-06-29

Version: 2.9.1

MS77 Order agreement

EANCOM 1997 ORDRSP

Belongs to business document specification: BDS 6.5.2

Link to BDS 6.5.2: http://gs1.se/globalassets/esap/esap6/version-2.9/bds_60502_en291.pdf

For a correct implementation it is required that the Message Specification (MS) is read together with the corresponding Business Document Specification (BDS) and guideline. If the information in the MS differs from the BDS the information in the BDS applies. The examples in every segment must be read independently and not in combination with other examples.

GS1 Sweden ESAP

		Format	Code	Entity
CNT	Control total - quantity	C		
C270	Control	M		
6069	Control qualifier	M an..3	1 Total value of the quantity segments at line level in a message	
6066	Control value	M n..18		T0042 Control total, quantities
Example: CNT+1:9'				
CNT	Control total - number of lines	C		
C270	Control	M		
6069	Control qualifier	M an..3	2 Number of line items in message	
6066	Control value	M n..18		T0043 Control total, lines
Example: CNT+2:9'				
UNT	MESSAGE TRAILER	M		
0074	Number of segments in a message	M n..6		
0062	Message reference number	M an..14		
Example: UNT+63+12345'				
UNZ	INTERCHANGE TRAILER	M		
0036	Interchange control count	M n..6		
0020	Interchange control reference	M an..14		
Example: UNZ+1+987654322'				