

AT 25.1.1 Article information

EDIFACT-message: PRICAT:D:96A:UN:EAN006

This transaction is used to provide new or changed article and package information from a client to a logistic service provider.

Article information header

The following terms occur once per transaction

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T3219	Product information number	Client's transaction number	an..17	R		BGM/1004
T3285	Article information status	Code indicating if the information in this transaction is new, replaced or changed	n..3	R	4 - Change 5 - Replace 9 - Original	BGM/1225
T0004	Validity start date	Date from which information/prices are effective	n8	D0	CCYYMMDD	DTM+157/C507/2380
T3220	Product information date	Date and time on which product information transaction was created	n12	R	CCYYMMDDHHMM	DTM+137/C507/2380
T3354	Reference to product information	Product information number (T3219) that this transaction refers to	an..17	D0	Reference to a previous article information. Required when T3285 is 'replace'.	SG1/RFF+PL/C506/1154
T3202	Client	Code identifying the client of the logistic service provider	n13	R	EAN Location number (GLN)	SG2/NAD+Z01/C082/3039
T3203	Logistic service provider	Code identifying the logistic service provider	n13	R	EAN Location number (GLN)	SG2/NAD+LSP/C082/3039

Price group

The following elements indicate if the product is part of a price or catalogue group and, if so, how this is coded. T0010 must be used once

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T0010	Product group type	Code indicating how price list is grouped	an..3	R	2 - no grouping 11 - product group	SG16/PGI/5379
T3272	Product range code	Code allocated by the client to items in the following lines	an..3	D0		SG16/PGI/C288/5389

Article information line

The following elements occur once per primary package (consumer unit).

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T0051	Line number	Line number within transaction	n..6	R	Sequence number of lines within transaktion	SG33/LIN/1082
T3221	Product information line action	Code indicating if this item is added, deleted or changed	an..3	R	1 - added 2 - deleted 3 - changed	SG33/LIN/1229
T1118	Article identification	GTIN for this item.	n..14	D1	T1118 T3237 EAN13, EAN14, EAN8 or UPC	SG33/LIN/C212/7140

T3237	Client's article number	Client's identification of a package or service	an..35	D1	T1118 T3237	Only if GTIN not available	SG33/PIA+5/C212/7140
T0210	Complementary product identity	Other identity for a product, package or service	an..35	D2	T0210 T0184		SG33/PIA+1/C212/7140
T0184	Item number type	System in which the immediately preceding item number is coded	an..3	D2	T0210 T0184	Z01 - clients article number MF - Manufacturer's article number SA - Supplier's article number	SG33/PIA/C212/7143
T3277	Trade item variant	Variant code for trade items with the same GTIN	an..3	D0			SG33/PIA+1/C212/7140
T0018	Item name	Supplier's text description of an item or service	2x an..35	R			SG33/IMD+F+ANM/C273/7008
T0025	Minimum order quantity	Smallest quantity that may be ordered/called off at one time	n..15(3)	D0			SG33/QTY+53/C186/6060
T0055	Unit of measurement for quantity	Unit in which the associated quantity is expressed	an..3	D0		Used when not ordered in pieces. GRM - gram KGM - kilogram LTR - litre MGM - milligram MLT - millilitre MMT - millimetre MTR - metre MTQ - cubic metre	SG33/QTY/C186/6411
T3256	Item variant	Code indicating which variant is to be shipped	an..3	D0		43 - chilled 44 - frozen Z1 - dry	SG33/MEA+SV/C502/6155
T0057	Replaced item number	Identity of an item that has been replaced by another	n..14	D0		Number of the previous article when substituting	SG33/PIA+4/C212/7140
T0184	Item number type	System in which the immediately preceding item number is coded	an..3	D0		if not GTIN Z01 - clients article number MF - Manufacturer's article number SA - Supplier's article number	SG33/PIA/C212/7140
T0186	Variable quantity product indicator		an..3	D0		VQ - variable measure item	SG33/IMD+C/C273/7009
T1106	Product group code	Product category in the system identified in the code list in T1139	an..3	D2	T1106 T1139		SG33/PIA+1/C212/7140
T1139	Product group code system, code	Code identifying the organisation responsible for the code system being used	an..3	D2	T1106 T1139		SG33/PIA+1/C212/7143
T3302	Hermonized code		an..35	D0			SG33/PIA+1/C212/7140
T0016	Packaging level	Code indicating if package is consumer, traded or despatch unit, or is a display stand	an2	D0		CU - consumer unit TU - Treded unit DU - Despatch unit	SG33/IMD+C/C273/7009
T0033	Number of packages in higher level package	Number of packages in a higher level package.	n..15(3)	D0		Number of packages in this package	SG33/QTY+45E/C186/6060
T0019	Package net weight	Net weight of retail package including packaging material	n..18(3)	D0			SG33/MEA+PD+AAA/C174/6314
T0163	Package volume	Volume this package occupies	n..18(4)	D0			SG33/MEA+PD+ABJ/C174/6314
T0137	Package type	Type of package or container in which the goods are packed	an..3	D0		see code list	SG44/PAC/C202/7065
T0021	Package height	Height of the package (top to bottom)	n..18(3)	D0			SG33/MEA+PD+HT/C174/6314
T0022	Package width	Width of the package (side to side - "face")	n..18(3)	D0			SG33/MEA+PD+WD/C174/6314
T0023	Package depth	Depth of the package (front to back)	n..18(3)	D0			SG33/MEA+PD+LN/C174/6314
T0169	Dangerous goods code		an..3	D0			SG33/HAN+DAE/C218/7419
T3225	Handling instructions	Code for how this item should be handled and when handling procedures shall be carried out	an..3	D0		see code list	SG33/HAN/C524/4079

T3262	Stocktaking frequency	Period between stocktaking for this item	n..3	D0	801 - times/year 802 - times/month 803 - times/week	SG33/DTM+Z04/C507/2380
T3261	Article type	Code indicating stock item	an..3	D0		SG33/ALI/4183
T3264	Best-before date control	Code showing if best-before date control should be carried out	an..3	D0	Ja - Yes Nej - No	SG33/ALI/4183
T3312	Date control when picking		an..3	D0	Ja - Yes Nej - No	SG33/ALI/4183
T3270	Serial number handling code	Code indicating if this item should be individually handled	an..3	D0	Ja - Yes Nej - No	SG33/ALI/4183
T3265	Picking stop	Number of days from picking stop to use-by date	n..3	D0		SG33/DTM+349/C507/2380
T3267	Picking frequenvy	Number of times a month the article should be picked	n..3	D0		SG33/DTM+Z05/C507/2380
T3268	Reorder level	Reorder point if the warehouse is responsible for ordering from the client's supplier	n..15(3)	D0		SG33/QTY+197/C186/6060
T3343	Replenishment quantity		n..15(3)	D3	T3268 T3343	SG33/QTY+155/C186/6060
T0078	Lead time	Number of days from calloff/order to delivery	n..8	D0		SG33/DTM+169/C507/2380
T3269	Product activation period		an..17	D0	CCYMMDD-CCYMMDD	SG33/DTM+Z02/C507/2380
T1107	Language code	Language used for text information in the entire transaction (FTX in header) or current line (FTX in detail).	an..3	D0		SG33/FTX+ZLA/3453
T0168	Country of origin		an..3	D0	ISO 3166	SG33/ALI/3239
T3271	Days before release	Number of days before this article is released for delivery	n..3	D0		SG33/DTM+261/C507/2380
T0159	Layers per pallet		n..18	D0		SG33/MEA/C174/6314
T0160	Packages per layer		n..18	D0		SG33/MEA/C174/6314
T0007	Reference to an agreement or contract	Reference to a commercial agreement or contract	an..35	D0		SG33/RFF+CT/C506/1154
T3266	Refence to profit centre	Reference to client's profit centre	an..35	D0		SG33/RFF+ZZ6/C506/1154
T3355	Reference to recipenumber		an..35	D0		SG33/RFF+ZZ3/C506/1154

The following elements occur once per article

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T3283	Stock price		n..15(4)	D0		SG37/PRI+Z02/C509/5118
T0031	Unit of measurement for price	Unit of measurement for items not priced in 'pieces' (variable quantity items)	an..3	D0	Only used if the product is a variable quantity product Used when not ordered in pieces. GRM - gram KGM - kilogram LTR - litre MGM - milligram MLT - millilitre MMT - millimetre MTR - metre MTQ - cubic metre	SG37/PRI/C509/6411
T3111	Retail price		n..15(4)	D0	Price to ultimate customer	SG37/PRI+AAE/C509/5118

T0194	Tax type	Code which indicates the tax type	an..3	R	VAT - value added tax ENV - environmental tax EXC - Excise duty	SG35/TAX+7/5153
T0195	Tax rate	Tax rate for an item or service	n..6(4)	D0	Actual tax rate in percent.	SG35/TAX+7/C243/5278
T0197	Tax category	Tax category for an item or service	an..3	R	E - exempt from tax M - food tax S - standard tax Z - zero tax	SG35/TAX+7/5305

AT 25.1.2 Inventory report

EDIFACT-message: INVRPT:D:96A:UN:EAN004

This transaction is used when a logistic service provider send an inventory report to a client.

Inventory report header

The following terms occur once per transaction

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T3228	Inventory report number	Warehouse's inventory report number	an..17	R		BGM/1004
T3308	Inventory report function code		an..3	R	9 - original	BGM/1225
T3229	Inventory report date	Date and time on which the inventory report transaction was created	n12	R	CCYYMMDDHHMM	DTM+137/C507/2380
T3231	Inventory date	Date and time on which the inventory was made	n12	R	CCYYMMDDHHMM	DTM+366/C507/2380
T3202	Client	Code identifying the client of the logistic service provider	n13	R	EAN Location number (GLN)	SG2/NAD+Z01/C506/1154
T3203	Logistic service provider	Code identifying the logistic service provider	n13	R	EAN Location number (GLN)	SG2/NAD+LSP/C506/1154
T3226	Warehouse	EAN location number. Used where a warehouse has several storage units	n13	D0	EAN Location number (GLN)	SG2/NAD+WH/C506/1154

Inventory report line

The following elements occur once per article

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T0051	Line number	Line number within transaction	n..6	R	Sequence number of lines within transaktion	SG9/LIN/1082
T1118	Article identification	GTIN for this item.	n..14	D1	T1118 T3237 EAN13, EAN14, EAN8 or UPC	SG9/LIN/C212/7140
T3237	Client's article number	Client's identification of a package or service	an.35	D1	T1118 T3237 Only if GTIN not available	SG9/PIA+5/C212/7140
T0210	Complementary product identity	Other identity for a product, package or service	an..35	D2	T0210 T0184	SG9/PIA+1/C212/7140
T0184	Item number type	System in which the immediately preceding item number is coded	an..3	D2	T0210 T0184 Z01 - clients article number MF - Manufacturer's article number SA - Supplier's article number	SG9/PIA/C212/7143
T0132	Batch number	Batch or lot number	an..35	D0		SG9/PIA+1/C212/7140
T3236	Serial number	Serial or individual number	an..35	D0		SG9/PIA+1/C212/7140
T3277	Trade item variant	Variant code for trade items with the same GTIN	an..3	D0		SG9/PIA+1/C212/7140

Inventory report quantity line

Quantity line occur once per quantity

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T3230	Stock balance		n..15	D1	T3230 T3273 T3286	SG11/QTY+145/C186/6060
T3359	Reason to stock balance	Reason to stock balance if not in/out delivery	an..3	D3	T3230 T3359	SG11/STS/C556/9013
T3273	Blocked quantity		n..15	D1	T3230 T3273 T3286	SG11/QTY+89/C186/6060
T3356	Reason for blocked quantity		an..3	D3	T3273 T3356 T3275	SG11/STS/C566/9013
T3275	Release date	Date and time this item was released for delivery	n12	D3	T3273 T3356 T3275	SG11/DTM+261/C507/2380
T3286	Reserved quantity	Quantity for which orders have been received but not yet shipped	n..15	D1	T3230 T3273 T3286	SG11/QTY+170/C186/6060
T0055	Unit of measurement for quantity	Unit in which the associated quantity is expressed	an..3	D0	Used when not ordered in pieces. GRM - gram KGM - kilogram LTR - litre MGM - milligram MLT - millilitre MMT - millimetre MTR - metre MTQ - cubic metre	SG11/QTY/C186/6411
T3256	Item variant	Code indicating which variant is to be shipped	an..3	D0	NOT EANCOM 43 - chilled 44 - frozen Z1 - dry	SG11/MEA+SV/C502/6155
T3238	Transit number	Number allocated to consignment held in bonded warehouse	an..35	D0		SG14/RFF+ABK/C506/1154
T3348	Customs declaration number	Number, assigned and accepted by customs, to identify a Goods declaration.	an..35	D0		SG14/RFF+ABT/C506/1154
T3276	Best-before date		n8	D0	CCYYMMDD	SG11/DTM+361/C507/2380
T3314	Sell-by-date	Date by which this trade item must be sold	n8	D0	CCYYMMDD	SG11/DTM+360/C507/2380
T3357	Location of goods		n13	D0	EAN Location number (GLN)	SG11/LOC+14/C517/3225

Inventory report package line

The following terms occur once per package

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T0136	Number of packages		an..17	R		SG16/PAC/7224

T0137	Package type	Type of package or container in which the goods are packed	an..7	D0	see code list	SG16/PAC/C202/7065
T0138	Package identity numbers	SSCC for one or more packages (or range)	n18 alt. N36	R		SG17/GIN+BJ/C208/7402

AT 25.1.3 Inbound delivery advice

EDIFACT-message: DESADV:D96A:UN:EAN005

This transaction is used when a shipper send an inbound delivery advice to a logistic service provider

Inbound delivery advice header

The following terms occur once per transaction

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T3214	Despatch advice number	Shipper's despatch advice number	an..17	R		BGM/1004
T3306	Despatch advice function code	Code showing if the transaction is an original or a copy	an..3	R	9 - original 1 - cancellation	BGM/1225
T3215	Despatch advice date	Date and time on which despatch advice transaction was created	n12	R		DTM+137/C507/2380
T3258	Arrival date and time	Date and time at which delivery shall be made to the goods recipient	n12	D0	CCYYMMDDHHMM	DTM+132/C507/2380
T3116	Reference to order	Reference to the end customer's order	an..17	D0	Reference to clients ordernumber from buyer	SG1/RFF+ON/C506/1154
T0063	Reference to delivery note	Identification of a (paper) delivery note accompanying a delivery	an..35	D0		SG1/RFF+DQ/C506/1154
T3350	Reference to packing list number	Identification of a packing list.	an..35	D0		SG1/RFF+PK/C506/1154
T3202	Client	Code identifying the client of the logistic service provider	n13	R	EAN Location number (GLN)	SG2/NAD+Z01/C082/3039
T3313	Client's buyer contact		an..35	D0		SG4/CTA+IC/C059/3412
T3203	Logistic service provider	Code identifying the logistic service provider	n13	R	EAN Location number (GLN)	SG2/NAD+LSP/C082/3039
T0009	Supplier	Party formally defined as the seller in a commercial agreement	n13	D0	EAN Location number (GLN)	SG2/NAD+SU/C082/3039
T0129	Shipper		n13	D1	T0129 T0183	SG2/NAD+SH/C082/3039
T0183	Shipment address	Shipper's name and address as structured plain text. *** See term catalogue	***	D1	T0129 T0183	SG2/NAD+SH/C080-3207/0000
T3226	Warehouse	EAN location number. Used where a warehouse has several storage units	n13	D0	EAN Location number (GLN)	SG2/NAD+WH/C082/3039
T3307	Warehouse temporary contact person		an..35	D0		SG4/CTA+WH/C059/3412
T3244	Freight charges payer	Party who will pay for transport from the warehouse to the consignee	n13	D0	EAN Location number (GLN)	SG2/NAD+FP/C082/3039
T3208	Carrier	Party who will transport the goods from the warehouse to the consignee	n13	D0	EAN Location number (GLN)	SG2/NAD+CA/C082/3039
T3257	Identity of the means of transport		an..35	D0		SG6/TDT/C222/8212

Inbound delivery advice package line

The following terms occur once per package

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T0136	Number of packages		n..8	R		SG11/PAC/7224
T0137	Package type	Type of package or container in which the goods are packed	an..7	R	see code list	SG11/PAC/C202/7065
T0138	Package identity numbers	SSCC for one or more packages (or range)	n18	R		SG14/GIN+BJ/C208/7402
T3259	Receipt procedure	Code indicating procedure(s) to be followed at delivery	an..3	D0	see code list	SG12/HAN/C524/4079

Inbound delivery advice line

The following elements occur once per article

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T0051	Line number	Line number within transaction	n..6	R	Sequence number of lines within transaktion	SG15/LIN/1082
T0015	Item identification	Global Trade Item Number (GTIN)	n..14	D1	T0015 T3237 UPC-12, EAN/UCC-8, EAN/UCC-13 or EAN/UCC-14 identity of this article or package	SG15/LIN/C212/7140
T3237	Client's article number	Client's identification of a package or service	an..35	D1	T0015 T3237 Only if GTIN not available	SG15/PIA+5/C212/7140
T0210	Complementary product identity	Other identity for a product, package or service	an..35	D2	T0210 T0184	SG15/PIA+1/C212/7140
T0184	Item number type	System in which the immediately preceding item number is coded	an..3	D2	T0210 T0184 Z01 - clients article number MF - Manufacturer's article number SA - Supplier's article number	SG15/PIA/C212/7143
T0132	Batch number	Batch or lot number	an..35	D0		SG15/PIA+1/C212/7140
T3236	Serial number	Serial or individual number	an..35	D0		SG15/PIA+1/C212/7140
T3238	Transit number	Number allocated to consignment held in bonded warehouse	an..35	D0		SG16/RFF+ABK/C506/1154
T3348	Customs declaration number	Number, assigned and accepted by customs, to identify a Goods declaration.	an..35	D0		SG16/RFF+ABT/C506/1154
T0131	Despatched quantity	The number of the item (packages) being despatched	n..15(3)	R		SG15/QTY+12/C186/6060
T0055	Unit of measurement for quantity	Unit in which the associated quantity is expressed	an..3	D5	T0055 T0131 Used when not ordered in pieces. GRM - gram KGM - kilogram LTR - litre MGM - milligram MLT - millilitre MMT - millimetre MTR - metre MTQ - cubic metre	SG15/QTY+12/C186/6411
T3256	Item variant	Code indicating which variant is to be shipped	an..3	D0	43 - chilled 44 - frozen Z1 - dry	SG15/MEA+SV/C502/6155
T3259	Receipt procedure	Code indicating procedure(s) to be followed at delivery	an..3	D0	see code list	SG22/HAN/C524/4079
T3274	Production date	Date and time this item was manufactured in its current form	n12	D0	CCYYMMDDHHMM	SG15/DTM+94/C507/2380

T3275	Release date	Date and time this item was released for delivery	n12	D0	CCYYMMDDHHMM	SG15/DTM+261/C507/2380
T3276	Best-before date		n8	D0	CCYYMMDD	SG15/DTM+361/C507/2380
T3314	Sell-by-date	Date by which this trade item must be sold	n8	D0	CCYYMMDD	SG15/DTM+360/C507/2380
T3277	Trade item variant	Variant code for trade items with the same GTIN	an..2	D0		SG15/PIA+1/C212/7140

Inbound delivery advice trailer

The following terms occur once per transaction

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T0042	Total quantity	Control total - hash total of all quantites	n..18(4)	D0	Sum of all quantities in T0131	CNT+1/C270/6066
T0043	Number of lines	Control total - number of lines in the transaction.	n..18	D0		CNT+2/C270/6066

AT 25.1.4 Receiving advice

EDIFACT-message: RECADV:D:96A:UN:EAN003

This transaction is used when a logistic service provider send a receiving advice to the client

Receiving advice header

The following terms occur once per transaction

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T3222	Despatch advice number	Warehouse's delivery confirmation number	an..17	R		BGM/1004
T3263	Receiving advice function code	Code showing if the transaction is an original or a copy	an..3	R	9 - original	BGM/1225
T3223	Despatch advice date	Date and time on which delivery confirmation transaction was created	n12	R	CCYYMMDDHHMM	DTM+137/C507/2380
T3224	Reference to despatch advice	Identity (T3214) of the corresponding despatch advice	an..17	R		SG1/RFF+AAK/C506/1154
T3116	Reference to order	Reference to the end customer's order	an..17	D0	Reference to clients ordernumber from buyer	SG1/RFF+ON/C506/1154
T3202	Client	Code identifying the client of the logistic service provider	n13	R	EAN Location number (GLN)	SG4/NAD+Z01/C082/3039
T0129	Shipper		n13	D0	EAN Location number (GLN)	SG4/NAD+SH/C082/3039
T0183	Shipment address	Shipper's name and address as structured plain text. *** See term catalogue	***	D0		SG4/NAD+SH/C080-3207/0000
T3203	Logistic service provider	Code identifying the logistic service provider	n13	R	EAN Location number (GLN)	SG4/NAD+LSP/C082/3039
T3287	Signature	Identity of the person responsible for receiving the goods	an.35	D0		SG6/CTA+GR/C056/3412
T3226	Warehouse	EAN location number. Used where a warehouse has several storage units	n13	D0	EAN Location number (GLN)	SG4/NAD+WH/C082/3039
T3208	Carrier	Party who will transport the goods from the warehouse to the consignee	n13	D0	EAN Location number (GLN)	SG4/NAD+CA/C082/3039
T3235	Waybill number	Reference to associated waybill	an..17	D0		SG1/RFF+AAM/C506/1154
T3257	Identity of the means of transport		an..17	D0		SG10/TDT/C222/8212
T0063	Reference to delivery note	Identification of a (paper) delivery note accompanying a delivery	an..17	D0		SG1/RFF+DQ/C506/1154

Receiving advice total package line

The following terms occur once per transaction

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T3304	Consignment level		an..12	R		SG16/CPS/7164
T3303	Total packages		n..8	R		SG17/PAC/7224
T3318	Number of accepted loading units		n..8	D0		SG17/PAC/7224
T3319	Number of units damaged in transport		n..15	D0		SG17/QVR/C279/6064
T3320	Transport damage		an..35	D0		SG17/QVR/C960/4294

Receiving advice package line

The following terms occur once per package

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T3304	Consignment level		an..12	R	Sequence number within transaktion	SG16/CPS/7164
T0136	Number of packages		an..17	R		SG17/PAC/7224
T0137	Package type	Type of package or container in which the goods are packed	an..7	R	see code list	SG17/PAC/C202/7065
T0138	Package identity numbers	SSCC for one or more packages (or range)	n18 alt. N36	D0		SG20/GIN+BJ/C208/0000

Receiving advice line

The following elements occur once per article

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T0051	Line number	Line number within transaction	n..6	R	Sequence number of lines within transaktion	SG22/LIN/1082
T0015	Item identification	Global Trade Item Number (GTIN)	n..14	D1	T0015 T3237 UPC-12, EAN/UCC-8, EAN/UCC-13 or EAN/UCC-14 identity of this article or package	SG22/LIN/C212/7140
T3237	Client's article number	Client's identification of a package or service	an..35	D1	T0015 T3237 Only if GTIN not available	SG22/PIA+5/C212/7140
T0210	Complementary product identity	Other identity for a product, package or service	an..35	D2	T0210 T0184	SG22/PIA+1/C212/7140
T0184	Item number type	System in which the immediately preceding item number is coded	an..3	D2	T3237 T0184 Z01 - clients article number MF - Manufacturer's article number SA - Supplier's article number	SG22/PIA/C212/7143
T0132	Batch number	Batch or lot number	an..35	D0		SG22/PIA+1/C212/7140
T3236	Serial number	Serial or individual number	an..35	D0		SG22/PIA+1/C212/7140
T3315	Received quantity	Quantity which has been received.	n..15(3)	R		SG22/QTY+48/C186/6060
T0039	Ordered quantity	Quantity ordered by the buyer	n..15(3)	D0	Quantity from order	SG22/QTY+21/C186/6060
T0131	Despatched quantity	The number of the item (packages) being despatched	n..15(3)	D0		SG22/QTY+12/C186/6060
T3273	Blocked quantity		n..15(3)	D0		SG22/QTY+89/C186/6060
T0055	Unit of measurement for quantity	Unit in which the associated quantity is expressed	an..3	D5	Used when not ordered in pieces. GRM - gram KGM - kilogram LTR - litre MGM - milligram MLT - millilitre MMT - millimetre MTR - metre MTQ - cubic metre	SG22/QTY/C186/6411
T3277	Trade item variant	Variant code for trade items with the same GTIN	an..2	D0		SG22/PIA+1/C212/7140
T3238	Transit number	Number allocated to consignment held in bonded warehouse	an..35	D0		SG28/RFF+ABK/C506/1154
T3348	Customs declaration number	Number, assigned and accepted by customs, to identify a Goods declaration.	an..35	D0		SG28/RFF+ABT/C506/1154

T3224	Reference to despatch advice	Identity (T3214) of the corresponding despatch advice	an..17	D2	T3224 T3284	SG28/RFF+AAK/C506/1154
T3284	Reference to despatch advice line	Reference to the corresponding line (T0051) in the despatch advice	n..6	D2	T3224 T3284	SG28/RFF+AAK/C506/1156
T3276	Best-before date		n8	D0	CCYYMMDD	SG22/DTM+361/C507/2380
T3275	Release date	Date and time this item was released for delivery	n12	D0	CCYYMMDDHHMM	SG22/DTM+261/C507/2380
T3314	Sell-by-date	Date by which this trade item must be sold	n8	D0	CCYYMMDD	SG22/DTM+360/C507/2380
T3278	Quarantine date		n12	D0	CCYYMMDDHHMM	SG22/DTM+Z03/C507/2380
T3321	Item attribute change indicator		an..3	O		SG23/CDI+ZZ1/C564/7007
T3260	Receipt procedure used	Code indicating procedure(s) which were followed at delivery	an..3	O	If not the same as T3239 in AT25.1.3	SG23/CDI+ZZ2/C564/7007

Receiving advice trailer

The following terms occur once per transaction

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T0042	Total quantity	Control total - hash total of all quantities	n..18(4)	D0		CNT+1/C270/6066
T0043	Number of lines	Control total - number of lines in the transaction.	n..18	D0		CNT+2/C270/6066

AT 25.1.5 Despatch order

EDIFACT-message: ORDERS:D:96A:UN:EAN008

This transaction is used when a client of third-party logistical services to instruct the warehouse to ship to the end customer.

Despatch order header

The following terms occur once per transaction

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T3200	Despatch order number	Client's despatch order number	an..17	R	Each new despatch order shall have a unique number	BGM/1004
T3252	Despatch order status	Code showing if this transaction is a new despatch order or a replacement for an existing order	an..3	R	9 - original 1 - cancellation 4 - change	BGM/1225
T3201	Despatch order date and time	Date and time at which this despatch order transaction was created	n12	R	CCYYMMDDHHMM	DTM+137/C507/2380
T3232	Requested delivery date for whole order	Date and time at which the end customer wishes the entire order to be delivered	n12	D3	T3232 T3234 CCYYMMDDHHMM	DTM+2/C507/2380
T3234	Requested shipment date for whole order	Date and time at which the order should be shipped from the warehouse	n12	D3	T3232 T3234 CCYYMMDDHHMM if required	DTM+10/C507/2380
T3116	Reference to order	Reference to the end customer's order	an..17	D0	Reference to clients ordernumber from buyer	SG1/RFF+ON/C506/1154
T3202	Client	Code identifying the client of the logistic service provider	n13	R	EAN Location number (GLN)	SG2/NAD+Z01/C082/3039
T3204	Client's payment reference	Reference number to be used in financial transactions	an..35	D0		SG3/RFF+PQ/C506/1154
T3203	Logistic service provider	Code identifying the logistic service provider	n13	R	EAN Location number (GLN)	SG2/NAD+LSP/C082/3039
T3226	Warehouse	EAN location number. Used where a warehouse has several storage units	n13	D0	EAN Location number (GLN)	SG2/NAD+WH/C082/3039
T0008	Buyer	Party formally defined as the buyer in a commercial agreement	n13	D0	EAN Location number (GLN) if required	SG2/NAD+BY/C082/3039
T0100	Buyer's contact		an..35	D0	Name as text	SG5/CTA+OC/C056/3412
T0101	Buyer's contact telephone number		an..25	D5	T3247 T3213 Unedited	SG5/COM+TE/C076/3148
T0036	Consignee	Party (other than the buyer) who approves receipt of goods	n13	D0	EAN Location number (GLN)	SG2/NAD+CN/C082/3039
T3245	Consignee's contact	Name of consignee's contact person	an..35	D0		SG5/CTA+CN/C056/3412
T3246	Consignee's contact telephone	Telephone number to person in T3245	an..25	D5	T3246 T3245	SG5/COM+TE/C076/3148
T0037	Delivery party	Party to which goods should be delivered, if not the same as the consignee.	n13	D1	T0037 T0038 EAN Location number (GLN)	SG2/NAD+DP/C082/3039
T3248	Delivery contact	Name of contact person at delivery address	an..35	D0		SG5/CTA+DL/C056/3412
T3249	Delivery contact's telephone	Telephone number to person in T3248	an..25	D5	T3249 T3248	SG5/COM+TE/C076/3148
T0038	Delivery address	Delivery party's name and address as structured text *** see term catalogue for format	***	D1	T0037 T0038 Delivery party's name and address as structured text. Mandatory if T0037 is specified. *** See term catalogue.	SG2/NAD+DP/C080-3207/0000
T3239	Ultimate consignee	Party (other than consignee or delivery party) who will finally receive the goods	n13	D0	EAN Location number (GLN)	SG2/NAD+UC/C082/3039

T3208	Carrier	Party who will transport the goods from the warehouse to the consignee	n13	D0	EAN Location number (GLN) if not LSP	SG2/NAD+CA/C082/3039
T3244	Freight charges payer	Party who will pay for transport from the warehouse to the consignee	n13	D4	T3244 T3242 EAN Location number (GLN) if not client	SG2/NAD+FP/C082/3039
T3205	Payment terms	Terms of payment for this consignment	an..3	D0	ZZ1 - invoice ZZ2 - postförskott ZZ3 - C.O.D	ALI/4183
T3206	COD charge	Amount to be charged if payment terms are COD	n..18(4)	D3	T3206 T3205	SG21/MOA+22/C516/5004
T3105	Mode of transport	Method of transport used for carriage of the goods. See UN/ECE Rec No 19 for codes	an..3	D0	use codes in UN/ECE Rec.no.19	SG9/TDT/C220/8067
T3209	Means of transport	Type of vehicle or service to be used	an..8	D0	see code list	SG9/TDT/C228/8179
T3210	Terms of delivery	Code for terms of delivery	an..3	D6	T3210 T3244 T3242 use codes in Incoterms 1990	SG11/TOD/C100/4053
T3242	Consignee's transport customer number	Carrier's customer number for the consignee	an..17	D4	T3244 T3242 if transport charges paid by consignee	SG3/RFF+ZZ1/C506/1154
T3243	Consignee's pallet exchange system number	Registration number of consignee in pallet exchange system	an..17	D0	if applicable	SG3/RFF+ZZ2/C506/1154
T3279	Request for advice	Free text to be printed on the waybill	an..35x2	D0		FTX+BLR/C108/4440
T3280	Delivery note text	Free text to be printed on the waybill	an..35x2	D0		FTX+DIN/C108/4440
T3281	Despatch note text	Free text to be printed on the delivery note	an..35x2	D0		FTX+DSI/C108/4440
T3282	Picking instruction	Free text to be printed on the picking list	an..35x2	D0		FTX+PAC/C108/4440
T0086	Shipping marks for entire consignment	One to five lines of text to be printed on all package labels	an..70x5	D0		FTX+MKS/C108/4440

Despatch order line

The following terms occur once per item to be delivered

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T0051	Line number	Line number within transaction	n..6	R	Sequence number of lines within despatch order transaction	SG25/LIN/1082
T0052	Ordered item	Global Trade Item Number (GTIN) of ordered item	n..14	D1	T0052 T3237 UPC-A, EAN/UCC-8, EAN/UCC-13 or EAN/UCC-14	SG25/LIN/C212/7140
T3237	Client's article number	Client's identification of a package or service	an..35	D1	T0052 T3237 Only if GTIN not available	SG25/PIA+5/C212/7140
T0210	Complementary product identity	Other identity for a product, package or service	an..35	D2	T0210 T0184	SG25/PIA+1/C212/7140
T0184	Item number type	System in which the immediately preceding item number is coded	an..3	D2	T0210 T0184 Z01 - clients article number MF - Manufacturer's article number SA - Supplier's article number	SG25/PIA/C212/7143
T0132	Batch number	Batch or lot number	an..35	D0	if required	SG25/PIA+1/C212/7140
T3236	Serial number	Serial or individual number	an..35	D0		SG25/PIA+1/C212/7140
T0039	Ordered quantity	Quantity ordered by the buyer	n..15(3)	R	Quantity of the actual package	SG25/QTY+21/C186/6060

T0055	Unit of measurement for quantity	Unit in which the associated quantity is expressed	an..3	D0	Used when not ordered in pieces. GRM - gram KGM - kilogram LTR - litre MGM - milligram MLT - millilitre MMT - millimetre MTR - metre MTQ - cubic metre	SG25/QTY+21/C186/6411
T3256	Item variant	Code indicating which variant is to be shipped	an..3	D0	43 - chilled 44 - frozen Z1 - dry	SG25/MEA+SV/C502/6155
T3240	Quantity to be delivered	Quantity to be delivered	n..15(3)	D0	if different from T0039	SG25/QTY+113/C186/6060
T3211	Unit price	Net unit price for one or more package(s)/services	n..15(4)	D0		SG28/PRI+AAA/C509/5118
T3111	Retail price		n..15(4)	D0	Price to ultimate customer	SG28/PRI+AAE/C509/5118
T0030	Unit price basis	Number of units for which unit price applies if not one (e.g. 100)	n..9	D0		SG28/PRI/C509/5284
T0031	Unit of measurement for price	Unit of measurement for items not priced in 'pieces' (variable quantity items)	an..3	D0	Only used if the product is a variable quantity product	SG28/PRI/C509/6411
T3241	customs price	Price for customs declaration, etc	n..15(4)	D0		SG25/MOA+40/C516/5004
T3238	Transit number	Number allocated to consignment held in bonded warehouse	an..35	D0		SG29/RFF+ABK/C506/1154
T3348	Customs declaration number	Number, assigned and accepted by customs, to identify a Goods declaration.	an..35	D0		SG29/RFF+ABT/C506/1154
T0086	Shipping marks for entire consignment	One to five lines of text to be printed on all package labels	5xan..70	D0		SG25/FTX+MKS/C108/4440
T3233	Requested delivery date for this line	Date and time at which the end customer wishes this item to be delivered	n12	D0	If not the same as in T3232	SG25/DTM+2/C507/2380
T3281	Despatch note text	Free text to be printed on the delivery note	an..35x2	D0		SG25/FTX+DSI/C108/4440
T3282	Picking instruction	Free text to be printed on the picking list	an..35x2	D0		SG25/FTX+PAC/C108/4440
T3277	Trade item variant	Variant code for trade items with the same GTIN	an..2	D0		SG25/PIA+1/C212/7140
T3116	Reference to order	Reference to the end customer's order	an..17	D2	T3116 T3293 Reference to clients ordernumber from buyer	SG29/RFF+ON/C506/1154
T3293	Client's order line number		n..6	D2	T3116 T3293	SG29/RFF+ON/C506/1154
T3276	Best-before date		n8	D0	CCYYMMDD	SG25/DTM+361/C507/2380
T3314	Sell-by-date	Date by which this trade item must be sold	n8	D0	CCYYMMDD	SG25/DTM+360/C507/2380
T0137	Package type	Type of package or container in which the goods are packed	an..7	D0	if T3237 ambiguous	SG30/PAC/C202/7065
T0138	Package identity numbers	SSCC for one or more packages (or range)	n18	D0		SG32/GIN+BJ/C208/7402

Despatch order summary

The following terms occur once per transaction

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T0042	Total quantity	Control total - hash total of all quantities	n..18(4)	D0	Sum of all quantities in T0039	CNT+1/C270/6066
T0043	Number of lines	Control total - number of lines in the transaction.	n..18(4)	D0		CNT+2/C270/6066
T3207	Total monetary amount	Total monetary value of the complete transaction	n..18(4)	D0		MOA+86/C516/5004

AT 25.1.6 Despatch advice

EDIFACT-message: DESADV:D96A:UN:EAN005

This transaction is used when a logistic service provider send a receiving advice to the client

Despatch advice header

The following terms occur once per transaction

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T3216	Despatch confirmation number	Warehouse's despatch advice number (order number)	an..17	R		BGM/1004
T3253	Delivery confirmation function code	Code showing if the transaction is an original or a copy	an..3	R	9 - original	BGM/1225
T3217	Despatch confirmation date	Date and time on which despatch advice transaction was created	n12	R	CCYYMMDDHHMM	DTM+137/C507/2380
T3218	Reference to despatch order	Identity (T3200) of the corresponding despatch order transaction	an..17	R		SG1/RFF+IDR/C506/1154
T3212	Despatch date	Date and time on which goods were dispatched from the warehouse	n12	D3	CCYYMMDDHHMM	DTM+11/C507/2380
T3335	Scheduled delivery date and time	Date and time on which delivery to the customer is scheduled	n12	D3	CCYYMMDDHHMM	DTM+232/C507/2380
T3202	Client	Code identifying the client of the logistic service provider	n13	R	EAN Location number (GLN)	SG2/NAD+Z01/C082/3039
T0009	Supplier	Party formally defined as the seller in a commercial agreement	n13	D0	EAN Location number (GLN)	SG2/NAD+SU/C082/3039
T3203	Logistic service provider	Code identifying the logistic service provider	n13	R	EAN Location number (GLN)	SG2/NAD+LSP/C082/3039
T3287	Signature	Identity of the person responsible for receiving the goods	an..35	D0		SG4/CTA+GR/C056/3412
T3226	Warehouse	EAN location number. Used where a warehouse has several storage units	n13	D0	EAN Location number (GLN)	SG2/NAD+WH/C082/3039
T0008	Buyer	Party formally defined as the buyer in a commercial agreement	n13	D0	EAN Location number (GLN)	SG2/NAD+BY/C082/3039
T0036	Consignee	Party (other than the buyer) who approves receipt of goods	n13	D0	EAN Location number (GLN)	SG2/NAD+CN/C082/3039
T0037	Delivery party	Party to which goods should be delivered, if not the same as the consignee.	n13	D1	T0037 T0038	SG2/NAD+DP/C082/3039
T0038	Delivery address	Delivery party's name and address as structured text *** see term catalogue for format	***	D1	T0037 T0038	SG2/NAD+DP/C080-3207/0000 Delivery party's name and address as structured text. Mandatory if T0037 is specified. *** See term catalogue.
T3208	Carrier	Party who will transport the goods from the warehouse to the consignee	n13	D0	EAN Location number (GLN)	SG2/NAD+CA/C082/3039
T3244	Freight charges payer	Party who will pay for transport from the warehouse to the consignee	an..35	D0		SG2/NAD+FP/C082/3039
T3235	Waybill number	Reference to associated waybill	an..17	D0		SG3/RFF+AAM/C506/1154
T3250	Distribution order number	Reference to related distribution order	an..17	D0		SG3/RFF+ZZ4/C506/1154
T3116	Reference to order	Reference to the end customer's order	an..3	D0	Reference to clients ordernumber from buyer	SG3/RFF+ON/C506/1154
T3105	Mode of transport	Method of transport used for carriage of the goods. See UN/ECE Rec No 19 for codes	an..3	D0		SG6/TDT+20/C220/8067

T3209	Means of transport	Type of vehicle or service to be used	an..8	D0	see code list	SG6/TDT+20/C228/8179
T0091	Freight charges amount		n..15(3)	D0		MOA+8/C516/5004

Despatch advice total package line

The following terms occur once per transaction

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T3304	Consignment level		an..12	R		SG10/CPS/7164
T3303	Total packages		n..8	R		SG11/PAC/7224
T3254	Freight charge basis (weight)	Total weight of all packages	n..18(4)	D0		SG11/MEA/C174/6314
T3255	Freight charge basis (volume)	Total volume in all packages	n..18(4)	D0		SG11/MEA/C174/6314

Despatch advice package line

The following terms occur once per package

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T3304	Consignment level		an..12	R	Sequence number within transaktion	SG10/CPS/7164
T0136	Number of packages		n..8	R		SG11/PAC/7224
T0137	Package type	Type of package or container in which the goods are packed	an..7	R	see code list	SG11/PAC/C202/7065
T0141	Package gross weight	Gross weight of a package for incoming goods control	n..18(4)	D0	including packaging material	SG11/MEA+PD+AAD/C174/6314
T0163	Package volume	Volume this package occupies	n..18(4)	D0		SG11/MEA+PD+ABJ/C174/6314
T0138	Package identity numbers	SSCC for one or more packages (or range)	n18 (alt.n36)	R		SG14/GIN+BJ/C208/0000

Despatch advice line

The following elements occur once per article in package

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T0051	Line number	Line number within transaction	n..6	R	Sequence number of lines within transaktion	SG15/LIN/1082
T0130	Delivered item	GTIN for this item.	n..14	D1	T0130 T3237 EAN13, EAN14, EAN8 or UPC	SG15/LIN/C212/7140
T3237	Client's article number	Client's identification of a package or service	an..35	D1	T0130 T3237 Only if GTIN not available	SG15/PIA+5/C212/7140
T0210	Complementary product identity	Other identity for a product, package or service	an..35	D2	T0210 T0184	SG15/PIA+1/C212/7140
T0184	Item number type	System in which the immediately preceding item number is coded	an..3	D2	T0210 T0184	SG15/PIA/C212/7143
T0039	Ordered quantity	Quantity ordered by the buyer	n..15(3)	D0	Quantity of the actual package	SG15/QTY+21/C186/6060

T0055	Unit of measurement for quantity	Unit in which the associated quantity is expressed	an..3	D5	Used when not ordered in pieces. GRM - gram KGM - kilogram LTR - litre MGM - milligram MLT - millilitre MMT - millimetre MTR - metre MTQ - cubic metre	SG15/QTY/C186/6411
T0131	Despatched quantity	The number of the item (packages) being despatched	n..15(3)	R		SG15/QTY+12/C186/6060
T0132	Batch number	Batch or lot number	an..35	D0		SG15/PIA+1/C212/7140
T3236	Serial number	Serial or individual number	an..35	D0		SG15/PIA+1/C212/7140
T3238	Transit number	Number allocated to consignment held in bonded warehouse	an..35	D0		SG16/RFF+ABK/C506/1154
T3348	Customs declaration number	Number, assigned and accepted by customs, to identify a Goods declaration.	an..35	D0		SG16/RFF+ABT/C506/1154
T3277	Trade item variant	Variant code for trade items with the same GTIN	an..2	D0		SG15/PIA+1/C212/7140
T3256	Item variant	Code indicating which variant is to be shipped	an..3	D0	43 - chilled 44 - frozen Z1 - dry	SG15/MEA+SV/C502/6155
T3274	Production date	Date and time this item was manufactured in its current form	n8	D0	CCYYMMDD	SG15/DTM+94/C507/2380
T3276	Best-before date		n8	D0	CCYYMMDD	SG15/DTM+361/C507/2380
T3314	Sell-by-date	Date by which this trade item must be sold	n8	D0	CCYYMMDD	SG15/DTM+360/C507/2380
T3218	Reference to despatch order	Identity (T3200) of the corresponding despatch order transaction	an..17	D2	T3218 T3251	SG16/RFF+IDR/C506/1154
T3251	Reference to despatch order line	Line in despatch order (T0051) that this line refers to	n..6	D2	T3218 T3251	SG16/RFF+IDR/C506/1156

Despatch advice trailer

The following terms occur once per transaction

Entity no.	Entity name	Entity definition	Format	Status/cond.	Comments/conditions/codes	EDIFACT
T0042	Total quantity	Control total - hash total of all quantities	n..18(4)	D0	Sum of all quantities in T0131	CNT+1/C270/6066
T0043	Number of lines	Control total - number of lines in the transaction.	n..18(4)	D0		CNT+2/C270/6066