

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
Trade item information			
T0151 29	TRADE ITEM HEADER	1..1	
	Creation date time	1..1	Format: DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20 XPath: catalogue_item_notification:catalogueItemNotification/creationDateTime
T0153 23	Document command	0..1	Format: String An alphanumeric string including up to 17 characters Length: 1 .. 17 XPath: transaction/documentCommand/documentCommandHeader/@type Kodlista: DocumentCommandCodeList
T3809 40	Data recipient GLN	0..1	Format: GLN (Global Location Number). An alphanumeric string including exactly 13 digits. Length: 13 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/dataRecipient
T4452 65	Trade item trade channel code	0..unbounded	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemTradeChannelCode Kodlista: TradeChannelCode
T1124 83	INFORMATION PROVIDER	0..1	XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/informationProviderOfTradeItem
	Information provider of trade item GLN	1..1	Format: GLN (Global Location Number). An alphanumeric string including exactly 13 digits. Length: 13 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/informationProviderOfTradeItem/gln
T3807 85	Information provider of trade item, name	0..1	Format: String An alphanumeric string including up to 200 characters Length: 1 .. 200 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/informationProviderOfTradeItem/partyName
T1115 91	MANUFACTURER	0..1	XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/manufactureOfTradeItem
	Manufacturer of trade item GLN	0..1	Format: GLN (Global Location Number). An alphanumeric string including exactly 13 digits. Length: 13 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 1 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T3811 93	Manufacturer of trade item, name	0..1	Format: String An alphanumeric string including up to 200 characters Length: 1 .. 200 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/ manufacturerOfTradeItem/partyName
	BRAND OWNER	0..1	XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/brandOwner
T3750 75	Brand owner GLN	0..1	Format: GLN (Global Location Number). An alphanumeric string including exactly 13 digits. Length: 13 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/brandOwner/gln
	Brand owner, name	0..1	Format: String An alphanumeric string including up to 200 characters Length: 1 .. 200 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/brandOwner/ partyName
T4487 100	ADDITIONAL PARTIES	0..1	XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/partyInRole
	Party address	0..1	Format: String An alphanumeric string including up to 500 characters Length: 1 .. 500 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/partyInRole/ partyAddress
T3786 99	Party GLN	0..1	Format: GLN (Global Location Number). An alphanumeric string including exactly 13 digits. Length: 13 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/partyInRole/gln
	Party, name	0..1	Format: String An alphanumeric string including up to 200 characters Length: 1 .. 200 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/partyInRole/ partyName
T3788 102	Party role code	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/partyInRole/ partyRoleCode Kodlista: PartyRoleCode
	TRADE ITEM DATES	0..1	XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/ tradeItemSynchronisationDates
T3806	Effective date time	0..1	

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 2 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
144			Format: DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemSynchronisationDates/effectiveDateTime
T4008 145	—Last change date time	1..1	Format: DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemSynchronisationDates/lastChangeDateTime
T4009	—Publication date time	0..1	Format: DateTime YYYY-MM-DDTHH:MM:SS Length: 19 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemSynchronisationDates/publicationDateTime
T4015 143	—Discontinued date time	0..1	Format: DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemSynchronisationDates/discontinuedDateTime
	—TRADE ITEM IDENTITIES	0..1	
T0154 67	—Trade item GTIN	1..1	Format: GTIN (Global Trade Item Number). An alphanumeric string including exactly 14 digits. Length: 14 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/gtin
T4011 112	—Target market country code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/targetMarket/targetMarketCountryCode Kodlista: TargetMarket Comment: "T4011 Target market country code" uses generic code list "T3783 Target market country code" as code list.
T3815 55	—Context identification	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/contextIdentification Kodlista: TradeItemContextCode
T3495 64	—Preliminary item status code	0..1	Format: String An alphanumeric string including up to 80 characters

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 3 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T4012 56	—Is trade item a base unit	0..1	XPath: Length: 1 .. 80 catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/preliminaryItemStatusCode
			Kodlista: PreliminaryItemStatusCode
			Format: Boolean Statement that can have the value of 'true' or 'false'.
T4037 57	—Is trade item a consumer unit	0..1	XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/isTradeItemABaseUnit
			Format: Boolean Statement that can have the value of 'true' or 'false'.
T4038 58	—Is trade item a despatch unit	0..1	XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/isTradeItemAConsumerUnit
			Format: Boolean Statement that can have the value of 'true' or 'false'.
T4014 59	—Is trade item an invoice unit	0..1	XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/isTradeItemAnInvoiceUnit
			Format: Boolean Statement that can have the value of 'true' or 'false'.
T0017 60	—Is trade item an orderable unit	0..1	XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/isTradeItemAnOrderableUnit
			Format: Boolean Statement that can have the value of 'true' or 'false'.
T2207 151	—Is trade item a display unit	0..1	XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/displayUnitInformation/isTradeItemADisplayUnit
			Format: NonBinaryLogicEnumeration Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED
+ T4119 61	—Is trade item a service	0..1	XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/isTradeItemAService
			Format: Boolean Statement that can have the value of 'true' or 'false'.
T4010 66	—Trade item unit descriptor code	0..1	Format: String An alphanumeric string including up to 80 characters
			XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemUnitDescriptorCode
			Kodlista: TradeItemUnitDescriptorCode
T3798	—ADDITIONAL TRADE ITEM IDENTITIES	0..unbounded	
	—Additional trade item identification	1..1	Format: String

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 4 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
68			XPath:	An alphanumeric string including up to 80 characters Length: 1 .. 80 catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/additionalTradeItemIdentification
T3799 69	Additional trade item identification type code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/additionalTradeItemIdentification/@additionalTradeItemIdentificationTypeCode Kodlista: AdditionalTradeItemIdentificationTypeCode
	REFERENCE TO TRADE ITEM	0..unbounded	XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/referencedTradeItem
T3793 116	Referenced trade item GTIN	1..1	Format:	GTIN (Global Trade Item Number). An alphanumeric string including exactly 14 digits. Length: 14 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/referencedTradeItem/gtin
T3794 115	Referenced trade item type code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/referencedTradeItem/referencedTradeItemTypeCode Kodlista: ReferencedTradeItemTypeCode
	GPC CLASSIFICATION CATEGORY	0..1	XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/gdsnTradeItemClassification
T0280 161	GPC category code	1..1	Format:	An alphanumeric string including exactly 8 digits. Length: 8 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/gdsnTradeItemClassification/gpcCategoryCode Kodlista: GpcCategoryCode
	ADDITIONAL TRADE ITEM CLASSIFICATION	0..1	XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/gdsnTradeItemClassification/additionalTradeItemClassification
T4238 171	Additional trade item classification system code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/gdsnTradeItemClassification/additionalTradeItemClassification/additionalTradeItemClassificationSystemCode Kodlista: AdditionalTradeItemClassificationCodeListCode
	ADDITIONAL TRADE ITEM CLASSIFICATION CODE	0..unbounded	Format:	Description

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 5 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4486 174	DESCRIPTION	1..1	Format:	String An alphanumeric string including up to 200 characters Length: 1 .. 200
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/ gdsnTradeItemClassification/additionalTradeItemClassification/ additionalTradeItemClassificationValue/additionalTradeItemClassificationProperty/ additionalTradeItemClassificationCodeDescription
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/ gdsnTradeItemClassification/additionalTradeItemClassification/ additionalTradeItemClassificationValue/additionalTradeItemClassificationProperty/ additionalTradeItemClassificationCodeDescription/@languageCode
T4239 173	ADDITIONAL TRADE ITEM CLASSIFICATION VALUE	0..unbounded	Kodlista:	LanguageCode
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/ gdsnTradeItemClassification/additionalTradeItemClassification/ additionalTradeItemClassificationValue
T4468 175	Additional trade item classification code value	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/ gdsnTradeItemClassification/additionalTradeItemClassification/ additionalTradeItemClassificationValue/additionalTradeItemClassificationCodeValue
T4468 175	Additional trade item classification version	0..1	Kodlista:	External code list T4240
			Format:	String An alphanumeric string including up to 35 characters Length: 1 .. 35
T4468 175	ADDITIONAL TRADE ITEM CLASSIFICATION PROPERTY	0..unbounded	XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/ gdsnTradeItemClassification/additionalTradeItemClassification/ additionalTradeItemClassificationValue/additionalTradeItemClassificationVersion
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/ gdsnTradeItemClassification/additionalTradeItemClassification/ additionalTradeItemClassificationValue/additionalTradeItemClassificationProperty
T4469 177	Additional trade item classification property code	1..1	Format:	String An alphanumeric string including up to 70 characters Length: 1 .. 70
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/ gdsnTradeItemClassification/additionalTradeItemClassification/ additionalTradeItemClassificationValue/additionalTradeItemClassificationProperty

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 6 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4472 182	Property code	0..1	Format:	additionalTradelItemClassificationValue/additionalTradelItemClassificationProperty/ additionalTradelItemClassificationPropertyCode
			XPath:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 catalogue_item_notification:catalogueItemNotification/catalogueItem/tradelItem/ gdsnTradelItemClassification/additionalTradelItemClassification/ additionalTradelItemClassificationValue/additionalTradelItemClassificationProperty/propertyCode
T4470 193	Property float	0..1	Format:	Float Consists of the values $m \times 2^e$, where m is an integer whose absolute value is less than 2^{24} , and e is an integer between -149 and 104, inclusive. Maximum Total Digits: 70 Maximum Decimal Digits: 39
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradelItem/ gdsnTradelItemClassification/additionalTradelItemClassification/ additionalTradelItemClassificationValue/additionalTradelItemClassificationProperty/propertyFloat
T4471 197	Property string	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradelItem/ gdsnTradelItemClassification/additionalTradelItemClassification/ additionalTradelItemClassificationValue/additionalTradelItemClassificationProperty/propertyString
T3792 127	CONTACT	0..1	XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradelItem/ tradelItemContactInformation
			Kodlista:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 catalogue_item_notification:catalogueItemNotification/catalogueItem/tradelItem/ tradelItemContactInformation/contactTypeCode ContactTypeCode
T3791 123	Contact type code	1..1	Format:	String An alphanumeric string including up to 500 characters Length: 1 .. 500
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradelItem/ tradelItemContactInformation/contactAddress
T3790 126	Contact, address	0..1	Format:	String An alphanumeric string including up to 200 characters Length: 1 .. 200
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradelItem/ tradelItemContactInformation/contactName

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 7 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T3789 128	Contact GLN	0..1	Format:	GLN (Global Location Number). An alphanumeric string including exactly 13 digits. Length: 13
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemContactInformation/gln
	TARGET MARKET COMMUNICATION CHANNEL	0..unbounded	XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemContactInformation/targetMarketCommunicationChannel
T4392 134	COMMUNICATION CHANNEL	0..unbounded	XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemContactInformation/targetMarketCommunicationChannel/communicationChannel
	Communication channel code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemContactInformation/targetMarketCommunicationChannel/communicationChannel/communicationChannelCode
T4393 135	Communication value	1..1	Kodlista:	CommunicationChannelCode
			Format:	String An alphanumeric string including up to 200 characters Length: 1 .. 200
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemContactInformation/targetMarketCommunicationChannel/communicationChannel/communicationValue
T4406 138	TARGET MARKET	0..unbounded	XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemContactInformation/targetMarketCommunicationChannel/targetMarket
	Target market country code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemContactInformation/targetMarketCommunicationChannel/targetMarket/targetMarketCountryCode
T4352 6399	GLOBAL MODEL INFORMATION	0..1	Kodlista:	CountryCode
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/globalModelInformation
	Global model number, GMN	1..1	Format:	An alphanumeric string including up to 30 characters. Length: 1 .. 30
T4353 6400			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/globalModelInformation/globalModelNumber
	GLOBAL MODEL DESCRIPTION	0..unbounded	Format:	Description
	Global model description	1..1	Format:	String An alphanumeric string including up to 250 characters

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 8 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T3782	Language code	1..1	XPath: Length: 1 .. 250 catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/globalModelInformation/globalModelDescription
			Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/globalModelInformation/globalModelDescription/@languageCode Kodlista: LanguageCode
T3832 316	TRADE ITEM COMPONENTS	0..1	XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents
			Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/numberOfPiecesInSet
T3833 317	Number of unique components	0..1	Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/totalNumberOfComponents
			Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/multipleContainerQuantity
T3838 318	Multiple container quantity	0..1	Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/componentInformation
			XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/componentInformation
T3834 322	Component number	1..1	Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/componentInformation/componentNumber
			XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/componentInformation/componentNumber
T3836 325	Component identification	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/componentInformation/componentIdentification
			XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/componentInformation/componentIdentification
T3837 331	Component quantity	0..1	Format: NonNegativeInteger An integer that cannot be negative.

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 9 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T3839 330	Component multiple packed quantity	0..1	XPath:	Maximum Decimal Digits: 0 catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/componentInformation/componentQuantity
			Format:	NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/componentInformation/componentMultiplePackedQuantity
T3815 55	Context identification	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/componentInformation/contextIdentification
			Kodlista:	TradeItemContextCode
T0280 161	GPC category code	0..1	Format:	An alphanumeric string including exactly 8 digits. Length: 8
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/componentInformation/gpcCategoryCode
			Kodlista:	GpcCategoryCode
T3835 320	COMPONENT DESCRIPTION	0..unbounded	Format:	Description
	Component description	1..1	Format:	String An alphanumeric string including up to 1000 characters Length: 1 .. 1000
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/componentInformation/componentDescription
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/componentInformation/componentDescription/@languageCode
			Kodlista:	LanguageCode
T4034 199	MODULES	0..1	XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/tradeItemComponents/componentInformation/extension
	PACKAGING HIERARCHY	0..1	XPath:	catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/nextLowerLevelTradeItemInformation
	Quantity of children	1..1	Format:	NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 10 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T4035 200	Total quantity of next lower level trade item	1..1	XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/nextLowerLevelTradeItemInformation/quantityOfChildren
			Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0
T2045 203	TRADE ITEM HIERARCHY	1..unbounded	XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/nextLowerLevelTradeItemInformation/totalQuantityOfNextLowerLevelTradeItem
			XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/nextLowerLevelTradeItemInformation/childTradeItem
T3361 202	Child trade item GTIN	1..1	Format: GTIN (Global Trade Item Number). An alphanumeric string including exactly 14 digits. Length: 14
			XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/nextLowerLevelTradeItemInformation/childTradeItem/gtin
T4317 6318	Quantity of next lower level trade item	1..1	Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0
			XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/nextLowerLevelTradeItemInformation/childTradeItem/quantityOfNextLowerLevelTradeItem
T4318 6316	MODULES	0..1	XPath: catalogue_item_notification:catalogueItemNotification/catalogueItem/tradeItem/tradeItemInformation/extension
			Module: AlcoholInformationModule
T4319 6317	ALCOHOL	0..1	XPath: alcohol_information:alcoholInformationModule
			Module: AlcoholInformationModule
T4317 6318	ALCOHOL INFORMATION	0..1	XPath: alcohol_information:alcoholInformationModule/alcoholInformation
			Module: AlcoholInformationModule
T4317 6318	Alcohol beverage distilled from code	0..unbounded	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: alcohol_information:alcoholInformationModule/alcoholInformation/alcoholBeverageDistilledFromCode Kodlista: AlcoholBeverageDistilledFromCode
T4318 6316	Alcohol beverage filtering method type code	0..unbounded	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: alcohol_information:alcoholInformationModule/alcoholInformation/alcoholBeverageFilteringMethodTypeCode Kodlista: AlcoholBeverageFilteringMethodTypeCode
T4319 6317	Alcohol beverage production method type code	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 11 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4323 6572	Origin of wine code	0..1	XPath:	alcohol_information:alcoholInformationModule/alcoholInformation/ alcoholBeverageProductionMethodTypeCode
			Kodlista:	alcoholBeverageProductionMethodTypeCode
T2208 352	Percentage of alcohol by volume	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	alcohol_information:alcoholInformationModule/alcoholInformation/originOfWineCode
T4322 6574	Sweetness level of alcoholic beverage code	0..1	Kodlista:	OriginOfWineCode
			Format:	Decimal A numeric value which may include decimals
T4203 357	Vintage	0..unbounded	XPath:	alcohol_information:alcoholInformationModule/alcoholInformation/percentageOfAlcoholByVolume
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
T4316 6321	ALCOHOL BEVERAGE AGE Alcohol beverage age	0..unbounded 1..1	XPath:	alcohol_information:alcoholInformationModule/alcoholInformation/sweetnessLevelOfAlcoholicBeverageCode
			Kodlista:	SweetnessLevelOfAlcoholicBeverageCode
T4270	Time measurement unit code	1..1	Format:	Year YYYY Length: 4
			XPath:	alcohol_information:alcoholInformationModule/alcoholInformation/vintage
T4271 355	ALCOHOLIC BEVERAGE SUGAR CONTENT Alcoholic beverage sugar content	0..unbounded 1..1	Format:	Time Measurement
			Format:	Decimal A numeric value which may include decimals
T3780	Measurement unit code	1..1	XPath:	alcohol_information:alcoholInformationModule/alcoholInformation/alcoholBeverageAge
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	alcohol_information:alcoholInformationModule/alcoholInformation/alcoholBeverageAge/ @timeMeasurementUnitCode
			Kodlista:	TimeMeasurementUnitCode
			Format:	Measurement
			Format:	Decimal A numeric value which may include decimals
			XPath:	alcohol_information:alcoholInformationModule/alcoholInformation/alcoholicBeverageSugarContent
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	alcohol_information:alcoholInformationModule/alcoholInformation/
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 12 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T4315 6570	BITTERNESS OF BEER MEASUREMENT Bitterness of beer measurement	0..unbounded	Kodlista: alcoholicBeverageSugarContent/@measurementUnitCode MeasurementUnitCode
		1..1	Format: Bitterness of beer measurement
			Format: Decimal A numeric value which may include decimals XPath: alcohol_information:alcoholInformationModule/alcoholInformation/bitternessOfBeerMeasurement
T4333 6571	Bitterness of beer measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: alcohol_information:alcoholInformationModule/alcoholInformation/bitternessOfBeerMeasurement/@bitternessOfBeerMeasurementUnitCode
T4077 370	ALLERGENS	0..1	Kodlista: BitternessOfBeerMeasurementUnitCode Module: AllergenInformationModule
	ALLERGEN RELATED INFORMATION	0..unbounded	XPath: allergen_information:allergenInformationModule
	ALLERGEN STATEMENT	0..unbounded	XPath: allergen_information:allergenInformationModule/allergenRelatedInformation
	Allergen statement	1..1	Format: Description
T3782	Language code		Format: String An alphanumeric string including up to 1000 characters Length: 1 .. 1000 XPath: allergen_information:allergenInformationModule/allergenRelatedInformation/allergenStatement
		1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: allergen_information:allergenInformationModule/allergenRelatedInformation/allergenStatement/@languageCode
			Kodlista: LanguageCode
T4078 375	ALLERGEN	0..unbounded	XPath: allergenInformationModule/allergenRelatedInformation/allergen
	Allergen type code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: allergen_information:allergenInformationModule/allergenRelatedInformation/allergen/allergenTypeCode
			Kodlista: AllergenTypeCode
T4079 376	Level of containment code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: allergen_information:allergenInformationModule/allergenRelatedInformation/allergen/levelOfContainmentCode Kodlista: LevelOfContainmentCode
			Module: AnimalFeedingModule

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 13 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4410 7091	ANIMAL FEEDING INFORMATION	0..1	XPath:	animal_feeding:animalFeedingModule
	—Animal food type code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
T4424 8751	—Animal target size code	0..unbounded	XPath:	animal_feeding:animalFeedingModule/animalFoodTypeCode
			Kodlista:	AnimalFoodTypeCode
T4409 7096	—Animal targeted health condition code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	animal_feeding:animalFeedingModule/AnimalTargetSizeCode
T4425 8749	—Feed life stage code	0..unbounded	Kodlista:	AnimalTargetedHealthConditionCode
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
T4223 388	—Feed type code	0..unbounded	XPath:	animal_feeding:animalFeedingModule/feedLifestageCode
			Kodlista:	FeedLifestageCode
T4222 389	—Targeted consumption by	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	animal_feeding:animalFeedingModule/feedType
T4250 5907	—FEED ADDITIVE STATEMENT	0..unbounded	Kodlista:	FeedTypeCode
			Format:	Description
T3782	—Feed additive statement	1..1	Format:	String An alphanumeric string including up to 5000 characters Length: 1 .. 5000
			XPath:	animal_feeding:animalFeedingModule/feedAdditiveStatement
T3782	—Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 14 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T4249 5909	FEED ANALYTICAL CONSTITUENTS STATEMENT	0..unbounded	XPath: animal_feeding:animalFeedingModule/feedAdditiveStatement/@languageCode Kodlista: LanguageCode
	Feed analytical constituents statement	1..1	Format: Description
			String An alphanumeric string including up to 5000 characters Length: 1 .. 5000
T3782	Language code	1..1	XPath: animal_feeding:animalFeedingModule/feedAnalyticalConstituentsStatement Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: animal_feeding:animalFeedingModule/feedAnalyticalConstituentsStatement/@languageCode Kodlista: LanguageCode
			Format: Description
T4248 5911	FEED COMPOSITION STATEMENT	0..unbounded	Format: String An alphanumeric string including up to 5000 characters Length: 1 .. 5000
	Feed composition statement	1..1	XPath: animal_feeding:animalFeedingModule/feedCompositionStatement
			String An alphanumeric string including up to 80 characters Length: 1 .. 80
T3782	Language code	1..1	XPath: animal_feeding:animalFeedingModule/feedCompositionStatement/@languageCode Kodlista: LanguageCode
			Format: Description
			String An alphanumeric string including up to 5000 characters Length: 1 .. 5000
T4251 5913	FEEDING INSTRUCTIONS	0..unbounded	XPath: animal_feeding:animalFeedingModule/feedingInstructions
	Feeding instructions	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: animal_feeding:animalFeedingModule/feedingInstructions/@languageCode Kodlista: LanguageCode
T3782	Language code	1..1	Format: String An alphanumeric string including up to 5000 characters Length: 1 .. 5000
			XPath: animal_feeding:animalFeedingModule/feedingInstructions/@languageCode Kodlista: LanguageCode
			Format: Description
T4212 416	ANIMAL FEEDING	0..unbounded	XPath: animal_feeding:animalFeedingModule/animalFeeding
	ANIMAL FEEDING DETAIL	0..unbounded	XPath: animal_feeding:animalFeedingModule/animalFeeding/animalFeedingDetail
	FEEDING AMOUNT	0..unbounded	Format: Measurement
T3780	Feeding amount	1..1	Format: Decimal A numeric value which may include decimals
			XPath: animal_feeding:animalFeedingModule/animalFeeding/animalFeedingDetail/feedingAmount
	Measurement unit code	1..1	Format: String

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 15 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4214 420	MAXIMUM FEEDING AMOUNT Maximum feeding amount	0..unbounded 1..1	XPath:	An alphanumeric string including up to 80 characters Length: 1 .. 80 animal_feeding:animalFeedingModule/animalFeeding/animalFeedingDetail/feedingAmount/@measurementUnitCode
			Kodlista:	MeasurementUnitCode
			Format:	Measurement
			XPath:	animal_feeding:animalFeedingModule/animalFeeding/animalFeedingDetail/maximumFeedingAmount
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	animal_feeding:animalFeedingModule/animalFeeding/animalFeedingDetail/maximumFeedingAmount/@measurementUnitCode
			Kodlista:	MeasurementUnitCode
			Format:	Measurement
T4215 422	MINIMUM FEEDING AMOUNT Minimum feeding amount	0..unbounded 1..1	Format:	Decimal A numeric value which may include decimals
			XPath:	animal_feeding:animalFeedingModule/animalFeeding/animalFeedingDetail/minimumFeedingAmount
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	animal_feeding:animalFeedingModule/animalFeeding/animalFeedingDetail/minimumFeedingAmount/@measurementUnitCode
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	animal_feeding:animalFeedingModule/animalFeeding/animalFeedingDetail/minimumFeedingAmount/@measurementUnitCode
			Kodlista:	MeasurementUnitCode
			Format:	Description
T4216 424	RECOMMENDED FREQUENCY OF FEEDING Recommended frequency of feeding	0..unbounded 1..1	Format:	String An alphanumeric string including up to 500 characters Length: 1 .. 500
			XPath:	animal_feeding:animalFeedingModule/animalFeeding/animalFeedingDetail/recommendedFrequencyOfFeeding
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	animal_feeding:animalFeedingModule/animalFeeding/animalFeedingDetail/recommendedFrequencyOfFeeding/@languageCode
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	animal_feeding:animalFeedingModule/animalFeeding/animalFeedingDetail/recommendedFrequencyOfFeeding/@languageCode
			Kodlista:	LanguageCode
			Format:	Description
	FEED LIFE STAGE	0..unbounded	Format:	Description
			Format:	Description
			Format:	Description
			Format:	Description

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 16 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4208 399	Feed life stage	1..1	Format:	String An alphanumeric string including up to 500 characters Length: 1 .. 500
			XPath:	animal_feeding:animalFeedingModule/animalFeeding/feedLifestage
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	animal_feeding:animalFeedingModule/animalFeeding/feedLifestage/@languageCode
			Kodlista:	LanguageCode
T4209 401	MAXIMUM WEIGHT OF ANIMAL BEING FED	0..unbounded	Format:	Measurement
	Maximum weight of animal being fed	1..1	Format:	Decimal A numeric value which may include decimals
			XPath:	animal_feeding:animalFeedingModule/animalFeeding/maximumWeightOfAnimalBeingFed
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	animal_feeding:animalFeedingModule/animalFeeding/maximumWeightOfAnimalBeingFed/ @measurementUnitCode
			Kodlista:	MeasurementUnitCode
T4210 403	MINIMUM WEIGHT OF ANIMAL BEING FED	0..unbounded	Format:	Measurement
	Minimum weight of animal being fed	1..1	Format:	Decimal A numeric value which may include decimals
			XPath:	animal_feeding:animalFeedingModule/animalFeeding/minimumWeightOfAnimalBeingFed
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	animal_feeding:animalFeedingModule/animalFeeding/minimumWeightOfAnimalBeingFed/ @measurementUnitCode
			Kodlista:	MeasurementUnitCode
	AUDIO VISUAL MEDIA PRODUCT DESCRIPTION	0..1	Module	AudioVisualMediaProductDescriptionInformationModule
			XPath:	audio_visual_media_product_description_information: audioVisualMediaProductDescriptionInformationModule/audioVisualMediaProductDescription
T4287 217	Genre type code reference	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	audio_visual_media_product_description_information: audioVisualMediaProductDescriptionInformationModule/audioVisualMediaProductDescription/ genreTypeCodeReference
			Kodlista:	ProductGenreTypeCode (Electronic Game); ProductGenreTypeCode (Film); ProductGenreTypeCode (Music)

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 17 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T3800 600	BATTERIES	0..1	Module XPath:	BatteryInformationModule battery_information:batteryInformationModule
	Are batteries included	0..1	Format: XPath:	Boolean Statement that can have the value of 'true' or 'false'. battery_information:batteryInformationModule/areBatteriesIncluded
	Are batteries required	0..1	Format: XPath:	Boolean Statement that can have the value of 'true' or 'false'. battery_information:batteryInformationModule/areBatteriesRequired
T3802 612	BATTERY DETAIL	0..unbounded	XPath:	battery_information:batteryInformationModule/batteryDetail
	Are batteries built in	0..1	Format: XPath:	NonBinaryLogicEnumeration Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED battery_information:batteryInformationModule/batteryDetail/areBatteriesBuiltIn
	Battery technology type code	0..unbounded	Format: XPath: Kodlista:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 battery_information:batteryInformationModule/batteryDetail/batteryTechnologyTypeCode BatteryTechnologyTypeCode
T3804 614	Battery type code	0..1	Format: XPath: Kodlista:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 battery_information:batteryInformationModule/batteryDetail/batteryTypeCode BatteryTypeCode
	Quantity of batteries built in	0..1	Format: XPath:	NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0 battery_information:batteryInformationModule/batteryDetail/quantityOfBatteriesBuiltIn
	Quantity of batteries required	0..1	Format: XPath:	NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0 battery_information:batteryInformationModule/batteryDetail/quantityOfBatteriesRequired
T4147 615	BATTERY WEIGHT	0..1	Format:	Measurement
	Battery weight	1..1	Format: XPath:	Decimal A numeric value which may include decimals battery_information:batteryInformationModule/batteryDetail/batteryWeight
	Measurement unit code	1..1	Format: XPath: Kodlista:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 battery_information:batteryInformationModule/batteryDetail/batteryWeight/@measurementUnitCode MeasurementUnitCode

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 18 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4441 665	CERTIFICATION INFORMATION MODULE	0..1	Module	CertificationInformationModule
	CERTIFICATION INFORMATION	0..unbounded	XPath:	certification_information:certificationInformationModule
	Certification agency	0..1	XPath:	certification_information:certificationInformationModule/certificationInformation
			Format:	String An alphanumeric string including up to 200 characters Length: 1 .. 200
T4497 667	Certification standard	0..1	XPath:	certification_information:certificationInformationModule/certificationInformation/certificationAgency
			Format:	String An alphanumeric string including up to 200 characters Length: 1 .. 200
T4444 668	ADDITIONAL CERTIFICATION ORGANISATION IDENTIFIER	0..unbounded	XPath:	certification_information:certificationInformationModule/certificationInformation
	Additional certification organisation identifier	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	certification_information:certificationInformationModule/certificationInformation/
				additionalCertificationOrganisationIdentifier
T4433 669	Additional party identification type code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	certification_information:certificationInformationModule/certificationInformation/
				additionalCertificationOrganisationIdentifier/@additionalPartyIdentificationTypeCode
			Kodlista:	AdditionalPartyIdentificationTypeCode
T4496 683	CERTIFICATION	0..unbounded	XPath:	certification_information:certificationInformationModule/certificationInformation/certification
	Certification effective start date time	0..1	Format:	DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20
			XPath:	certification_information:certificationInformationModule/certificationInformation/certification/
				certificationEffectiveStartDateTime
T4443 682	Certification effective end date time	0..1	Format:	DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20
			XPath:	certification_information:certificationInformationModule/certificationInformation/certification/
T4494 680	Certificate issuance date time	0..1	Format:	DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20
			XPath:	certification_information:certificationInformationModule/certificationInformation/certification/
				certificateIssuanceDateTime

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 19 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4442 685	Certification value	1..1	Format:	String An alphanumeric string including up to 200 characters Length: 1 .. 200
			XPath:	certification_information:certificationInformationModule/certificationInformation/certification/certificationValue
T4493 7205	Subject of certification description	0..unbounded	Format:	String An alphanumeric string including up to 500 characters Length: 1 .. 500
			XPath:	certification_information:certificationInformationModule/certificationInformation/certification/subjectOfCertificationDescription
T4464 708	CHEMICAL REGULATION INFORMATION MODULE	1..1	Module	ChemicalRegulationInformationModule
	REGISTRATION INFORMATION	0..unbounded	XPath:	chemical_regulation_information:chemicalRegulationInformationModule/registrationInformation
	Registration agency	0..1	Format:	String An alphanumeric string including up to 200 characters Length: 1 .. 200
			XPath:	chemical_regulation_information:chemicalRegulationInformationModule/registrationInformation/registrationAgency
T4465 710	Registration number	0..unbounded	Format:	String An alphanumeric string including up to 70 characters Length: 1 .. 70
			XPath:	chemical_regulation_information:chemicalRegulationInformationModule/registrationInformation/registrationNumber
T4446 7110	CONSUMER INSTRUCTIONS	0..1	Module	ConsumerInstructionsModule
	Required education or training type code	0..unbounded	XPath:	consumer_instructions:consumerInstructionsModule/consumerInstructions/requiredEducationTrainingTypeCode
			Kodlista:	RequiredEducationTrainingTypeCode
	CLEANING DISINFECTING INFORMATION	0..unbounded	Module	ConsumerInstructionsModule
T4448 7106	Cleaning disinfection process code	0..1	XPath:	consumer_instructions:consumerInstructionsModule/consumerInstructions/cleaningDisinfectingInformation
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	consumer_instructions:consumerInstructionsModule/consumerInstructions/cleaningDisinfectingInformation/typeOfCleaningDisinfectionProcessCode
			Kodlista:	TypeOfCleaningDisinfectionProcessCode

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 20 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id	Elements and structure			
BMS ID	Element name	Cardinality	Element specification	
T4447 7103	Pre-cleaning indicator	0..1	Format:	Boolean
			XPath:	Statement that can have the value of 'true' or 'false'. consumer_instructions:consumerInstructionsModule/consumerInstructions/cleaningDisinfectingInformation/isPreCleaningNecessary
T4449 7104	Product cleaning type code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	consumer_instructions:consumerInstructionsModule/consumerInstructions/cleaningDisinfectingInformation/typeOfCleaningCode
			Kodlista:	TypeOfCleaningCode
T4450 7108	Product disinfection type code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	consumer_instructions:consumerInstructionsModule/consumerInstructions/cleaningDisinfectingInformation/typeOfDisinfectionCode
			Kodlista:	TypeOfDisinfectionCode
T3775 789	CONSUMER STORAGE INSTRUCTIONS		0..unbounded	Format: Description
	Consumer storage instructions	1..1	Format:	String An alphanumeric string including up to 5000 characters Length: 1 .. 5000
			XPath:	consumer_instructions:consumerInstructionsModule/consumerInstructions/consumerStorageInstructions
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	consumer_instructions:consumerInstructionsModule/consumerInstructions/consumerStorageInstructions/@languageCode
			Kodlista:	LanguageCode
T3776 791	CONSUMER USAGE INSTRUCTIONS		0..unbounded	Format: Description
	Consumer usage instructions	1..1	Format:	String An alphanumeric string including up to 5000 characters Length: 1 .. 5000
			XPath:	consumer_instructions:consumerInstructionsModule/consumerInstructions/consumerUsagelInstructions
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	consumer_instructions:consumerInstructionsModule/consumerInstructions/consumerUsagelInstructions/@languageCode
			Kodlista:	LanguageCode

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 21 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4306 6300	CONSUMER RECYCLING INSTRUCTIONS	0..unbounded	Format:	Description
	Consumer recycling instructions	1..1	Format:	String An alphanumeric string including up to 5000 characters Length: 1 .. 5000
			XPath:	consumer_instructions:consumerInstructionsModule/consumerInstructions/ consumerRecyclingInstructions
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	consumer_instructions:consumerInstructionsModule/consumerInstructions/ consumerRecyclingInstructions/@languageCode
			Kodlista:	LanguageCode
T4401 7213	DAIRY FISH MEAT POULTRY ITEM	0..1	Module	DairyFishMeatPoultryItemModule
			XPath:	dairy_fish_meat_poultry:dairyFishMeatPoultryItemModule
	FISH REPORTING INFORMATION	0..unbounded	XPath:	dairy_fish_meat_poultry:dairyFishMeatPoultryItemModule/dairyFishMeatPoultryInformation/ fishReportingInformation
T4401 7213	Fish seafood presentation code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	dairy_fish_meat_poultry:dairyFishMeatPoultryItemModule/dairyFishMeatPoultryInformation/ fishReportingInformation/fishSeafoodPresentationCode
			Kodlista:	FishSeafoodPresentationCode
T4228 911	Species for fishery statistics purposes code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	dairy_fish_meat_poultry:dairyFishMeatPoultryItemModule/dairyFishMeatPoultryInformation/ fishReportingInformation/speciesForFisheryStatisticsPurposesCode
			Kodlista:	External code list
T4229 912	Species for fishery statistics purposes name	0..1	Format:	String An alphanumeric string including up to 500 characters Length: 1 .. 500
			XPath:	dairy_fish_meat_poultry:dairyFishMeatPoultryItemModule/dairyFishMeatPoultryInformation/ fishReportingInformation/speciesForFisheryStatisticsPurposesName
T4280 6147	FISH CATCH INFORMATION	0..unbounded	XPath:	dairy_fish_meat_poultry:dairyFishMeatPoultryItemModule/dairyFishMeatPoultryInformation/ fishReportingInformation/fishCatchInformation
	Catch area code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	dairy_fish_meat_poultry:dairyFishMeatPoultryItemModule/dairyFishMeatPoultryInformation/ fishReportingInformation/fishCatchInformation/catchAreaCode

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 22 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T4230 914	Catch method code	0..unbounded	Kodlista: CatchAreaCode
			Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: dairy_fish_meat_poultry:dairyFishMeatPoultryItemModule/dairyFishMeatPoultryInformation/fishReportingInformation/fishCatchInformation/catchMethodCode
T4231 915	Production method for fish and seafood code	0..1	Kodlista: CatchMethodCode
			Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: dairy_fish_meat_poultry:dairyFishMeatPoultryItemModule/dairyFishMeatPoultryInformation/fishReportingInformation/fishCatchInformation/productionMethodForFishAndSeafoodCode
T4232 916	Storage state code	0..1	Kodlista: ProductionMethodForFishAndSeafoodCode
			Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: dairy_fish_meat_poultry:dairyFishMeatPoultryItemModule/dairyFishMeatPoultryInformation/fishReportingInformation/fishCatchInformation/storageStateCode
	DELIVERY PURCHASING INFORMATION MODULE	1..1	Kodlista: StorageStateCode
	DELIVERY PURCHASING INFORMATION	0..1	Module: DeliveryPurchasingInformationModule XPath: delivery_purchasing_information:deliveryPurchasingInformationModule
T4466 1028	Consumer end availability date time	0..1	Module: DeliveryPurchasingInformationModule XPath: delivery_purchasing_information:deliveryPurchasingInformationModule/deliveryPurchasingInformation
			Format: DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20 XPath: delivery_purchasing_information:deliveryPurchasingInformationModule/deliveryPurchasingInformation/consumerEndAvailabilityDateTime
T2227 1001	Consumer first availability date time	0..1	Format: DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20 XPath: delivery_purchasing_information:deliveryPurchasingInformationModule/deliveryPurchasingInformation/consumerFirstAvailabilityDateTime
			Format: DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20 XPath: delivery_purchasing_information:deliveryPurchasingInformationModule/deliveryPurchasingInformation/firstShipDateTime
T3742 1008	First ship date time	0..1	Format: DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20 XPath: delivery_purchasing_information:deliveryPurchasingInformationModule/deliveryPurchasingInformation/firstShipDateTime
T4332	Is one time buy	0..1	Format: NonBinaryLogicEnumeration

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 23 / 83

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
1011			XPath:	Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED delivery_purchasing_information:deliveryPurchasingInformationModule/ deliveryPurchasingInformation/isOneTimeBuy
T4477 1016	— Last order date time	0..1	Format:	DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20
			XPath:	delivery_purchasing_information:deliveryPurchasingInformationModule/ deliveryPurchasingInformation/lastOrderDateTime
T4476 1020	— Order quantity minimum	0..1	Format:	NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0
			XPath:	delivery_purchasing_information:deliveryPurchasingInformationModule/ deliveryPurchasingInformation/orderQuantityMinimum
T4507 1021	— Order quantity multiple	0..1	Format:	NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0
			XPath:	delivery_purchasing_information:deliveryPurchasingInformationModule/ deliveryPurchasingInformation/orderQuantityMultiple
T4506 1018	— Ordering unit of measure	0..1	Format:	String An alphanumeric string including up to 35 characters Length: 1 .. 35
			XPath:	delivery_purchasing_information:deliveryPurchasingInformationModule/ deliveryPurchasingInformation/orderingUnitOfMeasure
T4727 1025	— Start availability date time	0..1	Format:	DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20
			XPath:	delivery_purchasing_information:deliveryPurchasingInformationModule/ deliveryPurchasingInformation/startAvailabilityDateTime
T4726 1002	— End availability date time	0..1	Format:	DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20
			XPath:	delivery_purchasing_information:deliveryPurchasingInformationModule/ deliveryPurchasingInformation/endAvailabilityDateTime
	DISTRIBUTION DETAILS	0..unbounded	XPath:	delivery_purchasing_information:deliveryPurchasingInformationModule/ deliveryPurchasingInformation/distributionDetails
	ORDERING LEAD TIME	0..unbounded	Format:	Measurement
T4475 1051	— Ordering lead time	1..1	Format:	Decimal A numeric value which may include decimals
			XPath:	deliveryPurchasingInformationModule/deliveryPurchasingInformation/distributionDetails/ orderingLeadTime

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 24 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: deliveryPurchasingInformationModule/deliveryPurchasingInformation/distributionDetails/orderingLeadTime/@measurementUnitCode Kodlista: MeasurementUnitCode
	ORDER SIZING FACTOR	0..unbounded	Format:	Measurement
T4467 1022	Order sizing factor	1..1	Format:	Decimal A numeric value which may include decimals XPath: delivery_purchasing_information:deliveryPurchasingInformationModule/deliveryPurchasingInformation/orderSizingFactor
	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: delivery_purchasing_information:deliveryPurchasingInformationModule/deliveryPurchasingInformation/orderSizingFactor/@measurementUnitCode Kodlista: MeasurementUnitCode
T3780	DIET INFORMATION MODULE	0..1	Module	DietInformationModule
	DIET TYPE INFORMATION	0..unbounded	XPath:	diet_information:dietInformationModule/dietInformation/dietTypeInfo
T4066 1066	Diet type code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: diet_information:dietInformationModule/dietInformation/dietTypeInfo/dietTypeCode Kodlista: DietTypeCode
	Diet type subcode	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: diet_information:dietInformationModule/dietInformation/dietTypeInfo/dietTypeSubcode Kodlista: DietTypeSubcode
T4312 6302	Is diet type marked on package	0..1	Format:	NonBinaryLogicEnumeration Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED XPath: diet_information:dietInformationModule/dietInformation/dietTypeInfo/isDietTypeMarkedOnPackage
	DURABLE GOODS CHARACTERISTICS	0..1	Module	DurableGoodsCharacteristicsModule
T4302 1127	TRADE ITEM FINISH DESCRIPTION	0..unbounded	Format:	Description
	Trade item finish description	1..1	Format:	String An alphanumeric string including up to 70 characters

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 25 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T3782	Language code	1..1	XPath: Length: 1 .. 70 durable_goods_characteristics:durableGoodsCharacteristicsModule/durableGoodsCharacteristics/tradeItemFinishDescription
			Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: durable_goods_characteristics:durableGoodsCharacteristicsModule/durableGoodsCharacteristics/tradeItemFinishDescription/@languageCode Kodlista: LanguageCode
T4033 1146	DUTY FEE TAX INFORMATION MODULE	0..1	Module: DutyFeeTaxInformationModule
			XPath: duty_fee_tax_information:dutyFeeTaxInformationModule
			XPath: duty_fee_tax_information:dutyFeeTaxInformationModule/dutyFeeTaxInformation
T4500 1149	Duty fee tax agency code	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: duty_fee_tax_information:dutyFeeTaxInformationModule/dutyFeeTaxInformation/dutyFeeTaxAgencyCode
			Kodlista: ResponsibleAgencyCode
T0194 1152	Duty fee tax country code	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: duty_fee_tax_information:dutyFeeTaxInformationModule/dutyFeeTaxInformation/dutyFeeTaxCountryCode
			Kodlista: TargetMarket
T4499 1153	Duty fee tax type code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: duty_fee_tax_information:dutyFeeTaxInformationModule/dutyFeeTaxInformation/dutyFeeTaxTypeCode
			Kodlista: Local code list - T0194 Duty fee tax type code
T3782	DUTY FEE TAX TYPE DESCRIPTION	0..unbounded	Format: Description
			Format: String An alphanumeric string including up to 70 characters Length: 1 .. 70
			XPath: duty_fee_tax_information:dutyFeeTaxInformationModule/dutyFeeTaxInformation/dutyFeeTaxTypeDescription
T3782	Language code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			Kodlista: LanguageCode

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 26 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4428 1175	DUTY FEE TAX	0..unbounded	XPath:	duty_fee_tax_information:dutyFeeTaxInformationModule/dutyFeeTaxInformation/dutyFeeTax
	Duty fee tax category code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	duty_fee_tax_information:dutyFeeTaxInformationModule/dutyFeeTaxInformation/dutyFeeTax/dutyFeeTaxCategoryCode
			Kodlista:	TaxCategoryCode
T0195 1178	Duty fee tax rate	0..1	Format:	Decimal A numeric value which may include decimals
			XPath:	duty_fee_tax_information:dutyFeeTaxInformationModule/dutyFeeTaxInformation/dutyFeeTax/dutyFeeTaxRate
T4501 1171	DUTY FEE TAX AMOUNT	0..1	Format:	Amount
	Duty fee tax amount	1..1	Format:	Decimal A numeric value which may include decimals
			XPath:	duty_fee_tax_information:dutyFeeTaxInformationModule/dutyFeeTaxInformation/dutyFeeTax/dutyFeeTaxAmount
T0204	Currency code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	duty_fee_tax_information:dutyFeeTaxInformationModule/dutyFeeTaxInformation/dutyFeeTax/dutyFeeTaxAmount/@currencyCode
T4502 1173	DUTY FEE TAX BASIS	0..unbounded	Format:	Measurement
	Duty fee tax basis	1..1	Format:	Decimal A numeric value which may include decimals
			XPath:	duty_fee_tax_information:dutyFeeTaxInformationModule/dutyFeeTaxInformation/dutyFeeTax/dutyFeeTaxBasis
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	duty_fee_tax_information:dutyFeeTaxInformationModule/dutyFeeTaxInformation/dutyFeeTax/dutyFeeTaxBasis/@measurementUnitCode
			Kodlista:	MeasurementUnitCode
T4088 1268	INGREDIENTS	0..1	Module	FoodAndBeverageIngredientModule
			XPath:	food_and_beverage_ingredient:foodAndBeverageIngredientModule
	INGREDIENT STATEMENT	0..unbounded	Format:	FormattedDescription
	Ingredient statement	1..1	Format:	String An alphanumeric string including up to 5000 characters Length: 1 .. 5000
			XPath:	food_and_beverage_ingredient:foodAndBeverageIngredientModule/ingredientStatement

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 27 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id	Elements and structure			
BMS ID	Element name	Cardinality	Element specification	
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	food_and_beverage_ingredient:foodAndBeverageIngredientModule/ingredientStatement/@languageCode
			Kodlista:	LanguageCode
T4234	Sequence number	0..1	Format:	NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0
			XPath:	food_and_beverage_ingredient:foodAndBeverageIngredientModule/ingredientStatement/@sequenceNumber
FOOD AND BEVERAGE INGREDIENT		0..unbounded	XPath:	food_and_beverage_ingredient:foodAndBeverageIngredientModule/foodAndBeverageIngredient
+ T4515 1284	Ingredient content percentage	0..1	Format:	Decimal A numeric value which may include decimals
			XPath:	food_and_beverage_ingredient:foodAndBeverageIngredientModule/foodAndBeverageIngredient/ingredientContentPercentage
+ T4094 1285	Ingredient name	0..unbounded	Format:	String An alphanumeric string including up to 70 characters Length: 1 .. 70
			XPath:	food_and_beverage_ingredient:foodAndBeverageIngredientModule/foodAndBeverageIngredient/ingredientName
+ T4065 1288	Ingredient sequence	0..1	Format:	String An alphanumeric string including up to 35 characters Length: 1 .. 35
			XPath:	food_and_beverage_ingredient:foodAndBeverageIngredientModule/foodAndBeverageIngredient/ingredientSequence
INGREDIENT PLACE OF ACTIVITY		0..1	XPath:	food_and_beverage_ingredient:foodAndBeverageIngredientModule/foodAndBeverageIngredient/ingredientPlaceOfActivity
+ T4517 266	Country of activity	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	food_and_beverage_ingredient:foodAndBeverageIngredientModule/foodAndBeverageIngredient/ingredientPlaceOfActivity/productActivityDetails/countryCode
+ T4516 256	Product activity type code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	food_and_beverage_ingredient:foodAndBeverageIngredientModule/foodAndBeverageIngredient/ingredientPlaceOfActivity/productActivityDetails/productActivityTypeCode
			Kodlista:	ProductActivityTypeCode

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 28 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4246 1262	FARMING AND PROCESSING INFORMATION	0..1	Module	FarmingAndProcessingInformationModule
	TRADE ITEM FARMING AND PROCESSING	0..1	XPath:	farming_and_processing_information:farmingAndProcessingInformationModule
	Preservation technique code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	farming_and_processing_information:farmingAndProcessingInformationModule/tradeltemFarmingAndProcessing
T4376 1244	TRADE ITEM ORGANIC INFORMATION	0..1	XPath:	farming_and_processing_information:farmingAndProcessingInformationModule/tradeltemOrganicInformation
	Organic product place of farming code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	farming_and_processing_information:farmingAndProcessingInformationModule/tradeltemOrganicInformation/organicProductPlaceOfFarmingCode
			Kodlista:	OrganicProductPlaceOfFarmingCode
T4377 1248	ORGANIC CLAIM	0..unbounded	XPath:	farming_and_processing_information:farmingAndProcessingInformationModule/tradeltemOrganicInformation/organicClaim
	Organic trade item code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	farming_and_processing_information:farmingAndProcessingInformationModule/tradeltemOrganicInformation/organicClaim/organicTradeltemCode
			Kodlista:	OrganicTradeltemCode
T4378 5879	ORGANIC CERTIFICATION	0..unbounded	XPath:	farming_and_processing_information:farmingAndProcessingInformationModule/tradeltemOrganicInformation/organicClaim/organicCertification
	Organic certification identification	1..1	Format:	String An alphanumeric string including up to 35 characters Length: 1 .. 35
			XPath:	farming_and_processing_information:farmingAndProcessingInformationModule/tradeltemOrganicInformation/organicClaim/organicCertification/organicCertificationIdentification
T4138 1353	PREPARATION AND SERVING	0..1	Module	FoodAndBeveragePreparationServingModule
	Manufacturer preparation type code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	food_and_beverage_preparation_serving:foodAndBeveragePreparationServingModule/manufacturePreparationTypeCode
			Kodlista:	Local code list - T4138 Manufacturer preparation type code

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 29 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4093 1363	Maximum number of smallest units per package	0..1	Comment:	Code list for "T4138 Manufacturer preparation type code" is based on GDSN PreparationTypeCode but with restricted values.
			Format:	NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0
			XPath:	food_and_beverage_preparation_serving:foodAndBeveragePreparationServingModule/ servingQuantityInformation/maximumNumberOfSmallestUnitsPerPackage
T4092 1364	Number of servings per package	0..1	Format:	Decimal A numeric value which may include decimals
			XPath:	food_and_beverage_preparation_serving:foodAndBeveragePreparationServingModule/ servingQuantityInformation/numberOfServingsPerPackage
T4036 1366	Number of smallest units per package	0..1	Format:	NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0
			XPath:	food_and_beverage_preparation_serving:foodAndBeveragePreparationServingModule/ servingQuantityInformation/numberOfSmallestUnitsPerPackage
			XPath:	food_and_beverage_preparation_serving:foodAndBeveragePreparationServingModule/ preparationServing
T4082 1379	Preparation type code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	food_and_beverage_preparation_serving:foodAndBeveragePreparationServingModule/ preparationServing/preparationTypeCode
			Kodlista: Comment:	Local code list - T4082 Preparation type code Code list for "T4082 Preparation type code" is based on GDSN PreparationTypeCode but with restricted values.
T4136 1371	MAXIMUM OPTIMUM CONSUMPTION TEMPERATURE Maximum optimum consumption temperature	1..1	Format:	Temperature Measurement
			Format:	Decimal A numeric value which may include decimals
			XPath:	food_and_beverage_preparation_serving:foodAndBeveragePreparationServingModule/ preparationServing/maximumOptimumConsumptionTemperature
T3781	Temperature measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	food_and_beverage_preparation_serving:foodAndBeveragePreparationServingModule/ preparationServing/maximumOptimumConsumptionTemperature/@measurementUnitCode
			Kodlista:	TemperatureMeasurementUnitCode
T4137 1373	MINIMUM OPTIMUM CONSUMPTION TEMPERATURE Minimum optimum consumption temperature	1..1	Format:	Temperature Measurement
			Format:	Decimal A numeric value which may include decimals

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 30 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T3781	Temperature measurement unit code	1..1	XPath: food_and_beverage_preparation_serving:foodAndBeveragePreparationServingModule/preparationServing/minimumOptimumConsumptionTemperature
			Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: food_and_beverage_preparation_serving:foodAndBeveragePreparationServingModule/preparationServing/minimumOptimumConsumptionTemperature/@measurementUnitCode Kodlista: TemperatureMeasurementUnitCode
T4083 1377	PREPARATION INSTRUCTIONS Preparation instructions	0..unbounded 1..1	Format: Description
			Format: String An alphanumeric string including up to 5000 characters Length: 1 .. 5000
			XPath: food_and_beverage_preparation_serving:foodAndBeveragePreparationServingModule/preparationServing/preparationInstructions
T3782	Language code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: food_and_beverage_preparation_serving:foodAndBeveragePreparationServingModule/preparationServing/preparationInstructions/@languageCode
			Kodlista: LanguageCode
T4091 1380	SERVING SUGGESTION Serving suggestion	0..unbounded 1..1	Format: Description
			Format: String An alphanumeric string including up to 1000 characters Length: 1 .. 1000
			XPath: food_and_beverage_preparation_serving:foodAndBeveragePreparationServingModule/preparationServing/servingSuggestion
T3782	Language code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: food_and_beverage_preparation_serving:foodAndBeveragePreparationServingModule/preparationServing/servingSuggestion/@languageCode
			Kodlista: LanguageCode
T4435 6089	HEALTHCARE ITEM INFORMATION Does trade item contain human tissue	0..1 0..1	Module: HealthcareItemInformationModule XPath: healthcare_item_information:healthcareItemInformationModule/healthcareItemInformation
			Format: NonBinaryLogicEnumeration Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED
			XPath: healthcare_item_information:healthcareItemInformationModule/healthcareItemInformation/doesTradeItemContainHumanTissue
T4273 1434	Does trade item contain latex	0..1	Format: NonBinaryLogicEnumeration Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 31 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4373 1436	Prescription type code	0..unbounded	XPath:	healthcare_item_information:healthcareItemInformationModule/healthcareItemInformation/doesTradeItemContainLatex
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	healthcare_item_information:healthcareItemInformationModule/healthcareItemInformation/prescriptionTypeCode
T4436 6077	CLINICAL SIZE	0..unbounded	Kodlista:	PrescriptionTypeCode
			Module	healthcareItemInformationModule
			XPath:	healthcare_item_information:healthcareItemInformationModule/healthcareItemInformation/clinicalSize
T4436 6077	Clinical size type code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	healthcare_item_information:healthcareItemInformationModule/healthcareItemInformation/clinicalSize/clinicalSizeTypeCode
			Kodlista:	ClinicalSizeTypeCode
T4478 6078	CLINICAL SIZE VALUE	0..unbounded	Format:	Measurement
			Format:	Decimal A numeric value which may include decimals
			XPath:	healthcare_item_information:healthcareItemInformationModule/healthcareItemInformation/clinicalSize/clinicalSizeValue
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	healthcare_item_information:healthcareItemInformationModule/healthcareItemInformation/clinicalSize/clinicalSizeValue/@measurementUnitCode
			Kodlista:	MeasurementUnitCode
T4438 6075	CLINICAL SIZE DESCRIPTION	0..unbounded	Format:	Description
			Format:	String An alphanumeric string including up to 500 characters Length: 1 .. 500
			XPath:	healthcare_item_information:healthcareItemInformationModule/healthcareItemInformation/clinicalSize/clinicalSizeDescription
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	healthcare_item_information:healthcareItemInformationModule/healthcareItemInformation/clinicalSize/clinicalSizeDescription/@languageCode
			Kodlista:	LanguageCode

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 32 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4437 6379	CLINICAL SIZE VALUE MAXIMUM	0..unbounded	Format:	Measurement
	Clinical size value maximum	1..1	Format:	Decimal
			XPath:	healthcare_item_information:healthcareItemInformationModule/healthcareItemInformation/clinicalSize/clinicalSizeValueMaximum
T3780	Measurement unit code	1..1	Format:	String
			Length:	An alphanumeric string including up to 80 characters
			Length:	1 .. 80
T4281 273	HEALTH	0..1	Module	HealthRelatedInformationModule
	Sun protection factor	0..1	Format:	String
			Length:	An alphanumeric string including up to 4 characters
T3850 1457	COMPULSORY ADDITIVE LABEL INFORMATION	0..unbounded	Format:	Description
	Compulsory additive label information	1..1	Format:	String
			Length:	An alphanumeric string including up to 5000 characters
T3782	Language code	1..1	Format:	String
			Length:	An alphanumeric string including up to 80 characters
			Length:	1 .. 80
T4293 5461	LIGHTING DEVICE MODULE	0..1	Module	LightingDeviceModule
	LIGHT OUTPUT	0..unbounded	Format:	Measurement
	Light output	1..1	Format:	Decimal
T3780	Measurement unit code	1..1	Format:	String
			Length:	An alphanumeric string including up to 80 characters
			Length:	1 .. 80

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4291 1486	LIGHT BULB INFORMATION	0..unbounded	Kodlista:	MeasurementUnitCode
	Light bulb lamp type code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: lighting_device:lightingDeviceModule/lightBulbInformation/lightBulbLampTypeCode
T4307 5463	Light bulb base type	0..1	Format:	String An alphanumeric string including up to 500 characters Length: 1 .. 500 XPath: lighting_device:lightingDeviceModule/lightBulbInformation/lightBulbBaseType
	COLOUR TEMPERATURE	0..unbounded	Format:	TemperatureMeasurement
T4292 5930	Colour temperature	1..1	Format:	Decimal A numeric value which may include decimals XPath: lighting_device:lightingDeviceModule/lightBulbInformation/colourTemperature
	Temperature measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: lighting_device:lightingDeviceModule/lightBulbInformation/colourTemperature/@temperatureMeasurementUnitCode
T3781	MARKETING INFORMATION	0..1	Kodlista:	TemperatureMeasurementUnitCode
	Trade item feature code reference	0..unbounded	Module XPath:	MarketingInformationModule marketing_information:marketingInformationModule/marketingInformation
T3826 1514	Grade code reference	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: marketing_information:marketingInformationModule/marketingInformation/tradeItemFeatureCodeReference
	GRADE CODE REFERENCE	0..unbounded	Kodlista:	FeatureCode
T4327 1506	Grade code reference	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: marketing_information:marketingInformationModule/marketingInformation/gradeCodeReference
	Grade code reference agency	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: marketing_information:marketingInformationModule/marketingInformation/gradeCodeReference/
T4328 1508				

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 34 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T3746 1498	TRADE ITEM MARKETING MESSAGE	0..unbounded	Kodlista: @codeListAgencyCode Local code list - T4328 Grade code reference agency code
	Trade item marketing message	1..1	Format: FormattedDescription Format: String An alphanumeric string including up to 4000 characters Length: 1 .. 4000 XPath: marketing_information:marketingInformationModule/marketingInformation/tradeItemMarketingMessage
	Language code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: marketing_information:marketingInformationModule/marketingInformation/tradeItemMarketingMessage/@languageCode
T4234	Sequence number	0..1	Kodlista: LanguageCode Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0 XPath: marketing_information:marketingInformationModule/marketingInformation/tradeItemMarketingMessage/@sequenceNumber
T4294 1500	DESIGNER	0..unbounded	Format: Description
	Designer	1..1	Format: String An alphanumeric string including up to 200 characters Length: 1 .. 200 XPath: marketing_information:marketingInformationModule/marketingInformation/designer
	Language code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: marketing_information:marketingInformationModule/marketingInformation/designer/@languageCode
T4233 1525	SHORT TRADE ITEM MARKETING MESSAGE	0..unbounded	Kodlista: LanguageCode Format: FormattedDescription
	Short trade item marketing message	1..1	Format: String An alphanumeric string including up to 500 characters Length: 1 .. 500 XPath: marketing_information:marketingInformationModule/marketingInformation/shortTradeItemMarketingMessage
	Language code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: marketing_information:marketingInformationModule/marketingInformation/shortTradeItemMarketingMessage/@languageCode

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 35 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T4234	Sequence number	0..1	Kodlista: LanguageCode Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0 XPath: marketing_information:marketingInformationModule/marketingInformation/shortTradeItemMarketingMessage/@sequenceNumber
	TRADE ITEM KEY WORDS	0..unbounded	Format: Description XPath: marketing_information:marketingInformationModule/marketingInformation/tradeItemKeyWords
T4204 1530	Trade item key words	1..1	Format: String An alphanumeric string including up to 1000 characters Length: 1 .. 1000 XPath: marketing_information:marketingInformationModule/marketingInformation/tradeItemKeyWords
	Language code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: marketing_information:marketingInformationModule/marketingInformation/tradeItemKeyWords/@languageCode Kodlista: LanguageCode XPath: marketing_information:marketingInformationModule/marketingInformation/season
T4120 1550	SEASON	0..1	Format: NonBinaryLogicEnumeration Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED XPath: marketing_information:marketingInformationModule/marketingInformation/season/isTradeItemSeasonal
	Is trade item seasonal	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: marketing_information:marketingInformationModule/marketingInformation/season/seasonParameterCode Kodlista: SeasonParameterCode XPath: marketing_information:marketingInformationModule/marketingInformation/targetConsumer
T4121 1556	Season parameter code	0..unbounded	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: marketing_information:marketingInformationModule/marketingInformation/season/seasonParameterCode Kodlista: SeasonParameterCode XPath: marketing_information:marketingInformationModule/marketingInformation/targetConsumer
	TARGET CONSUMER	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: marketing_information:marketingInformationModule/marketingInformation/targetConsumer/targetConsumerGender Kodlista: TargetConsumerGenderCode XPath: marketing_information:marketingInformationModule/marketingInformation/targetConsumer/targetConsumerUsage
T4331 1560	Target consumer gender	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: marketing_information:marketingInformationModule/marketingInformation/targetConsumer/targetConsumerGender Kodlista: TargetConsumerGenderCode XPath: marketing_information:marketingInformationModule/marketingInformation/targetConsumer/targetConsumerUsage
	TARGET CONSUMER USAGE	0..unbounded	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: marketing_information:marketingInformationModule/marketingInformation/targetConsumer/targetConsumerUsage
T4276 6174	Target consumer usage type code	0..1	Format: String An alphanumeric string including up to 80 characters

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 36 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4277 6170	TARGET CONSUMER MINIMUM USAGE	0..1	XPath:	Length: 1 .. 80 marketing_information:marketingInformationModule/marketingInformation/targetConsumer/targetConsumerUsage/targetConsumerUsageTypeCode
	Target consumer minimum usage	1..1	Kodlista:	TargetConsumerUsageTypeCode
			Format:	Measurement
T3780	Measurement unit code	1..1	Format:	Decimal A numeric value which may include decimals
			XPath:	marketing_information:marketingInformationModule/marketingInformation/targetConsumer/targetConsumerUsage/targetConsumerMinimumUsage
			Kodlista:	MeasurementUnitCode
T4278 6172	TARGET CONSUMER MAXIMUM USAGE	0..1	Format:	Measurement
	Target consumer maximum usage	1..1	Format:	Decimal A numeric value which may include decimals
			XPath:	marketing_information:marketingInformationModule/marketingInformation/targetConsumer/targetConsumerUsage/targetConsumerMaximumUsage
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters
			XPath:	Length: 1 .. 80 marketing_information:marketingInformationModule/marketingInformation/targetConsumer/targetConsumerUsage/targetConsumerMaximumUsage/@measurementUnitCode
			Kodlista:	MeasurementUnitCode
T4391 8521	MATERIAL	0..1	Module	MaterialModule
	MATERIAL	0..unbounded	XPath:	material:materialModule
	Can materials be separated manually	0..1	XPath:	material:materialModule/material
T4379 8520	Is designation intended for single use	0..1	Format:	Boolean Statement that can have the value of 'true' or 'false'.
			XPath:	material:materialModule/material/canMaterialsBeSeparatedManually
			XPath:	material:materialModule/material/isDesignationIntendedForSingleUse
T4380 8522	Number of designation units	0..1	Maximum Decimal Digits:	0
			XPath:	material:materialModule/material/numberOfDesignationUnits
	TRADE ITEM MATERIAL DESIGNATION DESCRIPTION	0..unbounded	Format:	Description
T4363	Trade item material designation description	1..1	Format:	String

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 37 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
3443				An alphanumeric string including up to 500 characters Length: 1 .. 500 XPath: material:materialModule/material/tradeItemMaterialDesignationDescription
T3782	Language code	1..1	Format: String	An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: material:materialModule/material/tradeItemMaterialDesignationDescription/@languageCode Kodlista: LanguageCode
T4364 6280	MATERIAL STATEMENT	0..unbounded	Format: Description	
	Material statement	1..1	Format: String	An alphanumeric string including up to 5000 characters Length: 1 .. 5000 XPath: material:materialModule/material/materialStatement
	Language code	1..1	Format: String	An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: material:materialModule/material/materialStatement/@languageCode Kodlista: LanguageCode
T4365 3454	MATERIAL COMPOSITION	0..unbounded	XPath: material:materialModule/material/materialComposition	
	Material code	0..1	Format: String	An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: material:materialModule/material/materialComposition/materialCode Kodlista: MaterialCode
	Material percentage	0..1	Format: Decimal	A numeric value which may include decimals XPath: material:materialModule/material/materialComposition/materialPercentage
T4370 6565	Thread denier	0..1	Format: Integer	A number that can be positive or negative Maximum Decimal Digits: 0 XPath: material:materialModule/material/materialComposition/threadDenier
T4366 3455	MATERIAL CONTENT	0..unbounded	Format: Description	
	Material content	1..1	Format: String	An alphanumeric string including up to 70 characters Length: 1 .. 70 XPath: material:materialModule/material/materialComposition/materialContent
	Language code	1..1	Format: String	An alphanumeric string including up to 80 characters Length: 1 .. 80

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 38 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4402 8641			XPath:	material:materialModule/material/materialComposition/materialContent/@languageCode
			Kodlista:	LanguageCode
	MATERIAL DENSITY	0..unbounded	Format:	Measurement
T3780	Material density	1..1	Format:	Decimal
			XPath:	A numeric value which may include decimals material:materialModule/material/materialComposition/materialDensity
	Measurement unit code	1..1	Format:	String
T4368 3458			XPath:	An alphanumeric string including up to 80 characters Length: 1 .. 80
			Kodlista:	MeasurementUnitCode
	MATERIAL THREAD COUNT	0..unbounded	Format:	Description
T3782	Material thread count	1..1	Format:	String
			XPath:	An alphanumeric string including up to 70 characters Length: 1 .. 70
	Language code	1..1	Format:	String
T4369 3460			XPath:	material:materialModule/material/materialComposition/materialThreadCount
			Kodlista:	LanguageCode
	MATERIAL WEIGHT	0..unbounded	Format:	Measurement
T3780	Material weight	1..1	Format:	Decimal
			XPath:	A numeric value which may include decimals material:materialModule/material/materialComposition/materialWeight
	Measurement unit code	1..1	Format:	String
T4382 8525			XPath:	An alphanumeric string including up to 80 characters Length: 1 .. 80
			Kodlista:	MeasurementUnitCode
	RAW MATERIAL INFORMATION	0..unbounded	XPath:	material:materialModule/material/materialComposition/rawMaterialInformation
T4381 8524	Raw material code	0..1	Format:	String
			XPath:	An alphanumeric string including up to 80 characters Length: 1 .. 80
	Raw material content percentage	0..1	Format:	material:materialModule/material/materialComposition/rawMaterialInformation/ rawMaterialContentPercentage
	MEDICAL DEVICE TRADE ITEM INFORMATION	0..1	Module	medicalDeviceTradeItemModule

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 39 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
+ T4510 8857	MEDICAL DEVICE INFORMATION	0..1	XPath:	medical_device_trade_item:medicalDeviceTradeItemModule
			XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ deviceFillColor
+ T4511 8859	Device fill code	0..unbounded	Kodlista:	DeviceFillColor
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ deviceShapeCode
			Kodlista:	DeviceShapeCode
+ T4505 8855	Device shape code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ deviceTextureCode
			Kodlista:	DeviceTextureCode
			Format:	Boolean Statement that can have the value of 'true' or 'false'.
T4455 6346	Device texture code	0..1	XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ hasDeviceMeasuringFunction
			Format:	Boolean Statement that can have the value of 'true' or 'false'.
			XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ isDeviceExemptFromImplantObligations
			Format:	Boolean Statement that can have the value of 'true' or 'false'.
T4457 6356	Is device exempt from implant obligations	0..1	XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ isReusableSurgicalInstrument
			Format:	Boolean Statement that can have the value of 'true' or 'false'.
			XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ isTradeItemImplantable
			Format:	NonBinaryLogicEnumeration Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED
T4456 6359	Is reusable surgical instrument	0..1	XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ isTradeItemImplantable
			Format:	Boolean Statement that can have the value of 'true' or 'false'.
			XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ isTradeItemImplantable
			Format:	Boolean Statement that can have the value of 'true' or 'false'.
T4440 1580	Is trade item implantable	0..1	Format:	Boolean Statement that can have the value of 'true' or 'false'.
			XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ isTradeItemImplantable
			Format:	Boolean Statement that can have the value of 'true' or 'false'.
			XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ isTradeItemImplantable
T4274 1581	MRI compatibility code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ isTradeItemImplantable
			Format:	Boolean Statement that can have the value of 'true' or 'false'.
			XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ isTradeItemImplantable

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 40 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4451 7112	Resistance to a surface tension reducing agent indicator	0..1	Kodlista:	mRICompatibilityCode MRICompatibilityCode
			Format:	Boolean Statement that can have the value of 'true' or 'false'.
T4434 1583	UDID device count	0..1	XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ isProductResistantToSurfaceTensionReducingAgent
			Format:	NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0
T4458 6364	UDI production identifier type code	0..unbounded	XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ udidDeviceCount
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
T4275 1593	TRADE ITEM STERILITY INFORMATION	0..1	XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ tradeItemSterilityInformation
			Kodlista:	UDIProductionIdentifierTypeCode
T4431 1594	Initial manufacturer sterilisation code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ tradeItemSterilityInformation/initialManufacturerSterilisationCode
T4432 1598	Initial sterilisation prior to use code	0..unbounded	Kodlista:	SterilisationTypeCode
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
T4432 1598	HEALTHCARE TRADE ITEM REUSABILITY INFORMATION	0..1	XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ healthCareTradeItemReusabilityInformation
			Kodlista:	SterilisationTypeCode
T4432 1598	Manufacturer declared reusability type code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/ healthCareTradeItemReusabilityInformation/manufacturerDeclaredReusabilityTypeCode
T4432 1598			Kodlista:	HealthcareTradeItemReusabilityTypeCode

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 41 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4453 1599	Maximum cycles reusable	0..1	Format:	NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0
			XPath:	medical_device_trade_item:medicalDeviceTradeItemModule/medicalDeviceInformation/healthCareTradeItemReusabilityInformation/maximumCyclesReusable
	NON-FOOD INGREDIENT INFORMATION	0..1	Module	NonfoodIngredientModule
T5036 1623	NON-FOOD INGREDIENT STATEMENT	0..unbounded	XPath:	nonfood_ingredient:nonfoodIngredientModule
	Non-food ingredient statement	1..1	Format:	FormattedDescription
			XPath:	nonfood_ingredient:nonfoodIngredientModule/nonfoodIngredientStatement
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	nonfood_ingredient:nonfoodIngredientModule/nonfoodIngredientStatement/@languageCode
			Kodlista:	LanguageCode
T4234	Sequence number	0..1	Format:	NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0
			XPath:	nonfood_ingredient:nonfoodIngredientModule/nonfoodIngredientStatement/@sequenceNumber
	NON-FOOD INGREDIENT	0..unbounded	XPath:	nonfood_ingredient:nonfoodIngredientModule/nonfoodIngredient
T4206 1633	Is ingredient active	0..1	Format:	NonBinaryLogicEnumeration Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED
			XPath:	nonfood_ingredient:nonfoodIngredientModule/nonfoodIngredient/isIngredientActive
	NON-FOOD INGREDIENT NAME	0..unbounded	Format:	Description
T4205 1635	Non-food ingredient name	1..1	Format:	String An alphanumeric string including up to 500 characters Length: 1 .. 500
			XPath:	nonfood_ingredient:nonfoodIngredientModule/nonfoodIngredient/nonfoodIngredientName
	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
T3782			XPath:	nonfood_ingredient:nonfoodIngredientModule/nonfoodIngredient/nonfoodIngredientName/@languageCode
			Kodlista:	LanguageCode
	NUTRITIONAL INFORMATION	0..1	XPath:	nutritional_information:nutritionalInformationModule
T3820	NUTRIENT HEADER	0..unbounded	XPath:	nutritional_information:nutritionalInformationModule/nutrientHeader
	Nutrient basis quantity type code	0..1	Format:	String

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 42 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
1716				An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: nutritional_information:nutritionalInformationModule/nutrientHeader/nutrientBasisQuantityTypeCode Kodlista: NutrientBasisQuantityTypeCode
T4069 1717	Preparation state code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: nutritional_information:nutritionalInformationModule/nutrientHeader/preparationStateCode Kodlista: Local code list - T4069 Preparation state code Comment: Code list for "T4069 Preparation state code" is based on GDSN PreparationTypeCode but with restricted values.	
	DAILY VALUE INTAKE REFERENCE	0..unbounded	Format: Description	
T4070 1712	Daily value intake reference	1..1	Format: String An alphanumeric string including up to 500 characters Length: 1 .. 500 XPath: nutritional_information:nutritionalInformationModule/nutrientHeader/dailyValueIntakeReference	
T3782	Language code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: nutritional_information:nutritionalInformationModule/nutrientHeader/dailyValueIntakeReference/@languageCode Kodlista: LanguageCode	
	NUTRIENT BASIS QUANTITY	0..1	Format: Measurement	
T3824 1714	Nutrient basis quantity	1..1	Format: Decimal A numeric value which may include decimals XPath: nutritional_information:nutritionalInformationModule/nutrientHeader/nutrientBasisQuantity	
T3780	Measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: nutritional_information:nutritionalInformationModule/nutrientHeader/nutrientBasisQuantity/@measurementUnitCode Kodlista: MeasurementUnitCode	
	NUTRIENT BASIS QUANTITY DESCRIPTION	0..unbounded	Format: Description	
T4399 5872	Nutrient basis quantity description	1..1	Format: String An alphanumeric string including up to 500 characters Length: 1 .. 500 XPath: nutritional_information:nutritionalInformationModule/nutrientHeader/NutrientBasisQuantityDescription	
T3782	Language code	1..1	Format: String	

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 43 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4076 1731	NUTRIENT	0..unbounded	Kodlista:	An alphanumeric string including up to 80 characters Length: 1 .. 80 LanguageCode
	— Daily value intake percent	0..1	XPath:	nutritional_information:nutritionalInformationModule/nutrientHeader/nutrientDetail
			Format:	Decimal A numeric value which may include decimals
T4073 1733	— Nutrient type code	1..1	XPath:	nutritional_information:nutritionalInformationModule/nutrientHeader/nutrientDetail/dailyValueIntakePercent
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			Kodlista:	NutrientTypeCode
T4075 1732	— Measurement precision code	0..1	XPath:	nutritional_information:nutritionalInformationModule/nutrientHeader/nutrientDetail/nutrientTypeCode
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			Kodlista:	MeasurementPrecisionCode
T4407 7244	NUTRIENT NAME ON PACKAGE	0..unbounded	Format:	Description
	— Nutrient name on package	1..1	XPath:	nutritional_information:nutritionalInformationModule/nutrientHeader/nutrientDetail/nutrientNameOnPackage
			Format:	String An alphanumeric string including up to 200 characters Length: 1 .. 200
T3782	— Language code	1..1	XPath:	nutritional_information:nutritionalInformationModule/nutrientHeader/nutrientDetail/quantityContained
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			Kodlista:	LanguageCode
T4074 1734	QUANTITY CONTAINED	0..unbounded	Format:	Measurement
	— Quantity contained	1..1	XPath:	nutritional_information:nutritionalInformationModule/nutrientHeader/nutrientDetail/quantityContained
			Format:	Decimal A numeric value which may include decimals
T3780	— Measurement unit code	1..1	XPath:	nutritional_information:nutritionalInformationModule/nutrientHeader/nutrientDetail/quantityContained/@measurementUnitCode
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			Kodlista:	MeasurementUnitCode

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 44 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4237 2166	PACKAGING INFORMATION MODULE	0..unbounded	Module XPath:	PackagingInformationModule packaging_information:packagingInformationModule packaging_information:packagingInformationModule
	PACKAGING	0..unbounded	Module XPath:	PackagingInformationModule packaging_information:packagingInformationModule/packaging
	Packaging feature code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	packaging_information:packagingInformationModule/packaging/packagingFeatureCode
			Kodlista:	PackagingFeatureCode
	Packaging function code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	packaging_information:packagingInformationModule/packaging/packagingFunctionCode
			Kodlista:	PackagingFunctionCode
T0137 2186	Packaging type code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	packaging_information:packagingInformationModule/packaging/packagingTypeCode
			Kodlista:	PackageTypeCode
T4372 2176	Packaging sustainability feature code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	packaging_information:packagingInformationModule/packaging/ packagingSustainabilityFeatureCode
			Kodlista:	SustainabilityFeatureCode
T0189 2177	Packaging terms and conditions code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	packaging_information:packagingInformationModule/packaging/ packagingTermsAndConditionsCode
			Kodlista:	PackagingTermsAndConditionsCode
T4454 2180	Platform terms and conditions code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	packaging_information:packagingInformationModule/packaging/platformTermsAndConditionsCode
			Kodlista:	PlatformTermsAndConditionsCode
T2244 2181	Platform type code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 45 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T4388 8541	PACKAGING CLAIMS Is packaging claim marked on package	0..unbounded	XPath: packaging_information:packagingInformationModule/packaging/platformTypeCode Kodlista: PlatformTypeCode
		0..1	XPath: packaging_information:packagingInformationModule/packaging/packagingClaims
			Format: Boolean Statement that can have the value of 'true' or 'false'.
			XPath: packaging_information:packagingInformationModule/packaging/packagingClaims/ isPackagingClaimMarkedOnPackage
T4389 8542	Is packaging claim regulated	0..1	Format: Boolean Statement that can have the value of 'true' or 'false'.
			XPath: packaging_information:packagingInformationModule/packaging/packagingClaims/ isPackagingClaimRegulated
T4387 8539	Packaging claim element code	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: packaging_information:packagingInformationModule/packaging/packagingClaims/ packagingClaimElementCode
			Kodlista: PackagingClaimElementCode
T4390 8543	Packaging claim type code	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: packaging_information:packagingInformationModule/packaging/packagingClaims/ packagingClaimTypeCode
			Kodlista: PackagingClaimTypeCode
T4201 2201	PACKAGING HEIGHT Packaging height	0..1	Format: Measurement
		1..1	Format: Decimal A numeric value which may include decimals
			XPath: packaging_information:packagingInformationModule/packaging/packagingDimension/ packagingHeight
T3780	Measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: packaging_information:packagingInformationModule/packaging/packagingDimension/ packagingHeight/@MeasurementUnitCode
			Kodlista: MeasurementUnitCode
T4426 8596	PACKAGING MATERIAL Is packaging element intended for food contact	0..unbounded	XPath: packaging_information:packagingInformationModule/packaging/packagingMaterial
		0..1	Format: NonBinaryLogicEnumeration Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED XPath: packaging_information:packagingInformationModule/packaging/packagingMaterial/ isPackagingElementIntendedForFoodContact

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 46 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure			
BMS ID	Element name	Cardinality	Element specification		
T4371 2207	Is packaging material recoverable	0..1	Format:	NonBinaryLogicEnumeration	
			XPath:	Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED	
				packaging_information:packagingInformationModule/packaging/packagingMaterial/ isPackagingMaterialRecoverable	
T4403 8646	Multilayer film material composition code	0..1	Format:	String	
				An alphanumeric string including up to 80 characters	
				Length: 1 .. 80	
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ multilayerFilmMaterialCompositionCode	
			Kodlista:	MultilayerFilmMaterialCompositionCode	
T4383 8530	Number of packaging element units	0..1	Format:	Maximum Decimal Digits: 0	
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ numberOfPackagingElementUnits	
T4283 6303	Packaging labelling coverage percentage	0..1	Format:	Decimal	
				A numeric value which may include decimals	
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ packagingLabellingCoveragePercentage	
T4284 6304	Packaging labelling type code	0..1	Format:	String	
				An alphanumeric string including up to 80 characters	
				Length: 1 .. 80	
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ packagingLabellingTypeCode	
			Kodlista:	PackagingLabellingTypeCode	
T4385 8534	Packaging material adhesive solubility type code	0..unbounded	Format:	String	
				An alphanumeric string including up to 80 characters	
				Length: 1 .. 80	
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ packagingMaterialAdhesiveSolubilityTypeCode	
			Kodlista:	PackagingMaterialAdhesiveSolubilityTypeCode	
T4386 8536	Packaging material adhesive type code	0..unbounded	Format:	String	
				An alphanumeric string including up to 80 characters	
				Length: 1 .. 80	
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ packagingMaterialAdhesiveTypeCode	
			Kodlista:	PackagingMaterialAdhesiveTypeCode	
T4405 2209	Packaging material applied process code	0..unbounded	Format:	String	
				An alphanumeric string including up to 80 characters	
				Length: 1 .. 80	
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ packagingMaterialAppliedProcessCode	

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 47 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4374 2220	— Packaging material classification code reference	0..1	Kodlista:	PackagingMaterialAppliedProcessCode
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: packaging_information:packagingInformationModule/packaging/packagingMaterial/ packagingMaterialClassificationCodeReference
T4243 2228	— Packaging material colour code reference	0..1	Kodlista:	Local code list - T4374 Packaging material classification code reference
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: packaging_information:packagingInformationModule/packaging/packagingMaterial/ packagingMaterialColourCodeReference
T4354 7115	— Packaging material element code	0..1	Kodlista:	Local code list - T4243 Packaging material colour code reference
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: packaging_information:packagingInformationModule/packaging/packagingMaterial/ packagingMaterialElementCode
T4355 7117	— Packaging material recycling scheme code	0..1	Kodlista:	PackagingMaterialElementCode
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: packaging_information:packagingInformationModule/packaging/packagingMaterial/ packagingMaterialRecyclingSchemeCode
T1188 2206	— Packaging material type code	1..1	Kodlista:	PackagingRecyclingSchemeCode
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: packaging_information:packagingInformationModule/packaging/packagingMaterial/ packagingMaterialTypeCode
T4412 8660	— ADDITIVE INFORMATION	0..unbounded	Kodlista:	PackagingMaterialTypeCode
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ additiveInformation
T4413 8661	— Additive name	1..1	Format:	String An alphanumeric string including up to 200 characters Length: 1 .. 200 XPath: packaging_information:packagingInformationModule/packaging/packagingMaterial/ additiveInformation/additiveName
			XPath:	
T4413 8661	— Level of containment code	1..1	Format:	String An alphanumeric string including up to 80 characters
			XPath:	

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 48 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4384 8531	PACKAGING MATERIAL ADHESIVE AMOUNT	0..unbounded	XPath:	Length: 1 .. 80 packaging_information:packagingInformationModule/packaging/packagingMaterial/additiveInformation/levelOfContainmentCode
	Packaging material adhesive amount	1..1	Kodlista:	LevelOfContainmentCode
			Format:	Measurement
T3780			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/packagingMaterialAdhesiveAmount
	Measurement unit code	1..1	Kodlista:	MeasurementUnitCode
T4404 8648	PACKAGING MATERIAL DENSITY	0..unbounded	Format:	Measurement
	Packaging material density	1..1	Format:	Decimal A numeric value which may include decimals
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/packagingMaterialDensity
T3780			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/packagingMaterialDensity/@measurementUnitCode
	Measurement unit code	1..1	Kodlista:	MeasurementUnitCode
T4396 2250	COMPOSITE MATERIAL DETAIL	0..unbounded	XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/compositeMaterialDetail
	Packaging material colour code reference	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/compositeMaterialDetail/packagingMaterialColourCodeReference
T4394 2237			Kodlista:	Local codelist - T4396 Packaging material colour code reference
	Packaging material type code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 49 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4395 2238	PACKAGING MATERIAL COMPOSITION QUANTITY Packaging material composition quantity	0..unbounded 1..1	Kodlista:	compositeMaterialDetail/packagingMaterialTypeCode PackagingMaterialTypeCode
			Format:	Measurement
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ compositeMaterialDetail/packagingMaterialCompositionQuantity
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ compositeMaterialDetail/packagingMaterialCompositionQuantity/@measurementUnitCode
			Kodlista:	MeasurementUnitCode
T4397 6311	PACKAGING RAW MATERIAL INFORMATION Packaging raw material code	0..1 0..1	XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ compositeMaterialDetail/packagingRawMaterialInformation
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ compositeMaterialDetail/packagingRawMaterialInformation/packagingRawMaterialCode
T4398 6312	Packaging raw material content percentage	0..1	Kodlista:	PackagingRawMaterialCode
			Format:	Decimal A numeric value which may include decimals
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ compositeMaterialDetail/packagingRawMaterialInformation/ packagingRawMaterialContentPercentage
T1189 2214	PACKAGING MATERIAL COMPOSITION QUANTITY Packaging material composition quantity	0..unbounded 1..1	Format:	Measurement
			Format:	Decimal A numeric value which may include decimals
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ packagingMaterialCompositionQuantity
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ packagingMaterialCompositionQuantity/@measurementUnitCode
			Kodlista:	MeasurementUnitCode
T4285	PACKAGING RAW MATERIAL INFORMATION Packaging raw material code	0..unbounded 0..1	XPath:	packaging_information:packagingInformationModule/packaging/packagingMaterial/ packagingRawMaterialInformation
			Format:	String

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 50 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
6306			An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: packaging_information:packagingInformationModule/packaging/packagingMaterial/packagingRawMaterialInformation/packagingRawMaterialCode Kodlista: PackagingRawMaterialCode
T4286 6307	Packaging raw material percentage	0..1	Format: Decimal A numeric value which may include decimals XPath: packaging_information:packagingInformationModule/packaging/packagingMaterial/packagingRawMaterialInformation/packagingRawMaterialContentPercentage
	PACKAGING WEIGHT	0..1	Format: Measurement
T0190 2178	Packaging weight	1..1	Format: Decimal A numeric value which may include decimals XPath: packaging_information:packagingInformationModule/packaging/packagingWeight
T3780	Measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: packaging_information:packagingInformationModule/packaging/packagingWeight/@measurementUnitCode Kodlista: MeasurementUnitCode
	RETURNABLE ASSETS	0..unbounded	XPath: packaging_information:packagingInformationModule/packaging/returnableAsset
T3828 2277	Returnable asset GRAI	0..1	Format: GRAI (Global Returnable Asset Identifier). An alphanumeric string including from 14 up to 30 characters. Length: 14 .. 30 XPath: packaging_information:packagingInformationModule/packaging/returnableAsset/grai
	PACKAGE DEPOSIT	0..unbounded	XPath: packaging_information:packagingInformationModule/packaging/returnableAsset/returnableAssetPackageDeposit
T0148 2293	Returnable package deposit identification	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: packaging_information:packagingInformationModule/packaging/returnableAsset/returnableAssetPackageDeposit/returnablePackageDepositIdentification Kodlista: Local code list - T0148 Returnable package deposit identification
	RETURNABLE ASSETS CONTAINED QUANTITY	0..unbounded	Format: Quantity
T4125 2281	Returnable assets contained quantity	1..1	Format: Decimal A numeric value which may include decimals XPath: packaging_information:packagingInformationModule/packaging/returnableAsset/returnableAssetsContainedQuantity
T3780	Measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 51 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T4272 2306	MARKING	0..1	XPath: Length: 1 .. 80 packaging_information:packagingInformationModule/packaging/returnableAsset/ returnableAssetsContainedQuantity/@measurementUnitCode Kodlista: MeasurementUnitCode
	Has batch number	0..1	Module: PackagingMarkingModule XPath: packaging_marking:packagingMarkingModule/packagingMarking
	Is packaging marked returnable	0..1	Format: Boolean Statement that can have the value of 'true' or 'false'. XPath: packaging_marking:packagingMarkingModule/packagingMarking/hasBatchNumber
	Packaging marked label accreditation code	0..unbounded	Format: Boolean Statement that can have the value of 'true' or 'false'. XPath: packaging_marking:packagingMarkingModule/packagingMarking/isPackagingMarkedReturnable
T4400 2313	Packaging marked language code	0..unbounded	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: packaging_marking:packagingMarkingModule/packagingMarking/ packagingMarkedLabelAccreditationCode Kodlista: PackagingMarkedLabelAccreditationCode
	Trade item date on packaging format name	0..unbounded	Format: String An alphanumeric string including up to 70 characters Length: 1 .. 70 XPath: packaging_marking:packagingMarkingModule/packagingMarking/packagingDate/ tradeItemDateOnPackagingFormatName
	Trade item date on packaging type code	0..1	Comment: The attribute must not exceed 10 characters according to Swedish application. Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: packaging_marking:packagingMarkingModule/packagingMarking/packagingDate/ tradeItemDateOnPackagingTypeCode
	DATE MARKING	0..unbounded	XPath: packaging_marking:packagingMarkingModule/packagingMarking/packagingDate
T0168 2794	ITEM ACTIVITY	0..1	Module: PlaceOfItemActivityModule XPath: place_of_item_activity:placeOfItemActivityModule
	Country of origin	0..unbounded	Format: String An alphanumeric string including up to 80 characters

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 52 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T4202 2783	PROVENANCE STATEMENT	0..unbounded	XPath: Length: 1 .. 80 place_of_item_activity:placeOfItemActivityModule/placeOfProductActivity/countryOfOrigin/countryCode Kodlista: CountryCode Comment: "T0168 Country of origin" uses generic code list "T3784 Country code" as code list.
	Provenance statement	1..1	Format: Description String An alphanumeric string including up to 500 characters Length: 1 .. 500 XPath: place_of_item_activity:placeOfItemActivityModule/placeOfProductActivity/provenanceStatement
T3782	Language code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: place_of_item_activity:placeOfItemActivityModule/placeOfProductActivity/provenanceStatement/@LanguageCode Kodlista: LanguageCode
T3849 2776	IMPORT CLASSIFICATION	0..unbounded	XPath: place_of_item_activity:placeOfItemActivityModule/importClassification
	Import classification type code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: place_of_item_activity:placeOfItemActivityModule/importClassification/importClassificationTypeCode Kodlista: ImportClassificationTypeCode
T3302 2777	Import classification value	0..unbounded	Format: String An alphanumeric string including up to 70 characters Length: 1 .. 70 XPath: place_of_item_activity:placeOfItemActivityModule/importClassification/importClassificationValue Kodlista: External code list
	PRODUCT ACTIVITY DETAILS	0..unbounded	XPath: place_of_item_activity:placeOfItemActivityModule/placeOfProductActivity/productActivityDetails
T4375 2801	Country of activity	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: place_of_item_activity:placeOfItemActivityModule/placeOfProductActivity/productActivityDetails/countryOfActivity/countryCode Kodlista: CountryCode Comment: "T4375 Country of activity "uses generic code list "T3784 Country code" as code list.
	Product activity type code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: place_of_item_activity:placeOfItemActivityModule/placeOfProductActivity/productActivityDetails/

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 53 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4265 2857	PRODUCT CHARACTERISTICS	0..unbounded	Kodlista:	productActivityTypeCode ProductActivityTypeCode
	Product characteristic code	1..1	Module XPath:	ProductCharacteristicsModule product_characteristics:productCharacteristicsModule/productCharacteristics
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
T4301 5460			XPath:	product_characteristics:productCharacteristicsModule/productCharacteristics/ productCharacteristicCode
			Kodlista:	ProductCharacteristicCode
T4301 5460	Product characteristic value integer	0..unbounded	Format:	Integer A number that can be positive or negative Maximum Decimal Digits: 0
			XPath:	product_characteristics:productCharacteristicsModule/productCharacteristics/ productCharacteristicValueInteger
T4324 2862	PRODUCT CHARACTERISTIC VALUE DESCRIPTION	0..unbounded	Format:	Description
	Product characteristic value description	1..1	Format:	String An alphanumeric string including up to 5000 characters Length: 1 .. 5000
			XPath:	product_characteristics:productCharacteristicsModule/productCharacteristics/ productCharacteristicValueDescription
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	product_characteristics:productCharacteristicsModule/productCharacteristics/ productCharacteristicValueDescription/@languageCode
			Kodlista:	LanguageCode
T4300 2864	PRODUCT CHARACTERISTIC VALUE MEASUREMENT	0..unbounded	Format:	Measurement
	Product characteristic value measurement	1..1	Format:	Decimal A numeric value which may include decimals
			XPath:	product_characteristics:productCharacteristicsModule/productCharacteristics/ productCharacteristicValueMeasurement
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	product_characteristics:productCharacteristicsModule/productCharacteristics/ productCharacteristicValueMeasurement/@measurementUnitCode
			Kodlista:	MeasurementUnitCode
	PRODUCTINFORMATION MODULE	1..1	Module XPath:	ProductInformationModule product_information:productInformationModule

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 54 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4345 6528	PRODUCT INFORMATION DETAIL	0..1	XPath:	product_information:productInformationModule/productInformationDetail
	Formation Type Code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: Kodlista:	product_information:productInformationModule/productInformationDetail/formationTypeCode FormationTypeCode
T4346 6529	Time of application code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	product_information:productInformationModule/productInformationDetail/timeOfApplicationCode
			Kodlista:	TimeOfApplicationCode
T4356 7239	CLAIM DESCRIPTION	0..unbounded	Format:	Description
	Claim description	1..1	Format:	String An alphanumeric string including up to 5000 characters Length: 1 .. 5000
			XPath:	product_information:productInformationModule/productInformationDetail/claimDescription
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	product_information:productInformationModule/productInformationDetail/claimDescription/ @languageCode
			Kodlista:	LanguageCode
T4357 7235	CLAIM DETAIL	0..unbounded	XPath:	product_information:productInformationModule/productInformationDetail/claimDetail
	Claim marked on package	0..1	Format:	NonBinaryLogicEnumeration Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED
			XPath:	product_information:productInformationModule/productInformationDetail/claimDetail/ claimMarkedOnPackage
T4358 7237	Claim type code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	product_information:productInformationModule/productInformationDetail/claimDetail/claimTypeCode
			Kodlista:	ClaimTypeCode
T4359 7233	Claim element code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	product_information:productInformationModule/productInformationDetail/claimDetail/ claimElementCode
			Kodlista:	ClaimElementCode
	BEAUTY PERSONAL CARE HYGIENE DETAIL	0..1	XPath:	product_information:productInformationModule/productInformationDetail/

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 55 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4349 6548	HAIR PRODUCT INFORMATION	0..1	XPath:	beautyPersonalCareHygieneDetail product_information:productInformationModule/productInformationDetail/ beautyPersonalCareHygieneDetail/hairProductInformation
	Hair product function or treatment code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	product_information:productInformationModule/productInformationDetail/ beautyPersonalCareHygieneDetail/hairProductInformation/hairProductFunctionOrTreatmentCode
T4350 6549	Target hair type code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	product_information:productInformationModule/productInformationDetail/ beautyPersonalCareHygieneDetail/hairProductInformation/targetHairTypeCode
			Kodlista:	HairProductFunctionOrTreatmentCode
T4351 6550	Natural hair colour code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	product_information:productInformationModule/productInformationDetail/ beautyPersonalCareHygieneDetail/hairProductInformation/naturalHairColourCode
			Kodlista:	NaturalHairColourCode
T4347 6552	SKIN PRODUCT INFORMATION	0..1	XPath:	product_information:productInformationModule/productInformationDetail/ beautyPersonalCareHygieneDetail/skinProductInformation
	Skin product function or treatment code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	product_information:productInformationModule/productInformationDetail/ beautyPersonalCareHygieneDetail/skinProductInformation/skinProductFunctionOrTreatmentCode
T4348 6553	Target skin type code	0..unbounded	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	product_information:productInformationModule/productInformationDetail/ beautyPersonalCareHygieneDetail/skinProductInformation/targetSkinTypeCode
			Kodlista:	TargetSkinTypeCode
T4430 2929	PROMOTIONAL ITEM INFORMATION MODULE	1..1	Module XPath:	PromotionalItemInformationModule PromotionalItemInformationModule
	Is trade item a promotional unit	0..1	Format:	Boolean Statement that can have the value of 'true' or 'false'.
			XPath:	PromotionalItemInformationModule/isTradeItemAPromotionalUnit

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 56 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4325 2145	ORGANISM CLASSIFICATION MODULE	0..1	Module XPath:	OrganismClassificationModule organism_classification:organismClassificationModule
	ORGANISM CLASSIFICATION	0..unbounded	XPath:	organism_classification:organismClassificationModule/organismClassification
	Genus	0..1	Format:	String An alphanumeric string including up to 70 characters Length: 1 .. 70
			XPath:	organism_classification:organismClassificationModule/organismClassification/genus
T4326 2147	Species	0..1	Format:	String An alphanumeric string including up to 70 characters Length: 1 .. 70
			XPath:	organism_classification:organismClassificationModule/organismClassification/species
T4474 2989	FILE REFERENCE	0..unbounded	Module XPath:	ReferencedFileDetailInformationModule referenced_file_detail_information:referencedFileDetailInformationModule/referencedFileHeader
	File effective end date time	0..1	Format:	DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20
			XPath:	referenced_file_detail_information:referencedFileDetailInformationModule/referencedFileHeader/fileEffectiveEndTime
	File effective start date time	0..1	Format:	DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20
T4473 2990			XPath:	referenced_file_detail_information:referencedFileDetailInformationModule/referencedFileHeader/fileEffectiveStartTime
T2231 2999	Referenced file type code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	referenced_file_detail_information:referencedFileDetailInformationModule/referencedFileHeader/referencedFileTypeCode
			Kodlista:	ReferencedFileTypeCode
T2233 2995	File name	0..1	Format:	String An alphanumeric string including up to 70 characters Length: 1 .. 70
			XPath:	referenced_file_detail_information:referencedFileDetailInformationModule/referencedFileHeader/fileName
T4329 3001	Is primary file	0..1	Format:	NonBinaryLogicEnumeration Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED
			XPath:	referenced_file_detail_information:referencedFileDetailInformationModule/referencedFileHeader/isPrimaryFile
T2238 2993	File format name	0..1	Format:	String An alphanumeric string including up to 35 characters

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 57 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T3405 3000	Uniform Resource Identifier	0..1	XPath: Length: 1 .. 35 referenced_file_detail_information:referencedFileDetailInformationModule/referencedFileHeader/fileFormatName
			Format: String An alphanumeric string including up to 2500 characters Length: 1 .. 2500
			XPath: referenced_file_detail_information:referencedFileDetailInformationModule/referencedFileHeader/uniformResourceIdentifier
T2232 2986	CONTENT DESCRIPTION Content description	0..unbounded 1..1	Format: Description
			Format: String An alphanumeric string including up to 200 characters Length: 1 .. 200
			XPath: referenced_file_detail_information:referencedFileDetailInformationModule/referencedFileHeader/contentDescription
T3782	Language code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: referenced_file_detail_information:referencedFileDetailInformationModule/referencedFileHeader/contentDescription/@languageCode
			Kodlista: LanguageCode
T3825 3070	ITEM REGULATION Regulation type code	0..unbounded 0..unbounded	Module: RegulatedTradeItemModule XPath: regulated_trade_item:regulatedTradeItemModule/regulatoryInformation
			Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: regulated_trade_item:regulatedTradeItemModule/regulatoryInformation/regulationTypeCode Kodlista: RegulationTypeCode
T5039 3071	Regulatory act	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: regulated_trade_item:regulatedTradeItemModule/regulatoryInformation/regulatoryAct
T5040 3072	Regulatory agency	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: regulated_trade_item:regulatedTradeItemModule/regulatoryInformation/regulatoryAgency
T4308 3074	Is trade item regulation compliant	0..1	Format: NonBinaryLogicEnumeration Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED
			XPath: regulated_trade_item:regulatedTradeItemModule/regulatoryInformation/isTradeItemRegulationCompliant
T4309	Regulatory act compliance level code	0..1	

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 58 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
3075			Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: regulated_trade_item:regulatedTradeItemModule/regulatoryInformation/regulatoryActComplianceLevelCode Kodlista: RegulatoryActComplianceLevelCode
T5042 3086	REGULATORY PERMIT	0..unbounded	XPath: regulated_trade_item:regulatedTradeItemModule/regulatoryInformation/permitIdentification
	Permit start date time	0..1	Format: DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20 XPath: regulated_trade_item:regulatedTradeItemModule/regulatoryInformation/permitIdentification/permitStartDateTime
T5041 3087	Regulatory permit identification	1..1	Format: String An alphanumeric string including up to 200 characters Length: 1 .. 200 XPath: regulated_trade_item:regulatedTradeItemModule/regulatoryInformation/permitIdentification/regulatoryPermitIdentification
T5044 3237	SAFETY DATA	0..unbounded	Module: SafetyDataSheetModule XPath: safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation
	GHS signal words code	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/gHSDetail/gHSSignalWordsCode Kodlista: GHSSignalWordsCode
T3745 3238	GHS Symbol description code	0..unbounded	Format: String An alphanumeric string including up to 35 characters Length: 1 .. 35 XPath: safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/gHSDetail/gHSSymbolDescriptionCode Kodlista: GHSSymbolDescriptionCode
T4489 6287	SDS sheet effective date time	0..1	Format: DateTime YYYY-MM-DDTHH:MM:SSZ Length: 20 XPath: safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/sDSSheetEffectiveDateTime
T4490 6286	SDS sheet version	0..1	Format: String An alphanumeric string including up to 70 characters Length: 1 .. 70 XPath: safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/sDSSheetVersion

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 59 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4462 3143	REACH INFORMATION	0..1	XPath:	safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/rEACHInformation
	Is substance of very high concern	0..1	Format:	NonBinaryLogicEnumeration
			XPath:	Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/rEACHInformation/ isSubstanceOfVeryHighConcern
T4463 3144	Is trade item REACH relevant	0..1	Format:	NonBinaryLogicEnumeration
			XPath:	Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/rEACHInformation/ isTradeItemREACHRelevant
T4503 3182	CHEMICAL INFORMATION	0..unbounded	XPath:	safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/chemicalInformation
	Chemical ingredient scheme	0..1	Format:	String
			XPath:	An alphanumeric string including up to 200 characters Length: 1 .. 200 safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/chemicalInformation/ chemicalIngredientScheme
T4504 3188	CHEMICAL INGREDIENT	0..unbounded	XPath:	safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/chemicalInformation/ chemicalIngredient
	Chemical ingredient identification	0..1	Format:	String
			XPath:	An alphanumeric string including up to 35 characters Length: 1 .. 35 safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/chemicalInformation/ chemicalIngredient/chemicalIngredientIdentification
T3778 3189	Chemical ingredient name	0..unbounded	Format:	String
			XPath:	An alphanumeric string including up to 500 characters Length: 1 .. 500 safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/chemicalInformation/ chemicalIngredient//chemicalIngredientName
T4488 3190	REACH chemical registration number	0..1	Format:	String
			XPath:	An alphanumeric string including up to 35 characters Length: 1 .. 35 safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/chemicalInformation/ chemicalIngredient/rEACHChemicalRegistrationNumber
* T5047 3240	HAZARD STATEMENT	0..unbounded	XPath:	safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/gHSDetail/ hazardStatement
	Hazard statements code	0..1	Format:	String
			XPath:	An alphanumeric string including up to 35 characters Length: 1 .. 35 safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/gHSDetail/ hazardStatement/hazardStatementsCode
			Kodlista:	Local code list - T5047 Hazardous statement code

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 60 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T5048 3241	HAZARD STATEMENTS DESCRIPTION	0..unbounded	Format:	Description
	Hazard statements description	1..1	Format:	String An alphanumeric string including up to 1000 characters Length: 1 .. 1000
			XPath:	safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/gHSDetail/hazardStatement/hazardStatementsDescription
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/gHSDetail/hazardStatement/hazardStatementsDescription/@languageCode
			Kodlista:	LanguageCode
* T5049 3244	PRECAUTIONARY STATEMENT	0..unbounded		
	Precautionary statements code	0..1	Format:	String An alphanumeric string including up to 35 characters Length: 1 .. 35
			XPath:	safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/gHSDetail/precautionaryStatement/precautionaryStatementsCode
			Kodlista:	Local code list - T5049 Precautionary statement code
T5050 3245	PRECAUTIONARY STATEMENTS DESCRIPTION	0..unbounded	Format:	Description
	Precautionary statements description	1..1	Format:	String An alphanumeric string including up to 1000 characters Length: 1 .. 1000
			XPath:	safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/gHSDetail/precautionaryStatement/precautionaryStatementsDescription
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	safety_data_sheet:safetyDataSheetModule/safetyDataSheetInformation/gHSDetail/precautionaryStatement/precautionaryStatementsDescription/@languageCode
			Kodlista:	LanguageCode
T4131 3325	SALES INFORMATION	0..1	Module	SalesInformationModule
	Consumer sales condition code	0..unbounded	XPath:	sales_information:salesInformationModule
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	sales_information:salesInformationModule/salesInformation/consumerSalesConditionCode
			Kodlista:	ConsumerSalesConditionTypeCode
T4508 3326	Is base price declaration relevant	0..1	Format:	NonBinaryLogicEnumeration

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 61 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T0145 3329	Price comparison content type code	0..1	XPath:	Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED sales_information:salesInformationModule/salesInformation/isBasePriceDeclarationRelevant
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: sales_information:salesInformationModule/salesInformation/priceComparisonContentTypeCode Kodlista: PriceComparisonContentTypeCode
T4480 3354	APPLICABLE ALLOWANCE CHARGE Allowance charge percentage	0..unbounded	XPath:	sales_information:salesInformationModule/applicableAllowanceCharge
			Format:	Decimal A numeric value which may include decimals XPath: sales_information:salesInformationModule/applicableAllowanceCharge/allowanceChargePercentage
T4481 3355	Allowance charge type code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: sales_information:salesInformationModule/applicableAllowanceCharge/allowanceChargeTypeCode Kodlista: AllowanceChargeTypeCode
			XPath:	sales_information:salesInformationModule/applicableAllowanceCharge/allowanceChargeTypeCode
T4482 3356	Allowance or charge type	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: sales_information:salesInformationModule/applicableAllowanceCharge/allowanceOrChargeType Kodlista: AllowanceOrChargeEnumeration
			XPath:	sales_information:salesInformationModule/applicableAllowanceCharge/allowanceOrChargeType
T4509 3350	ALLOWANCE CHARGE AMOUNT Allowance charge amount	0..1	Format:	Amount
			Format:	Decimal A numeric value which may include decimals XPath: sales_information:salesInformationModule/applicableAllowanceCharge/allowanceChargeAmount
T0204	Currency code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: sales_information:salesInformationModule/applicableAllowanceCharge/allowanceChargeAmount/ @currencyCode
			XPath:	sales_information:salesInformationModule/applicableAllowanceCharge/allowanceChargeAmount/ @currencyCode
T4479 3352	ALLOWANCE CHARGE DESCRIPTION Allowance charge description	0..unbounded	Format:	Description
			Format:	String An alphanumeric string including up to 500 characters Length: 1 .. 500 XPath: sales_information:salesInformationModule/applicableAllowanceCharge/allowanceChargeDescription
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 Kodlista: LanguageCode
			Kodlista:	LanguageCode

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 62 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Trade Item Information 20.2.1

Version: 3.1.37

Entity id	Elements and structure			
BMS ID	Element name	Cardinality	Element specification	
T0147 3330	PRICE COMPARISON MEASUREMENT	0..unbounded	Format:	Measurement
	Price comparison measurement	1..1	Format:	Decimal
			XPath:	A numeric value which may include decimals sales_information:salesInformationModule/salesInformation/priceComparisonMeasurement
T3780	Measurement unit code	1..1	Format:	String
				An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	sales_information:salesInformationModule/salesInformation/priceComparisonMeasurement/ @measurementUnitCode
T4461 3376	TRADE ITEM PRICE INFORMATION	0..1	Kodlista:	MeasurementUnitCode
	Card price group identifier	0..unbounded	XPath:	sales_information:salesInformationModule/tradeItemPriceInformation
			Format:	An alphanumeric string including up to 6 characters. Length: 1 .. 6
T2522 2518	SUSTAINABILITY	0..1	XPath:	sales_information:salesInformationModule/tradeItemPriceInformation/cardPriceGroupIdentifier
	Is trade item RoHS compliant	0..1	Module	SustainabilityModule
			XPath:	sustainability_module:sustainabilityModule/sustainabilityInformation
T4415 8728	CARBON FOOTPRINT HEADER	0..unbounded	Format:	NonBinaryLogicEnumeration
	Cfp country code	0..unbounded	XPath:	Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED sustainability_module:sustainabilityModule/sustainabilityInformation/isTradeItemROHSCompliant
			XPath:	sustainability_module:sustainabilityModule/carbonFootprintHeader
T4416 8730	Cfp date	0..1	Format:	String
				An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	sustainability_module:sustainabilityModule/carbonFootprintHeader/cfpCountryCode
T4417 8731	Cfp value verification code	0..1	Format:	DateTime
				YYYY-MM-DDTHH:MM:SSZ Length: 20
			XPath:	sustainability_module:sustainabilityModule/carbonFootprintHeader/cfpDate
+ T4491 8931	CARBON FOOTPRINT DETAIL	0..unbounded	Format:	String
	Carbon footprint life cycle stage code	0..1	XPath:	An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	sustainability_module:sustainabilityModule/carbonFootprintHeader/cfpValueVerificationCode

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4422 8744	Cfp accounting code	0..1	Kodlista:	carbonFootprintLifeCycleStageCode CarbonFootprintLifeCycleStageCode
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: sustainability_module:sustainabilityModule/carbonFootprintHeader/carbonFootprintDetail/cfpAccountingCode
T4418 8734	Cfp boundaries code	0..unbounded	Kodlista:	CfpAccountingCode
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: sustainability_module:sustainabilityModule/carbonFootprintHeader/carbonFootprintDetail/cfpBoundariesCode
T4421 8742	Cfp methodology code	0..1	Kodlista:	CfpBoundariesCode
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: sustainability_module:sustainabilityModule/carbonFootprintHeader/carbonFootprintDetail/cfpMethodologyCode
T4427 8847	Does carbon footprint include packaging	0..1	Kodlista:	CfpMethodologyCode
			Format:	NonBinaryLogicEnumeration Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED XPath: sustainability_module:sustainabilityModule/carbonFootprintHeader/carbonFootprintDetail/doesCarbonFootprintIncludePackaging
T4419 8736	CFP VALUE Cfp value	0..unbounded 1..1	Format:	Measurement
			XPath:	Decimal A numeric value which may include decimals sustainability_module:sustainabilityModule/carbonFootprintHeader/carbonFootprintDetail/cfpValue
T4423	Cfp value measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: sustainability_module:sustainabilityModule/carbonFootprintHeader/carbonFootprintDetail/cfpValue/@cfpValueMeasurementUnitCode
			XPath:	Description
T4420 8739	CFP FUNCTIONAL UNIT Cfp functional unit	0..unbounded 1..1	Format:	String An alphanumeric string including up to 2000 characters Length: 1 .. 2000 XPath: sustainability_module:sustainabilityModule/carbonFootprintHeader/carbonFootprintDetail/cfpFunctionalUnit
			XPath:	
T3782	Language code	1..1		

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 64 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
+ T4492 8934	EMISSIONS TYPE	0..unbounded	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: sustainability_module:sustainabilityModule/carbonFootprintHeader/carbonFootprintDetail/cfpFunctionalUnit/@languageCode Kodlista: LanguageCode
	Emissions type code	0..1	XPath: sustainability_module:sustainabilityModule/c/carbonFootprintHeader/carbonFootprintDetail/emissionsType
	EMISSION VALUE	0..unbounded	Format: Measurement
+ T4495 8936	Emissions value	1..1	Format: Decimal A numeric value which may include decimals XPath: sustainability_module:sustainabilityModule/c/carbonFootprintHeader/carbonFootprintDetail/emissionsType/emissionsValue
	Cfp value measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: sustainability_module:sustainabilityModule/c/carbonFootprintHeader/carbonFootprintDetail/emissionsType/emissionsValue/@cfpValueMeasurementUnitCode
T4423	DATA CARRIER	0..unbounded	Module XPath: trade_item_data_carrier_and_identification:tradeItemDataCarrierAndIdentificationModule/dataCarrier
T3748 3477	Application identifier type code	0..unbounded	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_data_carrier_and_identification:tradeItemDataCarrierAndIdentificationModule/dataCarrier/applicationIdentifierTypeCode Kodlista: ApplicationIdentifierTypeCode
	Data carrier presence code	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_data_carrier_and_identification:tradeItemDataCarrierAndIdentificationModule/dataCarrier/dataCarrierPresenceCode Kodlista: DataCarrierPresenceCode
T4310	Data carrier type code	0..1	Format: String

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 65 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
3480			An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_data_carrier_and_identification:tradeItemDataCarrierAndIdentificationModule/dataCarrier/dataCarrierTypeCode Kodlista: DataCarrierTypeCode
	DESCRIPTION	0..1	Module: TradeItemDescriptionModule XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation
	ADDITIONAL TRADE ITEM DESCRIPTION	0..unbounded	Format: Description
T4429 3504	Additional trade item description	1..1	Format: String An alphanumeric string including up to 2000 characters Length: 1 .. 2000 XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/additionalTradeItemDescription
	Language code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 Kodlista: LanguageCode
T0018 3508	FUNCTIONAL NAME	0..unbounded	Format: Description
	Functional name	1..1	Format: An alphanumeric string including up to 35 characters. Length: 1 .. 35 XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/functionalName
T3782	Language code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/functionalName/@languageCode Kodlista: LanguageCode
	BRAND NAME	0..1	XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/brandNameInformation
T0143 3541	Brand name	1..1	Format: String An alphanumeric string including up to 70 characters Length: 1 .. 70 XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/brandNameInformation/brandName
	Subbrand	0..1	Format: String An alphanumeric string including up to 70 characters Length: 1 .. 70 XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/brandNameInformation/subBrand

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 66 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T3337 3506	DESCRIPTION SHORT	0..unbounded	Format:	Description
	Description short	1..1	Format:	An alphanumeric string including up to 40 characters Length: 1 .. 40
			XPath:	trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/descriptionShort
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/descriptionShort/@languageCode
			Kodlista:	LanguageCode
T4800 3515	REGULATED PRODUCT NAME	0..unbounded	Format:	FormattedDescription
	Regulated product name	1..1	Format:	String An alphanumeric string including up to 500 characters Length: 1 .. 500
			XPath:	trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/regulatedProductName
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/regulatedProductName/@languageCode
			Kodlista:	LanguageCode
T4344 3520	VARIANT DESCRIPTION	0..unbounded	Format:	Description
	Variant description	1..1	Format:	String An alphanumeric string including up to 500 characters Length: 1 .. 500
			XPath:	trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/variantDescription
T3782	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/variantDescription/@languageCode
			Kodlista:	LanguageCode
T3810 3517	TRADE ITEM DESCRIPTION	0..unbounded	Format:	Description
	Trade item description	1..1	Format:	String An alphanumeric string including up to 200 characters

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 67 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T3782	Language code	1..1	XPath: Length: 1 .. 200 trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/tradeItemDescription
			Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/tradeItemDescription/@languageCode Kodlista: LanguageCode
T2242 3554	COLOUR COLOUR CODE	0..unbounded 0..1	XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/colour
			XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/colour/colourCode
			Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
T2241 6242	Colour code	1..1	XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/colour/colourCode Kodlista: External code list
			Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/colour/colourCode/@colourCodeListCode Kodlista: ColourCodeListCode
T2243 3552	Colour code list code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/colour/colourCode/@colourCodeListCode Kodlista: ColourCodeListCode
			Format: Description
T2243 3552	COLOUR DESCRIPTION	0..unbounded 1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/colour/colourDescription
			Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
T3782	Language code	1..1	XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/colour/colourDescription/@languageCode Kodlista: LanguageCode
			Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: trade_item_description:tradeItemDescriptionModule/tradeItemDescriptionInformation/colour/colourDescription/@languageCode Kodlista: LanguageCode
T4144	DISPOSAL	0..1	Module: TradeItemDisposalInformationModule
			XPath: trade_item_disposal_information:tradeItemDisposalInformationModule/tradeItemDisposalInformation
			Format: NonBinaryLogicEnumeration
T4144	Are hazardous components removable	0..1	Format: NonBinaryLogicEnumeration
			Format: NonBinaryLogicEnumeration
			Format: NonBinaryLogicEnumeration

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
3565			XPath: Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED trade_item_disposal_information:tradeItemDisposalInformationModule/tradeItemDisposalInformation/areHazardousComponentsRemovable
T4445 7176	Waste code	0..unbounded	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_disposal_information:tradeItemDisposalInformationModule/tradeItemDisposalInformation/typeOfWasteCode Kodlista: TypeOfWasteCode
	HANDLING	0..1	Module: TradeItemHandlingModule XPath: trade_item_handling:tradeItemHandlingModule/tradeItemHandlingInformation
T4040 3587	Handling instructions code reference	0..unbounded	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_handling:tradeItemHandlingModule/tradeItemHandlingInformation/handlingInstructionsCodeReference Kodlista: HandlingInstructionCode
	STACKING FACTOR	0..unbounded	XPath: trade_item_handling:tradeItemHandlingModule/tradeItemHandlingInformation/tradeItemStacking
T0157 3604	Stacking factor	0..1	Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0 XPath: trade_item_handling:tradeItemHandlingModule/tradeItemHandlingInformation/tradeItemStacking/stackingFactor
T3848 3607	Stacking factor type code	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_handling:tradeItemHandlingModule/tradeItemHandlingInformation/tradeItemStacking/stackingFactorTypeCode Kodlista: StackingFactorTypeCode
	HIERARCHY	0..1	Module: TradeItemHierarchyModule XPath: trade_item_hierarchy:tradeItemHierarchyModule/tradeItemHierarchy
T2239 3611	Is trade item packed irregularly	0..1	Format: NonBinaryLogicEnumeration Statement that can have the value TRUE, FALSE, NOT_APPLICABLE or UNSPECIFIED XPath: trade_item_hierarchy:tradeItemHierarchyModule/tradeItemHierarchy/isTradeItemPackedIrregularly
T4021 3614	Quantity of complete layers contained in a trade item	0..1	Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0 XPath: trade_item_hierarchy:tradeItemHierarchyModule/tradeItemHierarchy/quantityOfCompleteLayersContainedInATradeItem
T0160	Quantity of trade items contained in a complete layer	0..1	Format: NonNegativeInteger

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 69 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
3618			An integer that cannot be negative. Maximum Decimal Digits: 0 XPath: trade_item_hierarchy:tradeItemHierarchyModule/tradeItemHierarchy/quantityOfTradeItemsContainedInACompleteLayer
	LAYER HEIGHT	0..1	Format: Measurement
T3379 3612	Layer height	1..1	Format: Decimal A numeric value which may include decimals XPath: trade_item_hierarchy:tradeItemHierarchyModule/tradeItemHierarchy/layerHeight
T3780	Measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_hierarchy:tradeItemHierarchyModule/tradeItemHierarchy/layerHeight/@measurementUnitCode Kodlista: MeasurementUnitCode
	HUMIDITY	0..unbounded	Module: TradeItemHumidityInformationModule XPath: trade_item_humidity_information:tradeItemHumidityInformationModule/tradeItemHumidityInformation
T3847 3640	Humidity qualifier code	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_humidity_information:tradeItemHumidityInformationModule/tradeItemHumidityInformation/humidityQualifierCode Kodlista: TemperatureQualifierCode Comment: "T3847 Humidity qualifier code" uses generic code list "T3846 TemperatureQualifierCode" as code list.
T0166 3643	Maximum humidity percentage	0..1	Format: Decimal A numeric value which may include decimals XPath: trade_item_humidity_information:tradeItemHumidityInformationModule/tradeItemHumidityInformation/maximumHumidityPercentage
T0165 3644	Minimum humidity percentage	0..1	Format: Decimal A numeric value which may include decimals XPath: trade_item_humidity_information:tradeItemHumidityInformationModule/tradeItemHumidityInformation/minimumHumidityPercentage
	LIFESPAN	0..1	Module: TradeItemLifespanModule XPath: trade_item_lifespan:tradeItemLifespanModule/tradeItemLifespan
T0185 3703	Minimum trade item lifespan from time of arrival	0..1	Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0 XPath: trade_item_lifespan:tradeItemLifespanModule/tradeItemLifespan/minimumTradeItemLifespanFromTimeOfArrival

0..1 = no or only one occurrence | 1..1 = occurs exactly once

0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences

Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.

C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.

- = Not used at the corresponding trade item level.

Page 70 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T0167 3704	Minimum trade item lifespan from time of production	0..1	Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0
			XPath: trade_item_lifespan:tradeItemLifespanModule/tradeItemLifespan/minimumTradeItemLifespanFromTimeOfProduction
T2521 3705	Opened trade item lifespan	0..1	Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0
			XPath: trade_item_lifespan:tradeItemLifespanModule/tradeItemLifespan/openedTradeItemLifespan
T4498 8746	AVERAGE LIFE	0..unbounded	Format: Time Measurement
			Average life
T4270	Time measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: trade_item_lifespan:tradeItemLifespanModule/tradeItemLifespan/averageLife/@timeMeasurementUnitCode Kodlista: TimeMeasurementUnitCode
T4269 3709	ITEM PERIOD SAFE TO USE AFTER OPENING	0..unbounded	Format: Time Measurement
			Item period safe to use after opening
T4270	Time measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: trade_item_lifespan:tradeItemLifespanModule/tradeItemLifespan/itemPeriodSafeToUseAfterOpening/@timeMeasurementUnitCode Kodlista: TimeMeasurementUnitCode
T4018 3721	MEASUREMENTS	0..1	Module: TradeItemMeasurementsModule
			XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements
T4018 3721	TRADE ITEM MEASUREMENTS, DEPTH	0..1	Format: Measurement
			Trade item measurements, depth
T3780	Measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/depth

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 71 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T4019 3725	TRADE ITEM MEASUREMENTS, HEIGHT	0..1	XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/depth/ @measurementUnitCode Kodlista: MeasurementUnitCode
	Trade item measurements, height	1..1	Format: Decimal A numeric value which may include decimals
	Measurement unit code	1..1	XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/height/ @measurementUnitCode Kodlista: MeasurementUnitCode
T4017 3739	TRADE ITEM MEASUREMENTS, WIDTH	0..1	Format: Measurement
	Trade item measurements, width	1..1	Format: Decimal A numeric value which may include decimals
	Measurement unit code	1..1	XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/width/ @measurementUnitCode Kodlista: MeasurementUnitCode
T3816 3761	ADDITIONAL DIMENSIONS	0..unbounded	XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/ additionalTradeItemDimensions
	Dimension type code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80
	Additional trade item dimensions, width	1..1	XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/ additionalTradeItemDimensions/dimensionTypeCode Kodlista: DimensionTypeCode
T3817 3764	ADDITIONAL WIDTH	0..unbounded	Format: Measurement
	Additional trade item dimensions, width	1..1	Format: Decimal A numeric value which may include decimals
	Measurement unit code	1..1	XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/ additionalTradeItemDimensions/width Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 72 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T3818 3762	ADDITIONAL HEIGHT	0..unbounded	XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/additionalTradeItemDimensions/width/@measurementUnitCode Kodlista: MeasurementUnitCode
	Additional trade item dimensions, height	1..1	Format: Measurement Decimal A numeric value which may include decimals
			XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/additionalTradeItemDimensions/height
T3780	Measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/additionalTradeItemDimensions/height/@measurementUnitCode Kodlista: MeasurementUnitCode
T3819 3759	ADDITIONAL DEPTH	0..unbounded	Format: Measurement
	Additional trade item dimensions, depth	1..1	Format: Decimal A numeric value which may include decimals
			XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/additionalTradeItemDimensions/depth
T3780	Measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/additionalTradeItemDimensions/depth/@measurementUnitCode Kodlista: MeasurementUnitCode
T2236 3769	NESTING	0..unbounded	XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/tradeItemNesting
	Nesting direction code	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/tradeItemNesting/nestingDirectionCode Kodlista: NestingDirectionCode
T3378 3767	NESTING INCREMENT	0..unbounded	Format: Measurement
	Nesting increment	1..1	Format: Decimal A numeric value which may include decimals
			XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/tradeItemNesting/nestingIncrement
T3780	Measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 73 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T0191 3737	TRADE ITEM COMPOSITION WIDTH	0..1	XPath: Length: 1 .. 80 trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/tradeItemNesting/nestingIncrement/@measurementUnitCode Kodlista: MeasurementUnitCode Format: Measurement
	Trade item composition width	1..1	Format: Decimal A numeric value which may include decimals XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/tradeItemCompositionWidth
	Measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/tradeItemCompositionWidth/@measurementUnitCode Kodlista: MeasurementUnitCode
T0082 3733	NET CONTENT	0..unbounded	Format: Measurement
	Net content	1..1	Format: Decimal A numeric value which may include decimals XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/netContent
	Measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/netContent/@measurementUnitCode Kodlista: MeasurementUnitCode
T4305 3741	NET CONTENT STATEMENT	0..unbounded	Format: Description
	Net content statement	1..1	Format: String An alphanumeric string including up to 1000 characters Length: 1 .. 1000 XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/netContentStatement
	Language code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/netContentStatement/@languageCode Kodlista: LanguageCode
T3782	TRADE ITEM WEIGHT	0..1	XPath: trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/tradeItemWeight
	TRADE ITEM GROSS WEIGHT	0..1	Format: Measurement

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 74 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4020 3777	Trade item gross weight	1..1	Format:	Decimal
			XPath:	trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/tradeItemWeight/grossWeight
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/tradeItemWeight/grossWeight/@measurementUnitCode
T4330 3779	TRADE ITEM NET WEIGHT Trade item net weight	0..1 1..1	Kodlista:	MeasurementUnitCode
			Format:	Measurement
T3780	Measurement unit code	1..1	Format:	Decimal A numeric value which may include decimals
			XPath:	trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/tradeItemWeight/netWeight
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	trade_item_measurements:tradeItemMeasurementsModule/tradeItemMeasurements/tradeItemWeight/netWeight/@measurementUnitCode
T4362 7230	TRADE ITEM SIZE NON PACKAGED SIZE DIMENSION Size type code	0..1 0..unbounded 0..1	Kodlista:	MeasurementUnitCode
			Module	Trade item size module
T4361 7222	SIZE DIMENSION Size dimension	0..unbounded 1..1	XPath:	trade_item_size:tradeItemSizeModule
			XPath:	trade_item_size:tradeItemSizeModule/nonPackagedSizeDimension
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	trade_item_size:tradeItemSizeModule/nonPackagedSizeDimension/sizeTypeCode
T3780	Measurement unit code	1..1	Kodlista:	SizeTypeCode
			Format:	Measurement
T3780	Measurement unit code	1..1	Format:	Decimal A numeric value which may include decimals
			XPath:	trade_item_size:tradeItemSizeModule/nonPackagedSizeDimension/sizeDimension
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	trade_item_size:tradeItemSizeModule/nonPackagedSizeDimension/sizeDimension/@measurementUnitCode
T3780	Measurement unit code	1..1	Kodlista:	MeasurementUnitCode
			Format:	Measurement

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4360 7218	DESCRIPTIVE SIZE DIMENSION	0..unbounded	Format:	Description
	Descriptive size dimension	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_size:tradeItemSizeModule/nonPackagedSizeDimension/descriptiveSizeDimension
	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_size:tradeItemSizeModule/nonPackagedSizeDimension/descriptiveSizeDimension/@languageCode Kodlista: LanguageCode
T4242 3804	TEMPERATURE	0..1	Module	TradeItemTemperatureInformationModule
	Trade item temperature condition type code	0..1	XPath:	trade_item_temperature_information:tradeItemTemperatureInformationModule
	Temperature qualifier code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_temperature_information:tradeItemTemperatureInformationModule/tradeItemTemperatureConditionTypeCode Kodlista: TradeItemTemperatureConditionTypeCode
T3822 3830	TEMPERATURE INFORMATION	0..unbounded	XPath:	trade_item_temperature_information:tradeItemTemperatureInformationModule/tradeItemTemperatureInformation
	Temperature qualifier code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_temperature_information:tradeItemTemperatureInformationModule/tradeItemTemperatureInformation/temperatureQualifierCode Kodlista: TemperatureQualifierCode Comment: "T3822 Temperature qualifier code" uses generic code list "T3846 Temperature Qualifier Code" as code list.
	CUMULATIVE TEMPERATURE INTERRUPTION ACCEPTABLE TIME SPAN INSTRUCTIONS	0..unbounded	Format:	Description
T4439 3816	Cumulative temperature interruption acceptable time span instructions	1..1	Format:	String An alphanumeric string including up to 1000 characters Length: 1 .. 1000 XPath: trade_item_temperature_information:tradeItemTemperatureInformationModule/tradeItemTemperatureInformation/cumulativeTemperatureInterruptionAcceptableTimeSpanInstructions
	Language code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 76 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T4460 8602	MAXIMUM PROCESS TEMPERATURE TIMESPAN	0..unbounded	Kodlista:	LanguageCode
	Maximum process temperature timespan	1..1	Format:	Time Measurement
T4270	Time measurement unit code	1..1	Format:	Decimal
			XPath:	A numeric value which may include decimals trade_item_temperature_information:tradeItemTemperatureInformationModule/ tradeItemTemperatureInformation/maximumProcessTemperatureTimeSpan
T3796 3820	MAXIMUM TEMPERATURE	0..1	Kodlista:	TimeMeasurementUnitCode
	Maximum temperature	1..1	Format:	Temperature Measurement
T3781	Temperature measurement unit code	1..1	Format:	Decimal
			XPath:	A numeric value which may include decimals trade_item_temperature_information:tradeItemTemperatureInformationModule/ tradeItemTemperatureInformation/maximumTemperature
T4459 8599	MINIMUM PROCESS TEMPERATURE TIMESPAN	0..unbounded	Kodlista:	TemperatureMeasurementUnitCode
	Minimum process temperature timespan	1..1	Format:	Time Measurement
T4270	Time measurement unit code	1..1	Format:	Decimal
			XPath:	A numeric value which may include decimals trade_item_temperature_information:tradeItemTemperatureInformationModule/ tradeItemTemperatureInformation/minimumProcessTemperatureTimeSpan
T3797 3826	MINIMUM TEMPERATURE	0..1	Kodlista:	TimeMeasurementUnitCode
	Minimum temperature	1..1	Format:	Temperature Measurement
T3781	Temperature measurement unit code	1..1	Format:	Decimal
			XPath:	A numeric value which may include decimals trade_item_temperature_information:tradeItemTemperatureInformationModule/ tradeItemTemperatureInformation/minimumTemperature

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 77 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T3741 3863			An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: trade_item_temperature_information:tradeItemTemperatureInformationModule/tradeItemTemperatureInformation/minimumTemperature/@temperatureMeasurementUnitCode Kodlista: TemperatureMeasurementUnitCode
	— DANGEROUS GOODS	0..unbounded	Module: TransportationHazardousClassificationModule XPath: transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification
	— ADR tunnel restriction code	0..unbounded	Format: String An alphanumeric string including up to 70 characters Length: 1 .. 70 XPath: transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/aDRTunnelRestrictionCode Kodlista: External code list
+ T4512 3864	— Dangerous goods regulation agency	0..1	Format: String An alphanumeric string including up to 70 characters Length: 1 .. 70 XPath: transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/dangerousGoodsRegulationAgency
T4022 3865	— Dangerous goods regulation code	0..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/dangerousGoodsRegulationCode Kodlista: DangerousGoodsRegulationCode
T4247 6061	— Dangerous goods limited quantities code	0..1	Format: String An alphanumeric string including up to 35 characters Length: 1 .. 35 XPath: transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/dangerousGoodsLimitedQuantitiesCode Kodlista: DangerousGoodsLimitedQuantitiesCode
T4023 3866	— FLASH POINT TEMPERATURE	0..unbounded	Format: Measurement
	— Flash point temperature	1..1	Format: Decimal A numeric value which may include decimals XPath: transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 78 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T3781	Temperature measurement unit code	1..1	flashPointTemperature
			Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/flashPointTemperature/@measurementUnitCode Kodlista: TemperatureMeasurementUnitCode
T4141 3868	HAZARDOUS MATERIAL ADDITIONAL INFORMATION Hazardous material additional information	0..unbounded 1..1	Description
			Format: String An alphanumeric string including up to 1000 characters Length: 1 .. 1000 XPath: transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/hazardousMaterialAdditionalInformation
T3782	Language code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/hazardousMaterialAdditionalInformation/@languageCode Kodlista: LanguageCode
			HAZARDOUS INFORMATION DETAIL
T0263 3879	Class of dangerous goods	0..1	Format: String An alphanumeric string including up to 4 characters Length: 1 .. 4 XPath: transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/hazardousInformationDetail/classOfDangerousGoods Kodlista: ClassOfDangerousGoods
			Dangerous goods classification code
T3743 3880	Dangerous goods classification code	0..1	Format: String An alphanumeric string including up to 70 characters Length: 1 .. 70 XPath: transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/hazardousInformationDetail/dangerousGoodsClassificationCode Kodlista: External code list, www.msb.se
			Dangerous goods hazardous code
T4025	Dangerous goods hazardous code	0..unbounded	Format: String

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 79 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
3881			XPath:	An alphanumeric string including up to 35 characters Length: 1 .. 35 transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/hazardousInformationDetail/dangerousGoodsHazardousCode
T0264 3882	— Dangerous goods packing group	0..1	Kodlista:	External code list
			Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/hazardousInformationDetail/dangerousGoodsPackingGroup
			Kodlista:	External code list, www.msb.se
T4142 3884	— Dangerous goods special provisions	0..unbounded	Format:	String An alphanumeric string including up to 70 characters Length: 1 .. 70
			XPath:	transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/hazardousInformationDetail/dangerousGoodsSpecialProvisions
			Kodlista:	External code list, www.msb.se
T3744 3887	— Transport category code	0..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/hazardousInformationDetail/dangerousGoodsTransportCategoryCode
			Kodlista:	DangerousGoodsTransportCategoryCode
T0169 3894	— United Nations dangerous goods number	0..1	Format:	String An alphanumeric string including up to 4 characters Length: 1 .. 4
			XPath:	transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/hazardousInformationDetail/unitedNationsDangerousGoodsNumber
			Kodlista:	External code list
	DANGEROUS GOODS SHIPPING NAME	0..1	Format:	LanguageOptionalDescription
T4026 3883	— Dangerous goods shipping name	1..1	Format:	String An alphanumeric string including up to 1000 characters Length: 1 .. 1000
			XPath:	transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 80 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T3782	Language code	1..1	Format:	hazardousInformationDetail/dangerousGoodsShippingName String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/hazardousInformationDetail/dangerousGoodsShippingName/@languageCode
T4027 3885	DANGEROUS GOODS TECHNICAL NAME Dangerous goods technical name	0..unbounded 1..1	Kodlista:	LanguageCode
			Format:	Description String An alphanumeric string including up to 1000 characters Length: 1 .. 1000
T3782	Language code	1..1	XPath:	transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/hazardousInformationDetail/dangerousGoodsTechnicalName/@languageCode
			Kodlista:	LanguageCode
T4303 3892	NET MASS OF EXPLOSIVES Net mass of explosives	0..1 1..1	Format:	Measurement Decimal A numeric value which may include decimals
			XPath:	transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/hazardousInformationDetail/netMassOfExplosives
T3780	Measurement unit code	1..1	Format:	String An alphanumeric string including up to 80 characters Length: 1 .. 80
			XPath:	transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/hazardousInformationDetail/netMassOfExplosives/@measurementUnitCode
T4143 3896	HAZARDOUS LABEL Dangerous hazardous label number	0..unbounded 1..1	Kodlista:	MeasurementUnitCode
			XPath:	transportation_hazardous_classification:transportationHazardousClassificationModule/transportationClassification/regulatedTransportationMode/hazardousInformationHeader/hazardousInformationDetail/dangerousHazardousLabel
T4143 3896	Dangerous hazardous label number	1..1	Format:	String An alphanumeric string including up to 35 characters

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 81 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure	
BMS ID	Element name	Cardinality	Element specification
T4751 3897	Dangerous hazardous label sequence number	0..1	XPath: Length: 1 .. 35 transportation_hazardous_classification:transportationHazardousClassificationModule/ transportationClassification/regulatedTransportationMode/hazardousInformationHeader/ hazardousInformationDetail/dangerousHazardousLabel/dangerousHazardousLabelNumber
			Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0 XPath: transportation_hazardous_classification:transportationHazardousClassificationModule/ transportationClassification/regulatedTransportationMode/hazardousInformationHeader/ hazardousInformationDetail/dangerousHazardousLabel/ dangerousHazardousLabelSequenceNumber
T0186 3908	VARIABLE UNIT	0..1	Module XPath: VariableTradeItemInformationModule variable_trade_item_information:variableTradeItemInformationModule/variableTradeItemInformation
	Is trade item a variable unit	0..1	Format: Boolean Statement that can have the value of 'true' or 'false'. XPath: variable_trade_item_information:variableTradeItemInformationModule/ variableTradeItemInformation/isTradeItemAVariableUnit
T4298 3929	VIDEO DISPLAY DEVICE INFORMATION	0..1	Module XPath: VideoDisplayDeviceInformationModule video_display_device_information:videoDisplayDeviceInformationModule/ videoDisplayDeviceInformation
	Screen refresh rate	0..1	Format: NonNegativeInteger An integer that cannot be negative. Maximum Decimal Digits: 0 XPath: video_display_device_information:videoDisplayDeviceInformationModule/ videoDisplayDeviceInformation/screenRefreshRate
T4299 3943	DISPLAY SCREEN INFORMATION	0..1	XPath: video_display_device_information:videoDisplayDeviceInformationModule/ videoDisplayDeviceInformation/displayScreenInformation
	DISPLAY SCREEN SIZE	0..unbounded	Format: Measurement
T3780	Display screen size	1..1	Format: Decimal A numeric value which may include decimals XPath: video_display_device_information:videoDisplayDeviceInformationModule/ videoDisplayDeviceInformation/displayScreenInformation/displayScreenSize
	Measurement unit code	1..1	Format: String An alphanumeric string including up to 80 characters Length: 1 .. 80 XPath: video_display_device_information:videoDisplayDeviceInformationModule/ videoDisplayDeviceInformation/displayScreenInformation/displayScreenSize/ @measurementUnitCode Kodlista: MeasurementUnitCode
	WARRANTY	0..unbounded	Module WarrantyInformationModule

0..1 = no or only one occurrence | 1..1 = occurs exactly once
0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
- = Not used at the corresponding trade item level.

Page 82 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden

Business Document Specification

Issue date: 2026-11-14

Version: 3.1.37

Trade Item Information 20.2.1

GS1 Sweden ESAP

Entity id		Elements and structure		
BMS ID	Element name	Cardinality	Element specification	
T2229 3976	WARRANTY DURATION	0..1	XPath:	warranty_information:warrantyInformationModule/warrantyInformation
	Warranty duration	1..1	Format:	Measurement
			Format:	Decimal
T3780			XPath:	A numeric value which may include decimals
			XPath:	warranty_information:warrantyInformationModule/warrantyInformation/warrantyConditions/warrantyDuration
	Measurement unit code	1..1	Format:	String
			Format:	An alphanumeric string including up to 80 characters
			Length:	1 .. 80
			XPath:	warranty_information:warrantyInformationModule/warrantyInformation/warrantyConditions/warrantyDuration/@measurementUnitCode
			Kodlista:	MeasurementUnitCode

0..1 = no or only one occurrence | 1..1 = occurs exactly once
 0..unbounded = no or several occurrences | 1.. unbounded = one or several occurrences
 Choice = only one of underlying entities/classes occurs

M = Mandatory, must always be present at the corresponding trade item level.
 C = Conditional, must be present if certain conditions are satisfied. These conditions are described in the text. If the attribute is marked as conditional but no conditions are described then the attribute is optional and is included as and when information is available.
 - = Not used at the corresponding trade item level.

Page 83 / 83

* Changed attribute, + new attribute. For a detailed change history, see separate document.

© Copyright GS1 Sweden